

(4) Non-commercial channel limitation. A DBS operator cannot initially select a qualified programmer to fill more than one of its reserved channels except that, after all qualified entities that have sought access have been offered access on at least one channel, a provider may allocate additional channels to qualified programmers without having to make additional efforts to secure other qualified programmers.

(5) *Rates, terms and conditions.* (i) In making the required reserved capacity available, DBS providers cannot charge rates that exceed costs that are directly related to making the capacity available to qualified programmers. Direct costs include only the cost of transmitting the signal to the uplink facility and uplinking the signal to the satellite.

(ii) Rates for capacity reserved under paragraph (a) of this section shall not exceed 50 percent of the direct costs as defined in this section.

(iii) Nothing in this section shall be construed to prohibit DBS providers from negotiating rates with qualified programmers that are less than 50 percent of direct costs or from paying qualified programmers for the use of their programming.

(iv) DBS providers shall reserve discrete channels and offer these to qualifying programmers at consistent times to fulfill the reservation requirement described in these rules.

(6) *Public file.* (i) In addition to the political file requirements in §25.701(d), each DBS provider shall keep and permit public inspection of a complete and orderly record of:

(A) Quarterly measurements of channel capacity and yearly average calculations on which it bases its four percent reservation, as well as its response to any capacity changes;

(B) A record of entities to whom non-commercial capacity is being provided, the amount of capacity being provided to each entity, the conditions under which it is being provided and the rates, if any, being paid by the entity;

(C) A record of entities that have requested capacity, disposition of those requests and reasons for the disposition.

(ii) All records required by this paragraph shall be placed in a file available to the public as soon as possible and shall be retained for a period of two years.

(7) *Effective date.* DBS providers are required to make channel capacity available pursuant to this section upon the effective date. Programming provided pursuant to this rule must be available to the public no later than six months after the effective date.

[69 FR 23157, Apr. 28, 2004]

## PART 27—MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES

### Subpart A—General Information

Sec.

- 27.1 Basis and purpose.
- 27.2 Permissible communications.
- 27.3 Other applicable rule parts.
- 27.4 Terms and definitions.
- 27.5 Frequencies.
- 27.6 Service areas.

### Subpart B—Applications and Licenses

- 27.10 Regulatory status.
- 27.11 Initial authorization.
- 27.12 Eligibility.
- 27.13 License period.
- 27.14 Construction requirements; Criteria for comparative renewal proceedings.
- 27.15 Geographic partitioning and spectrum disaggregation.

### Subpart C—Technical Standards

- 27.50 Power and antenna height limits.
- 27.51 Equipment authorization.
- 27.52 RF safety.
- 27.53 Emission limits.
- 27.54 Frequency stability.
- 27.55 Signal strength limits.
- 27.56 Antenna structures; air navigation safety.
- 27.57 International coordination.
- 27.58 Interference to BRS/EBS receivers.
- 27.59 [Reserved]
- 27.60 TV/DTV interference protection criteria.
- 27.61–27.62 [Reserved]
- 27.63 Disturbance of AM broadcast station antenna patterns.
- 27.64 Protection from interference.

## Federal Communications Commission

Pt. 27

27.66 Discontinuance, reduction, or impairment of service.

### Subpart D—Competitive Bidding Procedures for the 2305–2320 MHz and 2345–2360 MHz Bands

27.201 WCS in the 2305–2320 MHz and 2345–2360 MHz bands subject to competitive bidding.

27.202–27.208 [Reserved]

27.209 Designated entities; bidding credits; unjust enrichment.

27.210 Definitions.

### Subpart E—Application, Licensing, and Processing Rules for WCS

27.301 [Reserved]

27.302 Eligibility.

27.303 Upper 700 MHz commercial and public safety coordination zone.

27.304–27.307 [Reserved]

27.308 Technical content of applications.

27.310–27.320 [Reserved]

27.321 Mutually exclusive applications.

27.322–27.325 [Reserved]

### Subpart F—Competitive Bidding Procedures for the 746–764 MHz and 776–794 MHz Bands

27.501 746–764 MHz and 776–794 MHz bands subject to competitive bidding.

27.502 Designated entities.

### Subpart G—Guard Band Managers

27.601 Guard Band Manager authority and coordination requirements.

27.602 Guard Band Manager agreements.

27.603 Access to the Guard Band Manager's spectrum.

27.604 Limitation on licenses won at auction.

27.605 Geographic partitioning and spectrum disaggregation.

27.606 Complaints against Guard Band Managers.

27.607 Performance requirements and annual reporting requirement.

### Subpart H—Competitive Bidding Procedures for the 698–746 MHz Band

27.701 698–746 MHz bands subject to competitive bidding.

27.702 Designated entities.

### Subpart I—1.4 GHz Band

27.801 Scope.

27.802 Permissible communications.

27.803 Coordination requirements.

27.804 Field strength limits at WMTS facility.

27.805 Geographic partitioning and spectrum disaggregation.

27.806 1.4 GHz service licenses subject to competitive bidding.

27.807 Designated entities.

### Subpart J—1670–1675 MHz Band

27.901 Scope.

27.902 Permissible communications.

27.903 Coordination requirements.

27.904 Geographic partitioning and spectrum disaggregation.

27.905 1670–1675 MHz service licenses subject to competitive bidding.

27.906 Designated entities.

### Subpart K [Reserved]

### Subpart L—1710–1755 MHz, 2110–2155 MHz, 2160–2180 MHz Bands

#### LICENSING AND COMPETITIVE BIDDING PROVISIONS

27.1101 1710–1755 MHz and 2110–2155 MHz bands subject to competitive bidding.

27.1102 Designated Entities in the 1710–1755 MHz and 2110–2155 MHz bands.

#### RELOCATION OF INCUMBENTS

27.1111 Relocation of fixed microwave service licensees in the 2110–2150 MHz band.

#### PROTECTION OF INCUMBENT OPERATIONS

27.1131 Protection of Part 101 operations.

27.1132 Protection of incumbent operations in the 2150–2160/62 MHz band.

27.1133 Protection of Part 74 and Part 78 operations.

27.1134 Protection of Federal Government operations.

27.1135 Protection of non-Federal Government Meteorological-Satellite operations.

#### COST-SHARING POLICIES GOVERNING MICROWAVE RELOCATION FROM THE 2110–2150 MHz AND 2160–2200 MHz BANDS

27.1160 Cost-sharing requirements for AWS.

27.1162 Administration of the Cost-Sharing Plan.

27.1164 The cost-sharing formula.

27.1166 Reimbursement under the Cost-Sharing Plan.

27.1168 Triggering a Reimbursement Obligation.

27.1170 Payment Issues.

27.1172 Dispute Resolution Under the Cost-Sharing Plan.

27.1174 Termination of Cost-Sharing Obligations.

#### COST-SHARING POLICIES GOVERNING BROADBAND RADIO SERVICE RELOCATION FROM THE 2150–2160/62 MHz BAND

27.1176 Cost-sharing requirements for AWS in the 2150–2160/62 MHz band.

## § 27.1

- 27.1178 Administration of the Cost-Sharing Plan.
- 27.1180 The cost-sharing formula.
- 27.1182 Reimbursement under the Cost-Sharing Plan.
- 27.1184 Triggering a reimbursement obligation.
- 27.1186 Payment issues.
- 27.1188 Dispute resolution under the Cost-Sharing Plan.
- 27.1190 Termination of cost-sharing obligations.

### Subpart M—Broadband Radio Service and Educational Broadband Service

- 27.1200 Change to BRS and EBS.
- 27.1201 EBS eligibility.
- 27.1202 Cable/BRS cross-ownership.
- 27.1203 EBS programming requirements.
- 27.1206 Geographic service area.
- 27.1207 BTA license authorization.
- 27.1208 Service areas.
- 27.1209 Conversion of incumbent EBS and BRS stations to geographic area licensing.
- 27.1210 Remote control operation.
- 27.1211 Unattended operation.
- 27.1212 License term.
- 27.1213 Designated entity provisions for BRS in Commission auctions commencing prior to January 1, 2004.
- 27.1214 EBS spectrum leasing arrangements and grandfathered leases.
- 27.1215 BRS grandfathered leases.
- 27.1216 Grandfathered E and F group EBS licenses.

#### TECHNICAL STANDARDS

- 27.1220 Transmission standards.
- 27.1221 Interference protection.
- 27.1222 Operations in the 2568–2572 and 2614–2618 bands.

#### POLICIES GOVERNING THE TRANSITION OF THE 2500–2690 MHz BAND FOR BRS AND EBS

- 27.1230 Conversion of the 2500–2690 MHz band.
- 27.1231 Initiating the transition.
- 27.1232 Planning the transition.
- 27.1233 Reimbursement costs of transitioning.
- 27.1234 Terminating existing operations in transitioned markets.
- 27.1235 Post-transition notification.
- 27.1236 Self-transitions.
- 27.1237 Pro rata allocation of transition costs.
- 27.1238 Eligible costs.
- 27.1239 Reimbursement obligation.

#### RELOCATION PROCEDURES FOR THE 2150–2160/62 MHz BAND

- 27.1250 Transition of the 2150–2160/62 MHz band from the Broadband Radio Service to the Advanced Wireless Service.

- 27.1251 Mandatory Negotiations.
- 27.1252 Involuntary Relocation Procedures.
- 27.1253 Sunset Provisions.
- 27.1254 Eligibility.
- 27.1255 Relocation Criteria for Broadband Radio Service Licensees in the 2150–2160/62 MHz band.

AUTHORITY: 47 U.S.C. 154, 301, 302, 303, 307, 309, 332, 336, and 337 unless otherwise noted.

SOURCE: 62 FR 9658, Mar. 3, 1997, unless otherwise noted.

### Subpart A—General Information

#### § 27.1 Basis and purpose.

This section contains the statutory basis for this part of the rules and provides the purpose for which this part is issued.

(a) *Basis.* The rules for miscellaneous wireless communications services (WCS) in this part are promulgated under the provisions of the Communications Act of 1934, as amended, that vest authority in the Federal Communications Commission to regulate radio transmission and to issue licenses for radio stations.

(b) *Purpose.* This part states the conditions under which spectrum is made available and licensed for the provision of wireless communications services in the following bands.

- (1) 2305–2320 MHz and 2345–2360 MHz.
- (2) 746–764 MHz and 776–794 MHz.
- (3) 698–746 MHz.
- (4) 1390–1392 MHz.
- (5) 1392–1395 MHz and 1432–1435 MHz.
- (6) 1670–1675 MHz.
- (7) [Reserved]
- (8) 1710–1755 MHz and 2110–2155 MHz.
- (9) 2495–2690 MHz.

(c) *Scope.* The rules in this part apply only to stations authorized under this part.

[62 FR 9658, Mar. 3, 1997, as amended at 65 FR 3144, Jan. 20, 2000; 65 FR 17601, Apr. 4, 2000; 67 FR 5510, Feb. 6, 2002; 67 FR 41854, June 20, 2002; 69 FR 5714, Feb. 6, 2004; 69 FR 72031, Dec. 10, 2004; 69 FR 77949, Dec. 29, 2004]

#### § 27.2 Permissible communications.

(a) *Miscellaneous wireless communications services.* Except as provided in paragraph (b) of this section and subject to technical and other rules contained in this part, a licensee in the frequency bands specified in § 27.5 may

provide any services for which its frequency bands are allocated, as set forth in the non-Federal Government column of the Table of Allocations in § 2.106 of this chapter (column 5).

(b) *746–747 MHz, 776–777 MHz, 762–764 MHz and 792–794 MHz bands.* Operators in the 746–747 MHz, 776–777 MHz, 762–764 MHz and 792–794 MHz bands may not employ a cellular system architecture. A cellular system architecture is defined, for purposes of this part, as one that consists of many small areas or cells (segmented from a larger geographic service area), each of which uses its own base station, to enable frequencies to be reused at relatively short distances.

(c) *Satellite DARS.* Satellite digital audio radio service (DARS) may be provided using the 2310–2320 and 2345–2360 MHz bands. Satellite DARS service shall be provided in a manner consistent with part 25 of this chapter.

[65 FR 3144, Jan. 20, 2000, as amended at 65 FR 17601, Apr. 4, 2000]

### § 27.3 Other applicable rule parts.

Other FCC rule parts applicable to the Wireless Communications Service include the following:

(a) *Part 0.* This part describes the Commission's organization and delegations of authority. Part 0 of this chapter also lists available Commission publications, standards and procedures for access to Commission records, and location of Commission Field Offices.

(b) *Part 1.* This part includes rules of practice and procedure for license applications, adjudicatory proceedings, procedures for reconsideration and review of the Commission's actions; provisions concerning violation notices and forfeiture proceedings; competitive bidding procedures; and the environmental requirements that, if applicable, must be complied with prior to the initiation of construction. Subpart F includes the rules for the Wireless Telecommunications Services and the procedures for filing electronically via the ULS.

(c) *Part 2.* This part contains the Table of Frequency Allocations and special requirements in international regulations, recommendations, agreements, and treaties. This part also contains standards and procedures con-

cerning the marketing and importation of radio frequency devices, and for obtaining equipment authorization.

(d) *Part 5.* This part contains rules prescribing the manner in which parts of the radio frequency spectrum may be made available for experimentation.

(e) *Part 15.* This part sets forth the requirements and conditions applicable to certain radio frequency devices.

(f) *Part 17.* This part contains requirements for construction, marking and lighting of antenna towers.

(g) *Part 20.* This part sets forth the requirements and conditions applicable to commercial mobile radio service providers.

(h) *Part 22.* This part sets forth the requirements and conditions applicable to public mobile services.

(i) *Part 24.* This part sets forth the requirements and conditions applicable to personal communications services.

(j) *Part 25.* This part contains the requirements for satellite communications, including satellite DARS.

(k) *Part 51.* This part contains general duties of telecommunications carriers to provide for interconnection with other telecommunications carriers.

(l) *Part 64.* This part sets forth the requirements and conditions applicable to telecommunications carriers under the Communications Assistance for Law Enforcement Act.

(m) *Part 68.* This part contains technical standards for connection of terminal equipment to the telephone network.

(n) *Part 73.* This part sets forth the requirements and conditions applicable to radio broadcast services.

(o) *Part 74.* This part sets forth the requirements and conditions applicable to experimental radio, auxiliary, special broadcast and other program distribution services.

(p) *Part 90.* This part sets forth the requirements and conditions applicable to private land mobile radio services.

(q) *Part 101.* This part sets forth the requirements and conditions applicable to fixed microwave services.

[62 FR 9658, Mar. 3, 1997, as amended at 63 FR 68954, Dec. 14, 1998; 65 FR 3144, Jan. 20, 2000; 67 FR 5510, Feb. 6, 2002; 69 FR 5714, Feb. 6, 2004; 69 FR 72031, Dec. 10, 2004; 70 FR 61059, Oct. 20, 2005]

**§ 27.4 Terms and definitions.**

*Advanced wireless service (AWS).* A radiocommunication service licensed pursuant to this part for the frequency bands specified in § 27.5(h).

*Affiliate.* This term shall have the same meaning as that for “affiliate” in part 1, § 1.2110(b)(5) of this chapter.

*Assigned frequency.* The center of the frequency band assigned to a station.

*Attended operation.* Operation of a station by a designated person on duty at the place where the transmitting apparatus is located with the transmitter in the person’s plain view.

*Authorized bandwidth.* The maximum width of the band of frequencies permitted to be used by a station. This is normally considered to be the necessary or occupied bandwidth, whichever is greater.

*Average terrain.* The average elevation of terrain between 3 and 16 kilometers from the antenna site.

*Base station.* A land station in the land mobile service.

*Booster service area.* A geographic area to be designated by an applicant for a booster station, within which the booster station shall be entitled to protection against interference as set forth in this part. The booster service area must be specified by the applicant so as not to overlap the booster service area of any other booster authorized to or proposed by the applicant. However, a booster station may provide service to receive sites outside of its booster service area, at the licensee’s risk of interference. The booster station must be capable of providing substantial service within the designated booster service area.

*Broadband Radio Service (BRS).* A radio service using certain frequencies in the 2150–2162 and 2496–2690 MHz bands which can be used to provide fixed and mobile services, except for aeronautical services.

*Broadcast services.* This term shall have the same meaning as that for “broadcasting” in section 3(6) of the Communications Act of 1934, *i.e.*, “the dissemination of radio communications intended to be received by the public, directly or by the intermediary of relay stations.” 47 U.S.C. 153(6).

*Commercial EBS licensee.* A licensee authorized to operate on EBS channels

pursuant to the provisions of § 27.1201(c) contained in the edition of 47 CFR parts 20 to 39, revised as of October 1, 2005, or §§ 74.990 through 74.992 contained in the edition of 47 CFR parts 70 to 79, revised as of October 1, 2004, of this chapter, and that does not meet the eligibility requirements of § 27.1201(a).

*Documented complaint.* A complaint that a party is suffering from non-consensual interference. A documented complaint must contain a certification that the complainant has contacted the operator of the allegedly offending facility and tried to resolve the situation prior to filing. The complaint must then specify the nature of the interference, whether the interference is constant or intermittent, when the interference began and the site(s) most likely to be causing the interference. The complaint should be accompanied by a videotape or other evidence showing the effects of the interference. The complaint must contain a motion for a temporary order to have the interfering station cease transmitting. The complaint must be filed with the Secretary’s office and served on the allegedly offending party.

*Educational Broadband Service (EBS).* A fixed or mobile service, the licensees of which are educational institutions or non-profit educational organizations, and intended primarily for video, data, or voice transmissions of instructional, cultural, and other types of educational material to one or more receiving locations.

*Effective Radiated Power (ERP)* (in a given direction). The product of the power supplied to the antenna and its gain relative to a half-wave dipole in a given direction.

*Equivalent Isotropically Radiated Power (EIRP).* The product of the power supplied to the antenna and the antenna gain in a given direction relative to an isotropic antenna.

*Fixed service.* A radio communication service between specified fixed points.

*Fixed station.* A station in the fixed service.

*Guard band manager.* The term *Guard band manager* refers to a commercial licensee in the 746–747 MHz, 762–764 MHz, 776–777 MHz, and 792–794 MHz bands that functions solely as a spectrum

broker by subdividing its licensed spectrum and making it available to system operators or directly to end users for fixed or mobile communications consistent with Commission Rules. A *Guard band manager* is directly responsible for any interference or misuse of its licensed frequency arising from its use by such non-licensed entities.

*Land mobile service.* A mobile service between base stations and land mobile stations, or between land mobile stations.

*Land mobile station.* A mobile station in the land mobile service capable of surface movement within the geographic limits of a country or continent.

*Land station.* A station in the mobile service not intended to be used while in motion.

*Lower Band Segment (LBS).* Segment of the BRS/EBS band consisting of channels in the frequencies 2496-2572 MHz.

*Middle Band Segment (MBS).* Segment of the BRS/EBS band consisting of channels in the frequencies 2572-2614 MHz.

*Mobile service.* A radio communication service between mobile and land stations, or between mobile stations.

*Mobile station.* A station in the mobile service intended to be used while in motion or during halts at unspecified points.

*National Geodetic Reference System (NGRS).* The name given to all geodetic control data contained in the National Geodetic Survey (NGS) data base. (Source: National Geodetic Survey, U.S. Department of Commerce)

*Point-to-point Broadband station.* A Broadband station that transmits a highly directional signal from a fixed transmitter location to a fixed receive location.

*Portable device.* Transmitters designed to be used within 20 centimeters of the body of the user.

*Radiodetermination.* The determination of the position, velocity and/or other characteristics of an object, or the obtaining of information relating to these parameters, by means of the propagation properties of radio waves.

*Radiolocation.* Radiodetermination used for purposes other than those of radionavigation.

*Radiolocation land station.* A station in the radiolocation service not intended to be used while in motion.

*Radiolocation mobile station.* A station intended to be used while in motion or during halts at unspecified points.

*Radionavigation.* Radiodetermination used for the purpose of navigation, including obstruction warning.

*Remote control.* Operation of a station by a designated person at a control position from which the transmitter is not visible but where suitable control and telemetering circuits are provided which allow the performance of the essential functions that could be performed at the transmitter.

*Satellite Digital Audio Radio Service (satellite DARS).* A radiocommunication service in which compact disc quality programming is digitally transmitted by one or more space stations.

*Sectorization.* The use of an antenna system at any broadband station, booster station and/or response station hub that is capable of simultaneously transmitting multiple signals over the same frequencies to different portions of the service area and/or simultaneously receiving multiple signals over the same frequencies from different portions of the service area.

*Studio to transmitter link (STL).* A directional path used to transmit a signal from a station's studio to its transmitter.

*Temporary fixed broadband station.* A broadband station used for the transmission of material from temporary unspecified points to a broadband station.

*Time division multiple access (TDMA).* A multiple access technique whereby users share a transmission medium by being assigned and using (one-at-a-time) for a limited number of time division multiplexed channels; implies that several transmitters use one channel for sending several bit streams.

*Time division multiplexing (TDM).* A multiplexing technique whereby two or more channels are derived from a transmission medium by dividing access to the medium into sequential intervals. Each channel has access to the entire bandwidth of the medium during its interval. This implies that one transmitter uses one channel to send several bit streams of information.

## § 27.5

## 47 CFR Ch. I (10–1–06 Edition)

*Unattended operation.* Operation of a station by automatic means whereby the transmitter is turned on and off and performs its functions without attention by a designated person.

*Universal Licensing System.* The Universal Licensing System (ULS) is the consolidated database, application filing system, and processing system for all Wireless Radio Services. ULS supports electronic filing of all applications and related documents by applicants and licensees in the Wireless Radio Services, and provides public access to licensing information.

*Upper Band Segment (UBS).* Segment of the BRS/EBS band consisting of channels in the frequencies 2614–2690 MHz

*Wireless communications service.* A radiocommunication service licensed pursuant to this part for the frequency bands specified in § 27.5.

[62 FR 9658, Mar. 3, 1997, as amended at 62 FR 16497, Apr. 7, 1997; 63 FR 68954, Dec. 14, 1998; 65 FR 3145, Jan. 20, 2000; 65 FR 17602, Apr. 4, 2000; 67 FR 41854, June 20, 2002; 68 FR 66286, Nov. 25, 2003; 69 FR 5714, Feb. 6, 2004; 69 FR 72031, Dec. 10, 2004; 71 FR 35189, June 19, 2006]

### § 27.5 Frequencies.

(a) *2305–2320 MHz and 2345–2360 MHz bands.* The following frequencies are available for WCS in the 2305–2320 MHz and 2345–2360 MHz bands:

(1) Two paired channel blocks are available for assignment on a Major Economic Area basis as follows:

Block A: 2305–2310 and 2350–2355 MHz; and  
Block B: 2310–2315 and 2355–2360 MHz.

(2) Two unpaired channel blocks are available for assignment on a Regional Economic Area Grouping basis as follows:

Block C: 2315–2320 MHz; and  
Block D: 2345–2350 MHz.

(b) *746–764 MHz and 776–794 MHz bands.* The following frequencies are available for licensing pursuant to this part in the 746–764 MHz and 776–794 MHz bands:

(1) Two paired channels of 1 megahertz each are available for assignment solely to Guard band managers. Block A: 746–747 MHz and 776–777 MHz.

(2) Two paired channels of 2 megahertz each are available for assignment

solely to Guard band managers. Block B: 762–764 MHz and 792–794 MHz.

(3) Two paired channels of 5 megahertz each are available for assignment. Block C: 747–752 MHz and 777–782 MHz.

(4) Two paired channels of 10 megahertz each are available for assignment. Block D: 752–762 MHz and 782–792 MHz.

(c) *698–746 MHz band.* The following frequencies are available for licensing pursuant to this part in the 698–746 MHz band:

(1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:

Block A: 698–704 MHz and 728–734 MHz;  
Block B: 704–710 MHz and 734–740 MHz; and  
Block C: 710–716 MHz and 740–746 MHz.

(2) Two unpaired channel blocks of 6 megahertz each are available for assignment as follows:

Block D: 716–722 MHz; and  
Block E: 722–728 MHz.

(d) *1390–1392 MHz band.* The 1390–1392 MHz band is available for assignment on a Major Economic Area basis.

(e) *The paired 1392–1395 and 1432–1435 MHz bands.* The paired 1392–1395 MHz and 1432–1435 MHz bands are available for assignment on an Economic Area Grouping basis as follows: Block A: 1392–1393.5 MHz and 1432–1433.5 MHz; and Block B: 1393.5–1395 MHz and 1433.5–1435 MHz.

(f) *1670–1675 MHz band.* The 1670–1675 MHz band is available for assignment on a nationwide basis.

(g) [Reserved]

(h) *1710–1755 MHz and 2110–2155 MHz bands.* The following frequencies are available for licensing pursuant to this part in the 1710–1755 MHz and 2110–2155 MHz bands:

(1) Three paired channel blocks of 10 megahertz each are available for assignment as follows:

Block A: 1710–1720 MHz and 2110–2120 MHz;  
Block B: 1720–1730 MHz and 2120–2130 MHz;  
and  
Block F: 1745–1755 MHz and 2145–2155 MHz.

(2) Three paired channel blocks of 5 megahertz each are available for assignment as follows:

Block C: 1730–1735 MHz and 2130–2135 MHz;

## Federal Communications Commission

## § 27.5

Block D: 1735–1740 MHz and 2135–2140 MHz;  
and

Block E: 1740–1745 MHz and 2140–2145 MHz.

(i) *Frequency assignments for the BRS/EBS band.* (1) Pre-transition frequency assignments.

RS Channel 1: 2150–2156 MHz or 2496–2500 MHz  
BRS Channel 2: 2156–2162 MHz or 2686–2690 MHz

BRS Channel 2A: 2156–2160 MHz  
EBS Channel A1: 2500–2506 MHz  
EBS Channel B1: 2506–2512 MHz  
EBS Channel A2: 2512–2518 MHz  
EBS Channel B2: 2518–2524 MHz  
EBS Channel A3: 2524–2530 MHz  
EBS Channel B3: 2530–2536 MHz  
EBS Channel A4: 2536–2542 MHz  
EBS Channel B4: 2542–2548 MHz  
EBS Channel C1: 2548–2554 MHz  
EBS Channel D1: 2554–2560 MHz  
EBS Channel C2: 2560–2566 MHz  
EBS Channel D2: 2566–2572 MHz  
EBS Channel C3: 2572–2578 MHz  
EBS Channel D3: 2578–2584 MHz  
EBS Channel C4: 2584–2590 MHz  
EBS Channel D4: 2590–2596 MHz  
BRS Channel E1: 2596–2602 MHz  
BRS Channel F1: 2602–2608 MHz  
BRS Channel E2: 2608–2614 MHz  
BRS Channel F2: 2614–2620 MHz  
BRS Channel E3: 2620–2626 MHz  
BRS Channel F3: 2626–2632 MHz  
BRS Channel E4: 2632–2638 MHz  
BRS Channel F4: 2638–2644 MHz  
EBS Channel G1: 2644–2650 MHz  
BRS Channel H1: 2650–2656 MHz  
EBS Channel G2: 2656–2662 MHz  
BRS Channel H2: 2662–2668 MHz  
EBS Channel G3: 2668–2674 MHz  
BRS Channel H3: 2674–2680 MHz  
EBS Channel G4: 2680–2686 MHz  
I Channels: 2686–2690 MHz

(2) *Post transition frequency assignments.* The frequencies available in the Broadband Radio Service (BRS) and Educational Broadband Service (EBS) are listed in this section in accordance with the frequency allocations table of § 2.106 of this chapter.

(i) Lower Band Segment (LBS): The following channels shall constitute the Lower Band Segment:

BRS Channel 1: 2496–2502 MHz  
EBS Channel A1: 2502–2507.5 MHz  
EBS Channel A2: 2507.5–2513 MHz  
EBS Channel A3: 2513–2518.5 MHz  
EBS Channel B1: 2518.5–2524 MHz  
EBS Channel B2: 2524–2529.5 MHz  
EBS Channel B3: 2529.5–2535 MHz  
EBS Channel C1: 2535–2540.5 MHz  
EBS Channel C2: 2540.5–2546 MHz  
EBS Channel C3: 2546–2551.5 MHz  
EBS Channel D1: 2551.5–2557 MHz

EBS Channel D2: 2557–2562.5 MHz  
EBS Channel D3: 2562.5–2568 MHz  
EBS Channel JA1: 2568.00000–2568.33333 MHz  
EBS Channel JA2: 2568.33333–2568.66666 MHz  
EBS Channel JA3: 2568.66666–2569.00000 MHz  
EBS Channel JB1: 2569.00000–2569.33333 MHz  
EBS Channel JB2: 2569.33333–2569.66666 MHz  
EBS Channel JB3: 2569.66666–2570.00000 MHz  
EBS Channel JC1: 2570.00000–2570.33333 MHz  
EBS Channel JC2: 2570.33333–2570.66666 MHz  
EBS Channel JC3: 2570.66666–2571.00000 MHz  
EBS Channel JD1: 2571.00000–2571.33333 MHz  
EBS Channel JD2: 2571.33333–2571.66666 MHz  
EBS Channel JD3: 2571.66666–2572.00000 MHz

(ii) Middle Band Segment (MBS): The following channels shall constitute the Middle Band Segment:

EBS Channel A4: 2572–2578 MHz  
EBS Channel B4: 2578–2584 MHz  
EBS Channel C4: 2584–2590 MHz  
EBS Channel D4: 2590–2596 MHz  
EBS Channel G4: 2596–2602 MHz  
BRS/EBS Channel F4: 2602–2608 MHz  
BRS/EBS Channel E4: 2608–2614 MHz

(iii) Upper Band Segment (UBS): The following channels shall constitute the Upper Band Segment:

BRS Channel KH1: 2614.00000–2614.33333 MHz  
BRS Channel KH2: 2614.33333–2614.66666 MHz  
BRS Channel KH3: 2614.66666–2615.00000 MHz  
EBS Channel KG1: 2615.00000–2615.33333 MHz  
EBS Channel KG2: 2615.33333–2616.66666 MHz  
EBS Channel KG3: 2616.66666–2617.00000 MHz  
BRS Channel KF1: 2616.00000–2616.33333 MHz  
BRS Channel KF2: 2616.33333–2616.66666 MHz  
BRS Channel KF3: 2616.66666–2617.00000 MHz  
BRS Channel KE1: 2617.00000–2617.33333 MHz  
BRS Channel KE2: 2617.33333–2617.66666 MHz  
BRS Channel KE3: 2617.66666–2618.00000 MHz  
BRS Channel 2: 2618–2624 MHz  
BRS/EBS Channel E1: 2624–2629.5 MHz  
BRS/EBS Channel E2: 2629.5–2635 MHz  
BRS/EBS Channel E3: 2635–2640.5 MHz  
BRS/EBS Channel F1: 2640.5–2646 MHz  
BRS/EBS Channel F2: 2646–2651.5 MHz  
BRS/EBS Channel F3: 2651.5–2657 MHz  
BRS Channel H1: 2657–2662.5 MHz  
BRS Channel H2: 2662.5–2668 MHz  
BRS Channel H3: 2668–2673.5 MHz  
BRS Channel G1: 2673.5–2679 MHz  
BRS Channel G2: 2679–2684.5 MHz  
BRS Channel G3: 2684.5–2690 MHz

NOTE TO PARAGRAPH (i)(2): No 125 kHz channels are provided for channels in operation in this service. The 125 kHz channels previously associated with these channels have been re-allocated to Channel G3 in the upper band segment.

(3) During the transition (see §§ 27.1230–27.1239) EBS and BRS licensees may exchange channels to effectuate the transition of the 2.5 GHz band in a given BTA.



## § 27.6

## 47 CFR Ch. I (10–1–06 Edition)

(4) A temporary fixed broadband station may use any available broadband channel on a secondary basis, except that operation of temporary fixed broadband stations is not allowed within 56.3 km (35 miles) of Canada.

(5)(i) A point-to-point EBS station on the E and F-channel frequencies, may be involuntarily displaced by a BRS applicant or licensee, provided that suitable alternative spectrum is available and that the BRS entity bears the expenses of the migration. Suitability of spectrum will be determined on a case-by-base basis; at a minimum, the alternative spectrum must be licensable by broadband operators on a primary basis (although it need not be specifically allocated to the broadband service), and must provide a signal that is equivalent to the prior signal in picture quality and reliability, unless the broadband licensee will accept an inferior signal. Potential expansion of the BRS licensee may be considered in determining whether alternative available spectrum is suitable.

(ii) If suitable alternative spectrum is located pursuant to paragraph (h)(6)(i) of this section, the initiating party must prepare and file the appropriate application for the new spectrum, and must simultaneously serve a copy of the application on the EBS licensee to be moved. The initiating party will be responsible for all costs connected with the migration, including purchasing, testing and installing new equipment, labor costs, reconfiguration of existing equipment, administrative costs, legal and engineering expenses necessary to prepare and file the migration application, and other reasonable documented costs. The initiating party must secure a bond or establish an escrow account to cover reasonable incremental increase in ongoing expenses that may fall upon the migrated licensee. The bond or escrow account should also account for the possibility that the initiating party subsequently becomes bankrupt. If it becomes necessary for the Commission to assess the sufficiency of a bond or escrow amount, it will take into account such factors as projected incremental increase in electricity or maintenance expenses, or relocation expenses, as relevant in each case.

(iii) The EBS licensee to be moved will have a 60-day period in which to oppose the involuntary migration. The broadband party should state its opposition to the migration with specificity, including engineering and other challenges, and a comparison of the present site and the proposed new site. If involuntary migration is granted, the new facilities must be operational before the initiating party will be permitted to begin its new or modified operations. The migration must not disrupt the broadband licensee's provision of service, and the broadband licensee has the right to inspect the construction or installation work.

[62 FR 9658, Mar. 3, 1997, as amended at 65 FR 3145, Jan. 20, 2000; 65 FR 17602, Apr. 4, 2000; 67 FR 5510, Feb. 6, 2002; 67 FR 41854, June 20, 2002; 69 FR 5714, Feb. 6, 2004; 69 FR 72032, Dec. 10, 2004; 69 FR 77950, Dec. 29, 2004; 70 FR 58064, Oct. 5, 2005; 71 FR 35189, June 19, 2006]

### § 27.6 Service areas.

(a) WCS service areas are Major Economic Areas (MEAs) and Regional Economic Area Groupings (REAGs) as defined in the Table immediately following paragraph (a)(1) of this section. Both MEAs and REAGs are based on the U.S. Department of Commerce's 172 Economic Areas (Eas). See 60 FR 13114 (March 10, 1995). In addition, the Commission shall separately license Guam and the Northern Mariana Islands, Puerto Rico and the United States Virgin Islands, American Samoa, and the Gulf of Mexico, which have been assigned Commission-created EA numbers 173–176, respectively. Maps of the EAs, MEAs, and REAGs and the FEDERAL REGISTER Notice that established the 172 EAs are available for public inspection and copying at the Reference Information Center, Consumer and Governmental Affairs Bureau, Federal Communications Commission, 445 12th Street, SW, Washington, DC 20554.

(1) The 52 MEAs are composed of one or more EAs and the 12 REAGs are composed of one or more MEAs, as defined in the table below:

**Federal Communications Commission**

**§ 27.6**

REAGs	MEAs	EAs
1 (Northeast) .....	1 (Boston) .....	1-3.
	2 (New York City) .....	4-7, 10.
	3 (Buffalo) .....	8.
	4 (Philadelphia) .....	11-12.
2 (Southeast) .....	5 (Washington) .....	13-14.
	6 (Richmond) .....	15-17, 20.
	7 (Charlotte-Greensboro-Greenville-Raleigh) .....	18-19, 21-26, 41-42, 46.
	8 (Atlanta) .....	27-28, 37-40, 43.
	9 (Jacksonville) .....	29, 35.
	10 (Tampa-St. Petersburg-Orlando) .....	30, 33-34.
	11 (Miami) .....	31-32.
3 (Great Lakes) .....	12 (Pittsburgh) .....	9, 52-53.
	13 (Cincinnati-Dayton) .....	48-50.
	14 (Columbus) .....	51.
	15 (Cleveland) .....	54-55.
	16 (Detroit) .....	56-58, 61-62.
	17 (Milwaukee) .....	59-60, 63, 104-105, 108.
	18 (Chicago) .....	64-66, 68, 97, 101.
	19 (Indianapolis) .....	67.
	20 (Minneapolis-St. Paul) .....	106-107, 109-114, 116.
4 (Mississippi Valley) .....	21 (Des Moines-Quad Cities) .....	100, 102-103, 117.
	22 (Knoxville) .....	44-45.
	23 (Louisville-Lexington-Evansville) .....	47, 69-70, 72.
	24 (Birmingham) .....	36, 74, 78-79.
	25 (Nashville) .....	71.
	26 (Memphis-Jackson) .....	73, 75-77.
	27 (New Orleans-Baton Rouge) .....	80-85.
	28 (Little Rock) .....	90-92, 95.
	29 (Kansas City) .....	93, 99, 123.
	30 (St. Louis) .....	94, 96, 98.
5 (Central) .....	31 (Houston) .....	86-87, 131.
	32 (Dallas-Fort Worth) .....	88-89, 127-130, 135, 137-138.
	33 (Denver) .....	115, 140-143.
	34 (Omaha) .....	118-121.
	35 (Wichita) .....	122.
	36 (Tulsa) .....	124.
	37 (Oklahoma City) .....	125-126.
	38 (San Antonio) .....	132-134.
	39 (El Paso-Albuquerque) .....	136, 139, 155-157.
	40 (Phoenix) .....	154, 158-159.
6 (West) .....	41 (Spokane-Billings) .....	144-147, 168.
	42 (Salt Lake City) .....	148-150, 152.
	43 (San Francisco-Oakland-San Jose) .....	151, 162-165.
	44 (Los Angeles-San Diego) .....	153, 160-161.
	45 (Portland) .....	166-167.
	46 (Seattle) .....	169-170.
7 (Alaska) .....	47 (Alaska) .....	171.
8 (Hawaii) .....	48 (Hawaii) .....	172.
9 (Guam and the Northern Mariana Islands) .....	49 (Guam and the Northern Mariana Islands) .....	173.
10 (Puerto Rico and U.S. Virgin Islands) ..	50 (Puerto Rico and U.S. Virgin Islands) ..	174.
11 (American Samoa) .....	51 (American Samoa) .....	175.
12 (Gulf of Mexico) .....	52 (Gulf of Mexico) .....	176.

(2) The Gulf of Mexico EA extends from 12 nautical miles off the U.S. Gulf coast outward into the Gulf.

(b) *746-764 MHz and 776-794 MHz bands.* WCS service areas for the 746-764 MHz and 776-794 MHz bands are as follows.

(1) Service areas for Block A in the 746-747 and 776-777 MHz bands and Block B in the 762-764 and 792-794 MHz bands are based on Major Economic Areas (MEAs), as defined in paragraphs (a)(1) and (a)(2) of this section.

(2) Service areas for Blocks C and D in the 747-762 MHz and 777-792 MHz bands are based on Economic Area Groupings (EAGs) as defined by the Federal Communications Commission. *See* 62 FR 15978 (April 3, 1997) extended with the Gulf of Mexico. *See* also paragraphs (a)(1) and (a)(2) of this section and 62 FR 9636 (March 3, 1997), in which the Commission created an additional four economic area-like areas for a total of 176. Maps of the EAGs and the

FEDERAL REGISTER Notice that established the 172 Economic Areas (EAs) are available for public inspection and copying at the Reference Center, Room CY A-257, 445 12th St., S.W., Washington, DC 20554. These maps and data

are also available on the FCC website at [www.fcc.gov/oet/info/maps/areas/](http://www.fcc.gov/oet/info/maps/areas/).

(i) There are 6 EAGs, which are composed of multiple EAs as defined in the table below:

Economic area groupings	Name	Economic areas
EAG001 .....	Northeast .....	1–11, 54
EAG002 .....	Mid-Atlantic .....	12–26, 41, 42, 44–53, 70
EAG003 .....	Southeast .....	27–40, 43, 69, 71–86, 88–90, 95, 96, 174, 176(part)
EAG004 .....	Great Lakes .....	55–68, 97, 100–109
EAG005 .....	Central/Mountain .....	87, 91–94, 98, 99, 110–146, 148, 149, 152, 154–159, 176(part)
EAG006 .....	Pacific .....	147, 150, 151, 153, 160–173, 175

NOTE 1 TO PARAGRAPH (b)(2)(i): Economic Area Groupings are defined by the Federal Communications Commission; *see* 62 FR 15978 (April 3, 1997) extended with the Gulf of Mexico.

NOTE 2 TO PARAGRAPH (b)(2)(i): Economic Areas are defined by the Regional Economic Analysis Division, Bureau of Economic Analysis, U.S. Department of Commerce February 1995 and extended by the Federal Communications Commission, *see* 62 FR 9636 (March 3, 1997).

(ii) For purposes of paragraph (b)(2)(i) of this section, EA 176 (the Gulf of Mexico) will be divided between EAG003 (the Southeast EAG) and EAG005 (the Central/Mountain EAG) in accordance with the configuration of the Eastern/Central and Western Planning Area established by the Mineral Management Services Bureau of the Department of the Interior (MMS). That portion of EA 176 contained in the Eastern and Central Planning Areas as defined by MMS will be included in EAG003; that portion of EA 176 contained in the Western Planning Area as defined by MMS will be included in EAG005. Maps of these areas may be found on the following MMS website: [www.gomr.mms.gov/homepg/offshore/offshore.html](http://www.gomr.mms.gov/homepg/offshore/offshore.html).

(c) *698–746 MHz band.* WCS service areas for the 698–746 MHz band are as follows.

(1) Service areas for Blocks A, B, D, and E in the 698–746 MHz band are based on Economic Area Groupings (EAGs) as defined in paragraph (b)(2) of this section.

(2) Service areas for Block C in the 698–746 MHz band are based on cellular markets comprising Metropolitan Statistical Areas (MSAs) and Rural Service Areas (RSAs) as defined by Public

Notice Report No. CL-92-40 “Common Carrier Public Mobile Services Information, Cellular MSA/RSA Markets and Counties,” dated January 24, 1992, DA 92-109, 7 FCC Rcd 742 (1992), with the following modifications:

(i) The service areas of cellular markets that border the U.S. coastline of the Gulf of Mexico extend 12 nautical miles from the U.S. Gulf coastline.

(ii) The service area of cellular market 306 that comprises the water area of the Gulf of Mexico extends from 12 nautical miles off the U.S. Gulf coast outward into the Gulf.

(d) *1390–1392 MHz band.* Service areas for the 1390–1392 MHz band is based on Major Economic Areas (MEAs), as defined in paragraphs (a)(1) and (a)(2) of this section.

(e) *The paired 1392–1395 and 1432–1435 MHz bands.* Service areas for the paired 1392–1395 and 1432–1435 MHz bands are as follows. Service areas for Block A in the 1392–1393.5 MHz and 1432–1433.5 MHz bands and Block B in the 1393.5–1395 MHz and 1433.5–1435 MHz bands are based on Economic Area Groupings (EAGs) as defined in paragraph (b)(2) of this section.

(f) *1670–1675 MHz band.* Service areas for the 1670–1675 MHz band are available on a nationwide basis.

(g) [Reserved]

(h) 1710–1755 and 2110–2155 MHz bands. AWS service areas for the 1710–1755 MHz and 2110–2155 MHz bands are as follows:

(1) Service areas for Block A (1710–1720 MHz and 2110–2120 MHz) are based on cellular markets comprising Metropolitan Statistical Areas (MSAs) and Rural Service Areas (RSAs) as defined

## Federal Communications Commission

## § 27.11

by Public Notice Report No. CL-92-40 “Common Carrier Public Mobile Services Information, Cellular MSA/RSA Markets and Counties,” dated January 24, 1992, DA 92-109, 7 FCC Rcd 742 (1992), with the following modifications:

(i) The service areas of cellular markets that border the U.S. coastline of the Gulf of Mexico extend 12 nautical miles from the U.S. Gulf coastline.

(ii) The service area of cellular market 306 that comprises the water area of the Gulf of Mexico extends from 12 nautical miles off the U.S. Gulf coast outward into the Gulf.

(2) Service areas for Blocks B (1720–1730 MHz and 2120–2130 MHz) and C (1730–1735 MHz and 2130–2135 MHz) are based on Economic Areas (EAs) as defined in paragraph (a) of this section.

(3) Service areas for blocks D (1735–1740 MHz and 2135–2140 MHz), E (1740–1745 MHz and 2140–2145 MHz) and F (1745–1755 MHz and 2145–2155 MHz) are based on Regional Economic Area Groupings (REAGs) as defined by paragraph (a) of this section.

[62 FR 9658, Mar. 3, 1997, as amended at 64 FR 60726, Nov. 8, 1999; 65 FR 3145, Jan. 20, 2000; 65 FR 17602, Apr. 4, 2000; 65 FR 60113, Oct. 10, 2000; 67 FR 13225, Mar. 21, 2002; 67 FR 5510, Feb. 6, 2002; 67 FR 41854, June 20, 2002; 69 FR 5714, Feb. 6, 2004; 69 FR 77950, Dec. 29, 2004; 70 FR 58065, Oct. 5, 2005]

### Subpart B—Applications and Licenses

#### § 27.10 Regulatory status.

Except with respect to *Guard Band Manager* licenses, which are subject to subpart G of this part, the following rules apply concerning the regulatory status in the frequency bands specified in § 27.5.

(a) *Single authorization.* Authorization will be granted to provide any or a combination of the following services in a single license: common carrier, non-common carrier, private internal communications, and broadcast services. A licensee may render any kind of communications service consistent with the regulatory status in its license and with the Commission’s rules applicable to that service. An applicant or licensee may submit a petition at any time requesting clarification of the regulatory status for which author-

ization is required to provide a specific communications service.

(b) *Designation of regulatory status in initial application.* An applicant shall specify in its initial application if it is requesting authorization to provide common carrier, non-common carrier, private internal communications, or broadcast services, or a combination thereof.

(c) *Amendment of pending applications.* The following rules apply to amendments of a pending application.

(1) Any pending application may be amended to:

(i) Change the carrier regulatory status requested, or

(ii) Add to the pending request in order to obtain common carrier, non-common carrier, private internal communications, or broadcast services status, or a combination thereof, in a single license.

(2) Amendments to change, or add to, the carrier regulatory status in a pending application are minor amendments filed under § 1.927 of this chapter.

(d) *Modification of license.* The following rules apply to amendments of a license.

(1) A licensee may modify a license to:

(i) Change the regulatory status authorized, or

(ii) Add to the status authorized in order to obtain a combination of services of different regulatory status in a single license.

(2) Applications to change, or add to, the carrier status in a license are modifications not requiring prior Commission authorization. The licensee must notify the Commission within 30 days of the change. If the change results in the discontinuance, reduction, or impairment of an existing service, the licensee is subject to the provisions of § 27.66.

[65 FR 3146, Jan. 20, 2000, as amended at 65 FR 17602, Apr. 4, 2000; 67 FR 5510, Feb. 6, 2002; 67 FR 41854, June 20, 2002; 68 FR 66286, Nov. 25, 2003]

#### § 27.11 Initial authorization.

(a) An applicant must file a single application for an initial authorization for all markets won and frequency blocks desired. Initial authorizations shall be granted in accordance with

§ 27.5. Applications for individual sites are not required and will not be accepted, except where required for environmental assessments, in accordance with §§ 1.1301 through 1.1319 of this chapter.

(b) *2305–2320 MHz and 2345–2360 MHz bands.* Initial authorizations for the 2305–2320 MHz and 2345–2360 MHz bands shall be for 10 megahertz of spectrum in accordance with § 27.5(a).

(1) Authorizations for Blocks A and B will be based on Major Economic Areas (MEAs), as specified in § 27.6(a)(1).

(2) Authorizations for Blocks C and D will be based on Regional Economic Area Groupings (REAGs), as specified in § 27.6(a)(2).

(c) *746–764 MHz and 776–794 MHz bands.* Initial authorizations for the 746–764 MHz and 776–794 MHz blocks shall be for 1, 2, 5, or 10 megahertz of spectrum in accordance with § 27.5(b).

(1) Authorizations for Block A, consisting of two paired channels of 1 megahertz each, will be based on those geographic areas specified in § 27.6(b)(1).

(2) Authorizations for Block B, consisting of two paired channels of 2 megahertz each, will be based on those geographic areas specified in § 27.6(b)(1).

(3) Authorizations for Block C, consisting of two paired channels of 5 megahertz each, will be based on Economic Area Groupings (EAGs), as specified in § 27.6(b)(2).

(4) Authorizations for Block D, consisting of two paired channels of 10 megahertz each, will be based on EAGs, as specified in § 27.6(b)(2).

(d) *698–746 MHz band.* Initial authorizations for the 698–746 MHz band shall be for 6 or 12 megahertz of spectrum in accordance with § 27.5(c).

(1) Authorizations for Blocks A and B, consisting of two paired channels of 6 megahertz each, will be based on those geographic areas specified in § 27.6(c)(1).

(2) Authorizations for Block C, consisting of two paired channels of 6 megahertz each, will be based on those geographic areas specified in § 27.6(c)(2).

(3) Authorizations for Blocks D and E, consisting of an unpaired channel block of 6 megahertz each, will be

based on those geographic areas specified in § 27.6(c)(1).

(e) *1390–1392 MHz band.* Initial authorizations for the 1390–1392 MHz band shall be for 2 megahertz of spectrum in accordance with § 27.5(d). Authorizations will be based on Major Economic Areas (MEAs), as specified in § 27.6(d).

(f) *The paired 1392–1395 MHz and 1432–1435 MHz bands.* Initial authorizations for the paired 1392–1395 MHz and 1432–1435 MHz bands shall be for 3 megahertz of paired spectrum in accordance with § 27.5(e). Authorization for Blocks A and B will be based on Economic Areas Groupings (EAGs), as specified in § 27.6(e).

(g) *1670–1675 MHz band.* Initial authorizations for the 1670–1675 MHz band shall be for 5 megahertz of spectrum in accordance with § 27.5(f). Authorizations will be on a nationwide basis.

(h) [Reserved]

(i) *1710–1755 MHz and 2110–2155 MHz bands.* Initial authorizations for the 1710–1755 MHz and 2110–2155 MHz bands shall be for 5 or 10 megahertz of spectrum in each band in accordance with § 27.5(h) of this part.

(1) Authorizations for Block A, consisting of two paired channels of 10 megahertz each, will be based on those geographic areas specified in § 27.6(h)(1).

(2) Authorizations for Block B, consisting of two paired channels of 10 megahertz each, will be based on those geographic areas specified in § 27.6(h)(2).

(3) Authorizations for Block C, consisting of two paired channels of 5 megahertz each, will be based on those geographic areas specified in § 27.6(h)(2).

(4) Authorizations for Blocks D, consisting of two paired channels of 5 megahertz each, will be based on those geographic areas specified in § 27.6(h)(3).

(5) Authorizations for Blocks E, consisting of two paired channels of 5 megahertz each, will be based on those geographic areas specified in § 27.6(h)(3).

(6) Authorizations for Block F, consisting of two paired channels of 10 megahertz each, will be based on those

## Federal Communications Commission

## § 27.14

geographic areas specified in § 27.6(h)(3).

[62 FR 9658, Mar. 3, 1997, as amended at 63 FR 68954, Dec. 14, 1998; 65 FR 3146, Jan. 20, 2000; 67 FR 5511, Feb. 6, 2002; 67 FR 41854, June 20, 2002; 69 FR 5715, Feb. 6, 2004; 69 FR 39867, July 1, 2004; 69 FR 77950, Dec. 29, 2004; 70 FR 58065, Oct. 5, 2005]

### § 27.12 Eligibility.

Except as provided in §§ 27.604, 27.1201, and 27.1202, any entity other than those precluded by section 310 of the Communications Act of 1934, as amended, 47 U.S.C. 310, is eligible to hold a license under this part.

[69 FR 72033, Dec. 10, 2004]

### § 27.13 License period.

(a) *2305–2320 MHz and 2345–2360 MHz bands.* Initial WCS authorizations for the 2305–2320 MHz and 2345–2360 MHz bands will have a term not to exceed ten years from the date of original issuance or renewal.

(b) *698–764 MHz and 776–794 MHz bands.* Initial authorizations for the 698–764 MHz and 776–794 MHz bands will extend until January 1, 2015, except that a part 27 licensee commencing broadcast services will be required to seek renewal of its license for such services at the termination of the eight-year term following commencement of such operations.

(c) *1390–1392 MHz band.* Initial authorizations for the 1390–1392 MHz band will have a term not to exceed ten years from the date of initial issuance or renewal.

(d) *The paired 1392–1395 and 1432–1435 MHz bands.* Initial WCS authorizations for the paired 1392–1395 MHz and 1432–1435 MHz bands will have a term not to exceed ten years from the date of initial issuance or renewal.

(e) *1670–1675 MHz band.* Initial authorizations for the 1670–1675 MHz band will have a term not to exceed ten years from the date of initial issuance or renewal.

(f) [Reserved]

(g) *1710–1755 MHz and 2110–2155 MHz bands.* Authorizations for the 1710–1755 MHz and 2110–2155 MHz bands will have a term not to exceed ten years from the date of initial issuance or renewal, except that authorizations issued on or

before December 31, 2009, shall have a term of fifteen years.

[65 FR 3146, Jan. 20, 2000; 65 FR 12483, Mar. 9, 2000, as amended at 65 FR 17602, Apr. 4, 2000; 65 FR 57267, Sept. 21, 2000; 67 FR 5511, Feb. 6, 2002; 67 FR 41855, June 20, 2002; 69 FR 5715, Feb. 6, 2004; 69 FR 77950, Dec. 29, 2004]

### § 27.14 Construction requirements; Criteria for comparative renewal proceedings.

(a) AWS and WCS licensees must make a showing of “substantial service” in their license area within the prescribed license term set forth in § 27.13. “Substantial” service is defined as service which is sound, favorable, and substantially above a level of mediocre service which just might minimally warrant renewal. Failure by any licensee to meet this requirement will result in forfeiture of the license and the licensee will be ineligible to regain it.

(b) A renewal applicant involved in a comparative renewal proceeding shall receive a preference, commonly referred to as a renewal expectancy, which is the most important comparative factor to be considered in the proceeding, if its past record for the relevant license period demonstrates that:

(1) The renewal applicant has provided “substantial” service during its past license term; and

(2) The renewal applicant has substantially complied with applicable FCC rules, policies and the Communications Act of 1934, as amended.

(c) In order to establish its right to a renewal expectancy, a WCS renewal applicant involved in a comparative renewal proceeding must submit a showing explaining why it should receive a renewal expectancy. At a minimum, this showing must include:

(1) A description of its current service in terms of geographic coverage and population served;

(2) An explanation of its record of expansion, including a timetable of new construction to meet changes in demand for service;

(3) A description of its investments in its WCS system; and

(4) Copies of all FCC orders finding the licensee to have violated the Communications Act or any FCC rule or

policy; and a list of any pending proceedings that relate to any matter described in this paragraph.

(d) In making its showing of entitlement to a renewal expectancy, a renewal applicant may claim credit for any system modification applications that were pending on the date it filed its renewal application. Such credit will not be allowed if the modification application is dismissed or denied.

(e) BRS and EBS licensees must make a showing of “substantial service” no later than May 1, 2011. Incumbent BRS licensees must file their “substantial service” showing with their renewal application. “Substantial service” is defined as service which is sound, favorable, and substantially above a level of mediocre service which just might minimally warrant renewal. Substantial service for BRS and EBS licensees is satisfied if a licensee meets the requirements of paragraph (e)(1) or (e)(2) of this section. If a licensee has not met the requirements of paragraph (e)(1) or (e)(2) of this section, then demonstration of “substantial service” shall proceed on a case-by-case basis. All substantial service determinations will be made on a license-by-license basis. Except for BTA licenses, BRS licensees must file their “substantial service” showing with their renewal applications. Failure by any licensee to meet this requirement will result in forfeiture of the license and the licensee will be ineligible to regain it.

(1) A BRS or EBS licensee has provided “substantial service” by:

(i) Constructing six permanent links per one million people for licensees providing fixed point-to-point services;

(ii) Providing coverage of at least 30 percent of the population of the licensed area for licensees providing mobile services or fixed point-to-multipoint services;

(iii) Providing service to “rural areas” (a county (or equivalent) with a population density of 100 persons per square mile or less, based upon the most recently available Census data) and areas with limited access to telecommunications services;

(A) For mobile service, where coverage is provided to at least 75% of the geographic area of at least 30% of the rural areas within its service area; or

(B) For fixed service, where the BRS or EBS licensee has constructed at least one end of a permanent link in at least 30% of the rural areas within its licensed area.

(iv) Providing specialized or technologically sophisticated service that does not require a high level of coverage to benefit consumers; or

(v) Providing service to niche markets or areas outside the areas served by other licensees.

(2) An EBS licensee has provided “substantial service” when:

(i) The EBS licensee is using its spectrum (or spectrum to which the EBS licensee’s educational services are shifted) to provide educational services within the EBS licensee’s GSA;

(ii) The EBS licensee’s license is actually being used to serve the educational mission of one or more accredited public or private schools, colleges or universities providing formal educational and cultural development to enrolled students; or

(iii) The level of service provided by the EBS licensee meets or exceeds the minimum usage requirements specified in § 27.1214.

(3) An EBS or BRS licensee may be deemed to provide substantial service through a leasing arrangement if the lessee is providing substantial service under paragraph (e)(1) of this section. The EBS licensee must also be otherwise in compliance with this chapter (including the programming requirements in § 27.1203).

[62 FR 9658, Mar. 3, 1997, as amended at 65 FR 3146, Jan. 20, 2000; 69 FR 5715, Feb. 6, 2004; 71 FR 35189, June 19, 2006]

#### § 27.15 Geographic partitioning and spectrum disaggregation.

(a) *Eligibility.* (1) Parties seeking approval for partitioning and disaggregation shall request from the Commission an authorization for partial assignment of a license pursuant to § 1.948.

(2) AWS and WCS licensees may apply to partition their licensed geographic service area or disaggregate their licensed spectrum at any time following the grant of their licenses.

(b) *Technical Standards*—(1) *Partitioning.* In the case of partitioning, applicants and licensees must file FCC

Form 603 pursuant to section 1.948 and list the partitioned service area on a schedule to the application. The geographic coordinates must be specified in degrees, minutes, and seconds to the nearest second of latitude and longitude and must be based upon the 1983 North American Datum (NAD83).

(2) *Disaggregation.* Spectrum may be disaggregated in any amount.

(3) *Combined partitioning and disaggregation.* The Commission will consider requests for partial assignment of licenses that propose combinations of partitioning and disaggregation.

(4) *Signal levels.* For purposes of partitioning and disaggregation, part 27 systems must be designed so as not to exceed the signal level specified for the particular spectrum block in § 27.55 at the licensee's service area boundary, unless the affected adjacent service area licensees have agreed to a different signal level.

(c) *License term.* The license term for a partitioned license area and for disaggregated spectrum shall be the remainder of the original licensee's license term as provided for in § 27.13.

(d) *Compliance with construction requirements.* The following rules apply for purposes of implementing the construction requirements set forth in § 27.14.

(1) *Partitioning.* Parties to partitioning agreements have two options for satisfying the construction requirements set forth in § 27.14. Under the first option, the partitioner and partitionee each certifies that it will independently satisfy the substantial service requirement for its respective partitioned area. If a licensee subsequently fails to meet its substantial service requirement, its license will be subject to automatic cancellation without further Commission action. Under the second option, the partitioner certifies that it has met or will meet the substantial service requirement for the entire, pre-partitioned geographic service area. If the partitioner subsequently fails to meet its substantial service requirement, only its license will be subject to automatic cancellation without further Commission action.

(2) *Disaggregation.* Parties to disaggregation agreements have two options for satisfying the construction requirements set forth in § 27.14. Under the first option, the disaggregator and disaggregatee each certifies that it will share responsibility for meeting the substantial service requirement for the geographic service area. If the parties choose this option and either party subsequently fails to satisfy its substantial service responsibility, both parties' licenses will be subject to forfeiture without further Commission action. Under the second option, both parties certify either that the disaggregator or the disaggregatee will meet the substantial service requirement for the geographic service area. If the parties choose this option, and the party responsible subsequently fails to meet the substantial service requirement, only that party's license will be subject to forfeiture without further Commission action.

[62 FR 9658, Mar. 3, 1997, as amended at 63 FR 68954, Dec. 14, 1998; 65 FR 3146, Jan. 20, 2000; 65 FR 57268, Sept. 21, 2000; 67 FR 45373, July 9, 2002; 69 FR 5715, Feb. 6, 2004]

### Subpart C—Technical Standards

#### § 27.50 Power and antenna height limits.

(a) The following power limits apply to the 2305–2320 MHz and 2345–2360 MHz bands:

(1) Fixed, land, and radiolocation land stations transmitting are limited to 2000 watts peak equivalent isotropically radiated power (EIRP).

(2) Mobile and radiolocation mobile stations transmitting are limited to 20 watts EIRP peak power.

(b) The following power and antenna height limits apply to transmitters operating in the 746–764 MHz and 776–794 MHz bands:

(1) Fixed and base stations transmitting in the 746–764 MHz band and the 777–792 MHz band must not exceed an effective radiated power (ERP) of 1000 watts and an antenna height of 305 m height above average terrain (HAAT), except that antenna heights greater than 305 m HAAT are permitted if power levels are reduced below 1000 watts ERP in accordance with Table 1 of this section;



(2) Control stations and mobile stations transmitting in the 747–762 MHz band and the 776–794 MHz band and fixed stations transmitting in the 776–777 MHz band and the 792–794 MHz band are limited to 30 watts ERP;

(3) Portable stations (hand-held devices) transmitting in the 747–762 MHz band and the 776–794 MHz band are limited to 3 watts ERP;

(4) Maximum composite transmit power shall be measured over any interval of continuous transmission using instrumentation calibrated in terms of RMS-equivalent voltage. The measurement results shall be properly adjusted for any instrument limitations, such as detector response times, limited resolution bandwidth capability when compared to the emission bandwidth, etc., so as to obtain a true maximum composite measurement for the emission in question over the full bandwidth of the channel.

(c) The following power and antenna height requirements apply to stations transmitting in the 698–746 MHz band:

(1) Fixed and base stations are limited to a maximum effective radiated power (ERP) of 50 kW, with the limitation on antenna heights as follows:

(i) Fixed and base stations with an ERP of 1000 watts or less must not exceed an antenna height of 305 m height above average terrain (HAAT) except when the power is reduced in accordance with Table 1 of this section;

(ii) The antenna height for fixed and base stations with an ERP greater than 1000 watts but not exceeding 50 kW is limited only to the extent required to satisfy the requirements of § 27.55(b).

(2) Control and mobile stations are limited to 30 watts ERP.

(3) Portable stations (hand-held devices) are limited to 3 watts ERP.

(4) Maximum composite transmit power shall be measured over any interval of continuous transmission using instrumentation calibrated in terms of RMS-equivalent voltage. The measurement results shall be properly adjusted for any instrument limitations, such as detector response times, limited resolution bandwidth capability when compared to the emission bandwidth, etc., so as to obtain a true maximum composite measurement for

the emission in question over the full bandwidth of the channel.

(5) Licensees intending to operate a base or fixed station at a power level greater than 1 kW ERP must provide advanced notice of such operation to the Commission and to licensees authorized in their area of operation. Licensees that must be notified are all licensees authorized under this part to operate a base or fixed station on an adjacent spectrum block at a location within 75 km of the base or fixed station operating at a power level greater than 1 kW ERP. Notices must provide the location and operating parameters of the base or fixed station operating at a power level greater than 1 kW ERP, including the station's ERP, antenna coordinates, antenna height above ground, and vertical antenna pattern, and such notices must be provided at least 90 days prior to the commencement of station operation.

(d) The following power and antenna height requirements apply to stations transmitting in the 1710–1755 MHz and 2110–2155 MHz bands:

(1) The power of each fixed or base station transmitting in the 2110–2155 MHz band and located in any county with population density of 100 or fewer persons per square mile, based upon the most recently available population statistics from the Bureau of the Census, is limited to a peak equivalent isotropically radiated power (EIRP) of 3280 watts. The power of each fixed or base station transmitting in the 2110–2155 MHz band from any other location is limited to a peak EIRP of 1640 watts. A licensee operating a base or fixed station utilizing a power of more than 1640 watts EIRP must coordinate such operations in advance with all Government and non-Government satellite entities in the 2025–2110 MHz band. Operations above 1640 watts EIRP must also be coordinated in advance with the following licensees within 120 kilometers (75 miles) of the base or fixed station: all Broadband Radio Service (BRS) licensees authorized under part 27 in the 2155–2160 MHz band and all AWS licensees in the 2110–2155 MHz band.

(2) Fixed, mobile, and portable (hand-held) stations operating in the 1710–1755 MHz band are limited to a peak EIRP of 1 watt. Fixed stations operating in

this band are limited to a maximum antenna height of 10 meters above ground, and mobile and portable stations must employ a means for limiting power to the minimum necessary for successful communications.

(e) The following power limits apply to the paired 1392–1395 MHz and 1432–1435 MHz bands as well as the unpaired 1390–1392 MHz band (1.4 GHz band):

(1) Fixed stations transmitting in the 1390–1392 MHz and 1432–1435 MHz bands are limited to 2000 watts EIRP peak power. Fixed stations transmitting in the 1392–1395 MHz band are limited to 100 watts EIRP peak power.

(2) Mobile stations transmitting in the 1390–1392 MHz and 1432–1435 MHz bands are limited to 4 watts EIRP peak power. Mobile stations transmitting in the 1392–1395 MHz band are limited to 1 watt EIRP peak power.

(f) The following power limits apply to the 1670–1675 MHz band:

(1) Fixed and base stations are limited to 2000 watts EIRP peak power.

(2) Mobile stations are limited to 4 watts EIRP peak power.

(g) [Reserved]

(h) The following power limits shall apply in the BRS and EBS:

(1) *Main, booster and base stations.* (i) The maximum EIRP of a main, booster or base station shall not exceed  $33 \text{ dBW} + 10 \log(X/Y) \text{ dBW}$ , where X is the actual channel width in MHz and Y is either 6 MHz if prior to transition or the station is in the MBS following transition or 5.5 MHz if the station is in the LBS and UBS following transition, except as provided in paragraph (h)(1)(ii) of this section.

(ii) If a main or booster station sectorizes or otherwise uses one or more transmitting antennas with a non-omnidirectional horizontal plane radiation pattern, the maximum EIRP in dBW in a given direction shall be determined by the following formula:  $\text{EIRP} = 33 \text{ dBW} + 10 \log(X/Y) \text{ dBW} + 10 \log(360/\text{beamwidth}) \text{ dBW}$ , where X is the actual channel width in MHz, Y is either (i) 6 MHz if prior to transition or the station is in the MBS following transition or (ii) 5.5 MHz if the station is in the LBS and UBS following transition, and beamwidth is the total horizontal plane beamwidth of the individual transmitting antenna for the

station or any sector measured at the half-power points.

(2) *Mobile and other user stations.* Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

(3) For television transmission, the peak power of the accompanying aural signal must not exceed 10 percent of the peak visual power of the transmitter. The Commission may order a reduction in aural signal power to diminish the potential for harmful interference.

(4) For main, booster and response stations utilizing digital emissions with non-uniform power spectral density (e.g. unfiltered QPSK), the power measured within any 100 kHz resolution bandwidth within the 6 MHz channel occupied by the non-uniform emission cannot exceed the power permitted within any 100 kHz resolution bandwidth within the 6 MHz channel if it were occupied by an emission with uniform power spectral density, i.e., if the maximum permissible power of a station utilizing a perfectly uniform power spectral density across a 6 MHz channel were 2000 watts EIRP, this would result in a maximum permissible power flux density for the station of  $2000/60 = 33.3 \text{ watts EIRP per } 100 \text{ kHz}$  bandwidth. If a non-uniform emission were substituted at the station, station power would still be limited to a maximum of 33.3 watts EIRP within any 100 kHz segment of the 6 MHz channel, irrespective of the fact that this would result in a total 6 MHz channel power of less than 2000 watts EIRP.

(i) Peak transmit power shall be measured over any interval of continuous transmission using instrumentation calibrated in terms of rms-equivalent voltage. The measurement results shall be properly adjusted for any instrument limitations, such as detector response times, limited resolution bandwidth capability when compared to the emission bandwidth, etc., so as to obtain a true peak measurement for the emission in question over the full bandwidth of the channel.

TABLE 1—PERMISSIBLE POWER AND ANTENNA HEIGHTS FOR BASE AND FIXED STATIONS IN THE 698–764 MHz AND 777–792 MHz BANDS

Antenna height (AAT) in meters (feet)	Effective radiated power (ERP) (watts)
Above 1372 (4500) .....	65
Above 1220 (4000) To 1372 (4500) .....	70
Above 1067 (3500) To 1220 (4000) .....	75
Above 915 (3000) To 1067 (4000) .....	100
Above 763 (2500) To 915 (3000) .....	140
Above 610 (2000) To 763 (2500) .....	200
Above 458 (1500) To 610 (2000) .....	350
Above 305 (1000) To 458 (1500) .....	600
Up to 305 (1000) .....	1000

[62 FR 16497, Apr. 7, 1997, as amended at 65 FR 3147, Jan. 20, 2000; 65 FR 17602, Apr. 4, 2000; 65 FR 42882, July 12, 2000; 65 FR 57267, Sept. 21, 2000; 67 FR 5511, Feb. 6, 2002; 67 FR 41855, June 20, 2002; 69 FR 5715, Feb. 6, 2004; 69 FR 72033, Dec. 10, 2004; 69 FR 75172, Dec. 15, 2004; 69 FR 77950, Dec. 29, 2004; 70 FR 1190, Jan. 6, 2005; 70 FR 58065, Oct. 5, 2005]

#### § 27.51 Equipment authorization.

(a) Each transmitter utilized for operation under this part must be of a type that has been authorized by the Commission under its certification procedure.

(b) Any manufacturer of radio transmitting equipment to be used in these services may request equipment authorization following the procedures set forth in subpart J of part 2 of this chapter. Equipment authorization for an individual transmitter may be requested by an applicant for a station authorization by following the procedures set forth in part 2 of this chapter.

[65 FR 3147, Jan. 20, 2000]

#### § 27.52 RF safety.

Licensees and manufacturers are subject to the radio frequency radiation exposure requirements specified in sections 1.1307(b), 2.1091, and 2.1093 of this chapter, as appropriate. Applications for equipment authorization of mobile or portable devices operating under this section must contain a statement confirming compliance with these requirements for both fundamental emissions and unwanted emissions. Technical information showing the basis for this statement must be submitted to the Commission upon request.

#### § 27.53 Emission limits.

(a) For operations in the bands 2305–2320 MHz and 2345–2360 MHz, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by the following amounts:

(1) *For fixed, land, and radiolocation land stations:* By a factor not less than  $80 + 10 \log (p)$  dB on all frequencies between 2320 and 2345 MHz;

(2) *For mobile and radiolocation mobile stations:* By a factor not less than  $110 + 10 \log (p)$  dB on all frequencies between 2320 and 2345 MHz;

(3) *For fixed, land, mobile, radiolocation land and radiolocation mobile stations:* By a factor not less than  $70 + 10 \log (p)$  dB on all frequencies below 2300 MHz and on all frequencies above 2370 MHz; and not less than  $43 + 10 \log (p)$  dB on all frequencies between 2300 and 2320 MHz and on all frequencies between 2345 and 2370 MHz that are outside the licensed bands of operation;

(4) Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or less, but at least one percent of the emission bandwidth of the fundamental emission of the transmitter, provided the measured energy is integrated over a 1 MHz bandwidth;

(5) In complying with the requirements in § 27.53(a)(1) and § 27.53(a)(2), WCS equipment that uses opposite sense circular polarization from that used by Satellite DARS systems in the 2320–2345 MHz band shall be permitted an allowance of 10 dB;

(6) When measuring the emission limits, the nominal carrier frequency shall be adjusted as close to the edges, both upper and lower, of the licensee's bands of operation as the design permits;

(7) The measurements of emission power can be expressed in peak or average values, provided they are expressed in the same parameters as the transmitter power;

(8) Waiver requests of any of the out-of-band emission limits in paragraphs (a)(1) through (a)(7) of this section shall be entertained only if interference protection equivalent to that afforded by the limits is shown;

(9) In the 2305–2315 MHz band, if portable devices comply with all of the following requirements, then paragraph (a)(2) of this section shall not apply to portable devices, which instead shall attenuate all emissions into the 2320–2345 MHz band by a factor of not less than  $93 + 10 \log(p)$  dB:

(i) The portable device has a duty cycle of 12.5% or less, with at most a 312.5 microsecond pulse every 2.5 milliseconds;

(ii) The portable device must employ time division multiple access (TDMA) technology;

(iii) The nominal peak transmit output power of the portable device is no more than 200 milliwatts (25 milliwatts average power);

(iv) The portable device operates with the minimum power necessary for successful communications;

(v) The nominal average base station transmit output power is no more than 800 milliwatts when the base station antennas is located at a height of at least 8 meters (26.25 feet) above the ground;

(vi) Only fixed and portable devices and services may be provided; vehicle-mounted units are not permitted; and

(vii) Transmitting antennas shall employ linear polarization or another polarization that provides equivalent of better discrimination with respect to a DARS antenna;

(10) The out-of-band emissions limits in paragraphs (a)(1) through (a)(9) of this section may be modified by the private contractual agreement of all affected licensees, who shall maintain a copy of the agreement in their station files and disclose it to prospective assignees or transferees and, upon request, to the Commission.

(b) *For WCS Satellite DARS operations:* The limits set forth in § 25.202(f) of this chapter shall apply, except that Satellite DARS operations shall be limited to a maximum power flux density of  $-197$  dBW/m<sup>2</sup>/4 kHz in the 2370–2390 MHz band at Arecibo, Puerto Rico.

(c) For operations in the 747 to 762 MHz band and the 777 to 792 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured

in watts, in accordance with the following:

(1) On any frequency outside the 747 to 762 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log(P)$  dB;

(2) On any frequency outside the 777 to 792 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log(P)$  dB;

(3) On all frequencies between 764 to 776 MHz and 794 to 806 MHz, by a factor not less than  $76 + 10 \log(P)$  dB in a 6.25 kHz band segment, for base and fixed stations;

(4) On all frequencies between 764 to 776 MHz and 794 to 806 MHz, by a factor not less than  $65 + 10 \log(P)$  dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

(d) For operations in the 746–747 MHz, 762–764 MHz, 776–777 MHz, and 792–794 MHz bands, transmitters must meet the following emission limitations:

(1) The adjacent channel power (ACP) requirements for transmitters designed for various channel sizes are shown in the following tables. Mobile station requirements apply to handheld, car mounted and control station units. The tables specify a value for the ACP as a function of the displacement from the channel center frequency and measurement bandwidth. In the following tables, “(s)” indicates a swept measurement may be used.

§ 27.53

47 CFR Ch. I (10–1–06 Edition)

6.25 KHz MOBILE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
6.25	6.25	–40
12.5	6.25	–60
18.75	6.25	–60
25.00	6.25	–65
37.50	25.00	–65
62.50	25.00	–65
87.50	25.00	–65
150.00	100.00	–65
250.00	100.00	–65
350.00	100.00	–65
>400 kHz to 12 MHz	30(s)	–75
12 MHz to paired receive band	30(s)	–75
In the paired receive band	30(s)	–100

12.5 KHz MOBILE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
9.375	6.25	–40
15.625	6.25	–60
21.875	6.25	–60
37.50	25.00	–60
62.50	25.00	–65
87.50	25.00	–65
150.00	100	–65
250.00	100	–65
350.00	100	–65
>400 to 12 MHz	30(s)	–75
12 MHz to paired receive band	30(s)	–75
In the paired receive band	30(s)	–100

25 KHz MOBILE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
15.625	6.25	–40
21.875	6.25	–60
37.50	25	–60
62.50	25	–65
87.50	25	–65
150.00	100	–65
250.00	100	–65
350.00	100	–65
>400 kHz to 12 MHz	30(s)	–75
12 MHz to paired receive band	30(s)	–75
In the paired receive band	30(s)	–100

150 KHz MOBILE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP relative (dBc)
100	50	–40
200	50	–50
300	50	–50
400	50	–50

150 KHz MOBILE TRANSMITTER ACP  
REQUIREMENTS—Continued

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP relative (dBc)
600–1000	30(s)	–60
1000 to receive band	30(s)	–70
In the receive band	30(s)	–100

6.25 KHz BASE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
6.25	6.25	–40
12.50	6.25	–60
18.75	6.25	–60
25.00	6.25	–65
37.50	25	–65
62.50	25	–65
87.50	25	–65
150.00	100	–65
250.00	100	–65
350.00	100	–65
>400 kHz to 12 MHz	30(s)	–80
12 MHz to paired receive band	30(s)	–80
In the paired receive band	30(s)	–100

12.5 KHz BASE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
9.375	6.25	–40
15.625	6.25	–60
21.875	6.25	–60
37.5	25	–60
62.5	25	–65
87.5	25	–65
150	100	–65
250	100	–65
350.00	100	–65
>400 kHz to 12 MHz	30(s)	–80
12 MHz to paired receive band	30(s)	–80
In the paired receive band	30(s)	–100

25 KHz BASE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
15.625	6.25	–40
21.875	6.25	–60
37.5	25	–60
62.5	25	–65
87.5	25	–65
150	100	–65
250	100	–65
350	100.00	–65
>400 kHz to 12 MHz	30(s)	–80
12 MHz to paired receive band	30(s)	–80
In the paired receive band	30(s)	–100

150 KHZ BASE TRANSMITTER ACP  
REQUIREMENTS

Offset from center frequency (kHz)	Measurement bandwidth (kHz)	Maximum ACP (dBc)
100	50	-40
200	50	-50
300	50	-55
400	50	-60
600-1000	30(s)	-65
1000 to receive band	30(s)	-75 (continues at -6dB/oct
In the receive band	30(s)	-100

(2) *ACP measurement procedure.* The following procedures are to be followed for making ACP transmitter measurements. For time division multiple access (TDMA) systems, the measurements are to be made under TDMA operation only during time slots when the transmitter is on. All measurements must be made at the input to the transmitter's antenna. Measurement bandwidth used below implies an instrument that measures the power in many narrow bandwidths (*e.g.*, 300 Hz) and integrates these powers across a larger band to determine power in the measurement bandwidth.

(i) *Setting reference level.* Using a spectrum analyzer capable of ACP measurements, set the measurement bandwidth to the channel size. For example, for a 6.25 kHz transmitter, set the measurement bandwidth to 6.25 kHz; for a 150 kHz transmitter, set the measurement bandwidth to 150 kHz. Set the frequency offset of the measurement bandwidth to zero and adjust the center frequency of the spectrum analyzer to give the power level in the measurement bandwidth. Record this power level in dBm as the "reference power level".

(ii) *Non-swept power measurement.* Using a spectrum analyzer capable of ACP measurements, set the measurement bandwidth as shown in the tables above. Measure the ACP in dBm. These measurements should be made at maximum power. Calculate the coupled power by subtracting the measurements made in this step from the reference power measured in the previous step. The absolute ACP values must be less than the values given in the table for each condition above.

(iii) *Swept power measurement.* Set a spectrum analyzer to 30 kHz resolution

bandwidth, 1 MHz video bandwidth and sample mode detection. Sweep  $\pm$ MHz from the carrier frequency. Set the reference level to the RMS value of the transmitter power and note the absolute power. The response at frequencies greater than 600 kHz must be less than the values in the tables above.

(3) *Out-of-band emission limit.* On any frequency outside of the frequency ranges covered by the ACP tables in this section, the power of any emission must be reduced below the unmodulated carrier power (P) by at least  $43 + 10 \log (P)$  dB.

(4) *Authorized bandwidth.* Provided that the ACP requirements of this section are met, applicants may request any authorized bandwidth that does not exceed the channel size.

(e) For operations in the 746-764 MHz and 776-794 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

(f) For operations in the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log (P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

(g) For operations in the 1710-1755 MHz and 2110-2155 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10} (P)$  dB.

(1) Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater.

However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

(2) When measuring the emission limits, the nominal carrier frequency shall be adjusted as close to the licensee's frequency block edges, both upper and lower, as the design permits.

(3) The measurements of emission power can be expressed in peak or average values, provided they are expressed in the same parameters as the transmitter power.

(h) When an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in this section.

(i) For operations in the unpaired 1390–1392 MHz band and the paired 1392–1395 MHz and 1432–1435 MHz bands, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log (P)$  dB. Compliance with these provisions is based on the procedures described in paragraph (a)(4) of this section.

(j) For operations in the 1670–1675 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log (P)$  dB. Compliance with these provisions is based on the procedures described in paragraph (a)(4) of this section.

(k) [Reserved]

(l) For BRS and EBS stations, the power of any emissions outside the licensee's frequency bands of operation shall be attenuated below the transmitter power (P) measured in watts. BRS and EBS stations that are not in compliance with the standards below, after receiving a documented interference complaint from an adjacent

channel licensee, have 60 days to coordinate with the affected licensee and meet a mutual resolution before both parties employ a more rigorous emission mask.

(1) Prior to the transition, and thereafter, solely within the MBS, for analog operations with an EIRP in excess of  $-9$  dBW, the signal shall be attenuated at the channel edges by at least 38 dB relative to the peak visual carrier, then linearly sloping from that level to at least 60 dB of attenuation at 1 MHz below the lower band edge and 0.5 MHz above the upper band edge, and attenuated at least 60 dB at all other frequencies.

(2) For fixed and temporary fixed digital stations, the attenuation shall be not less than  $43 + 10 \log (P)$  dB, unless a documented interference complaint is received from an adjacent channel licensee. Provided that the complaint cannot be mutually resolved between the parties, both licensees of existing and new systems shall reduce their out-of-band emissions by at least  $67 + 10 \log (P)$  dB measured at 3 MHz from their channel's edges for distances between stations exceeding 1.5 km. For stations separated by less than 1.5 km, the new licensee shall reduce attenuation at least  $67 + 10 \log (P) - 20 \log (D_{km}/1.5)$ , or when colocated, limit the undesired signal level at the affected licensee's base station receiver(s) at the colocation site to no more than  $-107$  dBm. Mobile Service Satellite licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

(3) Prior to transition and thereafter solely within the MBS, and notwithstanding paragraph (1)(2) of this section, the maximum out-of-band power of a digital transmitter operating on a single 6 MHz channel with an EIRP in excess of  $-9$  dBW employing digital modulation for the primary purpose of transmitting video programming shall be attenuated at the 6 MHz channel edges at least 25 dB relative to the licensed average 6 MHz channel power level, then attenuated along a linear

slope to at least 40 dB at 250 kHz beyond the nearest channel edge, then attenuated along a linear slope from that level to at least 60 dB at 3 MHz above the upper and below the lower licensed channel edges, and attenuated at least 60 dB at all other frequencies.

(4) For mobile digital stations, the attenuation factor shall be not less than  $43 + 10 \log (P)$  dB at the channel edge and  $55 + 10 \log (P)$  dB at 5.5 MHz from the channel edges. Mobile Service Satellite licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

(5) Notwithstanding the provisions of paragraphs (1)(2) and (1)(4) of this section, prior to transition, a licensee may continue to operate facilities deployed as of January 10, 2005 provided that such facilities operate in compliance with the emission mask applicable to those services prior to January 10, 2005.

(6) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (*i.e.* 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

(7) Alternative out of band emission limit. Licensees in this service may establish an alternative out of band emission limit to be used at specified band edge(s) in specified geographical areas, in lieu of that set forth in this section, pursuant to a private contractual arrangement of all affected licensees and applicants. In this event, each party to such contract shall maintain a copy of the contract in their station files and disclose it to prospective assignees or transferees and, upon request, to the FCC.

(m) When an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in this section.

[62 FR 16497, Apr. 7, 1997, as amended at 65 FR 3147, Jan. 20, 2000; 65 FR 17602, Apr. 4, 2000; 65 FR 42883, July 12, 2000; 67 FR 5511, Feb. 6, 2002; 67 FR 41855, June 20, 2002; 69 FR 5715, Feb. 6, 2004; 69 FR 72033, Dec. 10, 2004; 69 FR 77950, Dec. 29, 2004; 70 FR 1190, Jan. 6, 2005; 70 FR 21664, Apr. 27, 2005; 71 FR 35190, June 19, 2006]

#### § 27.54 Frequency stability.

The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

#### § 27.55 Signal strength limits.

(a) *Field strength limits.* For the following bands, the predicted or measured median field strength at any location on the geographical border of a licensee's service area shall not exceed the value specified unless the adjacent affected service area licensee(s) agree(s) to a different field strength. This value applies to both the initially offered service areas and to partitioned service areas.

(1) 2110–2155, 2305–2320 and 2345–2360 MHz bands: 47 dBμV/m.

(2) 698–764 and 776–794 MHz bands: 40 dBμV/m.

(3) The paired 1392–1395 MHz and 1432–1435 MHz bands and the unpaired 1390–1392 MHz band (1.4 GHz band): 47 dBμV/m.

(4) BRS and EBS: The predicted or measured median field strength at any location on the geographical border of



a licensee's service area shall not exceed the value specified unless the adjacent affected service area licensee(s) agree(s) to a different field strength. This value applies to both the initially offered services areas and to partitioned services areas. Licensees may exceed this signal level where there is no affected licensee that is constructed and providing service. Once the affected licensee is providing service, the original licensee will be required to take whatever steps necessary to comply with the applicable power level at its GSA boundary, absent consent from the affected licensee.

(i) Prior to transition, the signal strength at any point along the licensee's GSA boundary does not exceed the greater of that permitted under the licensee's Commission authorizations as of January 10, 2005 or 47 dB [μV]/m.

(ii) Following transition, for stations in the LBS and UBS, the signal strength at any point along the licensee's GSA boundary must not exceed 47 dB[μV]/m. This field strength is to be measured at 1.5 meters above the ground over the channel bandwidth (i.e., each 5.5 MHz channel for licensees that hold a full channel block, and for the 5.5 MHz channel for licensees that hold individual channels).

(iii) Following transition, for stations in the MBS, the signal strength at any point along the licensee's GSA boundary must not exceed  $-73.0 + 10\log(X/6)$  dBW/m<sup>2</sup>, where X is the bandwidth in MHz of the channel.

(b) *Power flux density limit.* For base and fixed stations operating in the 698–746 MHz band, with an effective radiated power (ERP) greater than 1 kW, the power flux density that would be produced by such stations through a combination of antenna height and vertical gain pattern must not exceed 3000 microwatts per square meter on the ground over the area extending to 1 km from the base of the antenna mounting structure.

[69 FR 5715, Feb. 6, 2004, as amended at 69 FR 72034, Dec. 10, 2004]

#### § 27.56 Antenna structures; air navigation safety.

A licensee that owns its antenna structure(s) must not allow such antenna structure(s) to become a hazard

to air navigation. In general, antenna structure owners are responsible for registering antenna structures with the FCC if required by part 17 of this chapter, and for installing and maintaining any required marking and lighting. However, in the event of default of this responsibility by an antenna structure owner, the FCC permittee or licensee authorized to use an affected antenna structure will be held responsible by the FCC for ensuring that the antenna structure continues to meet the requirements of part 17 of this chapter. See § 17.6 of this chapter.

(a) *Marking and lighting.* Antenna structures must be marked, lighted and maintained in accordance with part 17 of this chapter and all applicable rules and requirements of the Federal Aviation Administration. For any construction or alteration that would exceed the requirements of section 17.7 of this chapter, licensees must notify the appropriate Regional Office of the Federal Aviation Administration (FAA Form 7460–1) and file a request for antenna height clearance and obstruction marking and lighting specifications (FCC Form 854) with the FCC, WTB, 1270 Fairfield Road, Gettysburg, PA 17325.

(b) *Maintenance contracts.* Antenna structure owners (or licensees and permittees, in the event of default by an antenna structure owner) may enter into contracts with other entities to monitor and carry out necessary maintenance of antenna structures. Antenna structure owners (or licensees and permittees, in the event of default by an antenna structure owner) that make such contractual arrangements continue to be responsible for the maintenance of antenna structures in regard to air navigation safety.

#### § 27.57 International coordination.

(a) WCS operations in the border areas shall be subject to coordination with those countries and provide protection to non-U.S. operations in the 2305–2320 and 2345–2360 MHz bands as appropriate. In addition, satellite DARS operations in WCS spectrum shall be subject to international satellite coordination procedures.

## Federal Communications Commission

## § 27.60

(b) Operation in the 698–764 MHz and 776–794 MHz bands is subject to international agreements between Mexico and Canada. Unless otherwise modified by international treaty, licenses must not cause interference to, and must accept harmful interference from, television broadcast operations in Mexico and Canada.

(c) Operation in the 1710–1755 MHz and 2110–2155 MHz bands is subject to international agreements with Mexico and Canada.

[62 FR 9658, Mar. 3, 1997, as amended at 67 FR 5511, Feb. 6, 2002; 69 FR 5715, Feb. 6, 2004]

### § 27.58 Interference to BRS/EBS receivers.

(a) WCS licensees shall bear full financial obligation to remedy interference to BRS/EBS block downconverters if all of the following conditions are met:

(1) The complaint is received by the WCS licensee prior to February 20, 2002;

(2) The BRS/EBS downconverter was installed prior to August 20, 1998;

(3) The WCS fixed or land station transmits at 50 or more watts peak EIRP;

(4) The BRS/EBS downconverter is located within a WCS transmitter's free space power flux density contour of  $-34$  dBW/m<sup>2</sup>; and

(5) The BRS/EBS customer or licensee has informed the WCS licensee of the interference within one year from the initial operation of the WCS transmitter or within one year from any subsequent power increases at the WCS station.

(b) Resolution of the complaint shall be at no cost to the complainant.

(c) Two or more WCS licensees collocating their antennas on the same tower shall assume shared responsibility for remedying interference complaints within the area determined by paragraph (a)(4) of this section unless an offending station can be readily determined and then that station shall assume full financial responsibility.

(d) If the WCS licensee cannot otherwise eliminate interference caused to BRS/EBS reception, then that licensee must cease operations from the offending WCS facility.

(e) At least 30 days prior to commencing operations from any new WCS

transmission site or with increased power from any existing WCS transmission site, a WCS licensee shall notify all BRS/EBS licensees in or through whose licensed service areas they intend to operate of the technical parameters of the WCS transmission facility. WCS and BRS/EBS licensees are expected to coordinate voluntarily and in good faith to avoid interference problems and to allow the greatest operational flexibility in each other's operations.

[62 FR 16498, Apr. 7, 1997, as amended at 69 FR 72034, Dec. 10, 2004]

### § 27.59 [Reserved]

### § 27.60 TV/DTV interference protection criteria.

Base, fixed, control, and mobile transmitters in the 698–764 MHz and 776–794 MHz frequency bands must be operated only in accordance with the rules in this section to reduce the potential for interference to public reception of the signals of existing TV and DTV broadcast stations transmitting on TV Channels 51 through 68.

(a) *D/U ratios.* Licensees must choose site locations that are a sufficient distance from co-channel and adjacent channel TV and DTV stations, and/or must use reduced transmitting power or transmitting antenna height such that the following minimum desired signal-to-undesired signal ratios (D/U ratios) are met.

(1) The minimum D/U ratio for co-channel stations is:

(i) 40 dB at the hypothetical Grade B contour (64 dBμV/m) (88.5 kilometers (55 miles)) of the TV station;

(ii) For transmitters operating in the 698–746 MHz frequency band, 23 dB at the equivalent Grade B contour (41 dBμV/m) (88.5 kilometers (55 miles)) of the DTV station; or

(iii) For transmitters operating in the 746–764 MHz and 776–794 MHz frequency bands, 17 dB at the equivalent Grade B contour (41 dBμV/m) (88.5 kilometers (55 miles)) of the DTV station.

(2) The minimum D/U ratio for adjacent channel stations is 0 dB at the hypothetical Grade B contour (64 dBμV/m) (88.5 kilometers (55 miles)) of the TV station or  $-23$  dB at the equivalent

Grade B contour (41 dB $\mu$ V/m) (88.5 kilometers (55 miles)) of the DTV station.

(b) *TV stations and calculation of contours.* The methods used to calculate TV contours and antenna heights above average terrain are given in §§ 73.683 and 73.684 of this chapter. Tables to determine the necessary minimum distance from the 698–764 MHz or 776–794 MHz station to the TV/DTV station, assuming that the TV/DTV station has a hypothetical or equivalent Grade B contour of 88.5 kilometers (55 miles), are located in § 90.309 of this chapter and labeled as Tables B, D, and E. Values between those given in the tables may be determined by linear interpolation. Distances for station parameters greater than those indicated in the tables should be calculated in accordance with the required D/U ratios, as provided in paragraph (a) of this section. The locations of existing and proposed TV/DTV stations during the period of transition from analog to digital TV service are given in part 73 of this chapter and in the final proceedings of MM Docket No. 87–268.

(1) Licensees of stations operating within the ERP and HAAT limits of § 27.50 must select one of four methods to meet the TV/DTV protection requirements, subject to Commission approval:

(i) Utilize the geographic separation specified in Tables B, D, and E of § 90.309 of this chapter, as appropriate;

(ii) When station parameters are greater than those indicated in the tables, calculate geographic separation in accordance with the required D/U ratios, as provided in paragraph (a) of this section;

(iii) Submit an engineering study justifying the proposed separations based on the parameters of the land mobile station and the parameters, including authorized and/or applied for facilities, of the TV/DTV station(s) it is trying to protect; or,

(iv) Obtain written concurrence from the applicable TV/DTV station(s). If this method is chosen, a copy of the agreement must be submitted with the application.

(2) The following is the method for geographic separations.

(i) Base and fixed stations that operate in the 746–764 MHz and 777–792 MHz

bands having an antenna height (HAAT) less than 152 m. (500 ft.) shall afford protection to co-channel and adjacent channel TV/DTV stations in accordance with the values specified in Table B (co-channel frequencies based on 40 dB protection) and Table E (adjacent channel frequencies based on 0 dB protection) in § 90.309 of this chapter. Base and fixed stations that operate in the 698–746 MHz band having an antenna height (HAAT) less than 152 m. (500 ft.) shall afford protection to adjacent channel DTV stations in accordance with the values specified in Table E in § 90.309 of this chapter, shall afford protection to co-channel DTV stations by providing 23 dB protection to such stations' equivalent Grade B contour (41 dB $\mu$ V/m), and shall afford protection to co-channel and adjacent channel TV stations in accordance with the values specified in Table B (co-channel frequencies based on 40 dB protection) and Table E (adjacent channel frequencies based on 0 dB protection) in § 90.309 of this chapter. For base and fixed stations having an antenna height (HAAT) between 152–914 meters (500–3,000 ft.) the effective radiated power must be reduced below 1 kilowatt in accordance with the values shown in the power reduction graph in Figure B in § 90.309 of this chapter. For heights of more than 152 m. (500 ft.) above average terrain, the distance to the radio path horizon will be calculated assuming smooth earth. If the distance so determined equals or exceeds the distance to the hypothetical or equivalent Grade B contour of a co-channel TV/DTV station (*i.e.*, it exceeds the distance from the appropriate Table in § 90.309 of this chapter to the relevant TV/DTV station), an authorization will not be granted unless it can be shown in an engineering study (*see* paragraph (b)(1)(iii) of this section) that actual terrain considerations are such as to provide the desired protection at the actual Grade B contour (64 dB $\mu$ V/m for TV and 41 dB $\mu$ V/m for DTV stations) or unless the effective radiated power will be further reduced so that, assuming free space attenuation, the desired protection at the actual Grade B contour (64 dB $\mu$ V/m for TV and 41 dB $\mu$ V/m coverage contour for DTV stations) will be achieved. Directions for calculating

powers, heights, and reduction curves are listed in § 90.309 of this chapter for land mobile stations. Directions for calculating coverage contours are listed in §§ 73.683 through 73.685 of this chapter for TV stations and in § 73.625 of this chapter for DTV stations.

(ii) Control, fixed, and mobile stations (including portables) that operate in the 776–777 MHz and 792–794 MHz bands and control and mobile stations (including portables) that operate in the 698–746 MHz, 747–762 MHz and 777–792 MHz bands are limited in height and power and therefore shall afford protection to co-channel and adjacent channel TV/DTV stations in the following manner:

(A) For control, fixed, and mobile stations (including portables) that operate in the 776–777 MHz and 792–794 MHz bands and control and mobile stations (including portables) that operate in the 747–762 MHz and 777–792 MHz band, co-channel protection shall be afforded in accordance with the values specified in Table D (co-channel frequencies based on 40 dB protection for TV stations and 17 dB for DTV stations) in § 90.309 of this chapter.

(B) For control and mobile stations (including portables) that operate in the 698–746 MHz band, co-channel protection shall be afforded to TV stations in accordance with the values specified in Table D (co-channel frequencies based on 40 dB protection) and to DTV stations by providing 23 dB protection to such stations' equivalent Grade B contour (41 dBμV/m).

(C) For control, fixed, and mobile stations (including portables) that operate in the 776–777 MHz and 792–794 MHz bands and control and mobile stations (including portables) that operate in the 698–746 MHz, 747–762 MHz, and 777–792 MHz band, adjacent channel protection shall be afforded by providing a minimum distance of 8 kilometers (5 miles) from all adjacent channel TV/DTV station hypothetical or equivalent Grade B contours (adjacent channel frequencies based on 0 dB protection for TV stations and –23 dB for DTV stations).

(D) Since control, fixed, and mobile stations may affect different TV/DTV stations than the associated base or fixed station, particular care must be

taken by applicants/licensees to ensure that all appropriate TV/DTV stations are considered (e.g., a base station may be operating within TV Channel 62 and the mobiles within TV Channel 67, in which case TV Channels 61, 62, 63, 66, 67 and 68 must be protected). Control, fixed, and mobile stations shall keep a minimum distance of 96.5 kilometers (60 miles) from all adjacent channel TV/DTV stations. Since mobiles and portables are able to move and communicate with each other, licensees must determine the areas where the mobiles can and cannot roam in order to protect the TV/DTV stations.

NOTE TO § 27.60: The 88.5 km (55 mi) Grade B service contour (64 dBμV/m) is based on a hypothetical TV station operating at an effective radiated power of one megawatt, a transmitting antenna height above average terrain of 610 meters (2000 feet) and the Commission's R-6602 F(50,50) curves. See § 73.699 of this chapter. Maximum facilities for TV stations operating in the UHF band are 5 megawatts effective radiated power at an antenna HAAT of 610 meters (2,000 feet). See § 73.614 of this chapter. The equivalent contour for DTV stations is based on a 41 dBμV/m signal strength and the distance to the F(50,90) curve. See § 73.625 of this chapter.

[65 FR 3148, Jan. 20, 2000, as amended at 65 FR 17605, Apr. 4, 2000; 65 FR 42883, July 12, 2000; 67 FR 5511, Feb. 6, 2002; 69 FR 59535, Oct. 4, 2004]

#### §§ 27.61–27.62 [Reserved]

#### § 27.63 Disturbance of AM broadcast station antenna patterns.

AWS and WCS licensees that construct or modify towers in the immediate vicinity of AM broadcast stations are responsible for measures necessary to correct disturbance of the AM station antenna pattern which causes operation outside of the radiation parameters specified by the FCC for the AM station, if the disturbance occurred as a result of such construction or modification.

(a) *Non-directional AM stations.* If tower construction or modification is planned within 1 kilometer (0.6 mile) of a non-directional AM broadcast station tower, the AWS or WCS licensee must notify the licensee of the AM broadcast station in advance of the planned construction or modification. Measurements must be made to determine

## § 27.64

whether the construction or modification would affect the AM station antenna pattern. The AWS or WCS licensee is responsible for the installation and continued maintenance of any detuning apparatus necessary to restore proper non-directional performance of the AM station tower.

(b) *Directional AM stations.* If tower construction or modification is planned within 3 kilometers (1.9 miles) of a directional AM broadcast station array, the AWS or WCS licensee must notify the licensee of the AM broadcast station in advance of the planned construction or modification. Measurements must be made to determine whether the construction or modification would affect the AM station antenna pattern. The AWS or WCS licensee is responsible for the installation and continued maintenance of any detuning apparatus necessary to restore proper performance of the AM station array.

[69 FR 5715, Feb. 6, 2004]

### § 27.64 Protection from interference.

Wireless Communications Service (WCS) stations operating in full accordance with applicable FCC rules and the terms and conditions of their authorizations are normally considered to be non-interfering. If the FCC determines, however, that interference which significantly interrupts or degrades a radio service is being caused, it may, after notice and an opportunity for a hearing, require modifications to any WCS station as necessary to eliminate such interference.

(a) *Failure to operate as authorized.* Any licensee causing interference to the service of other stations by failing to operate its station in full accordance with its authorization and applicable FCC rules shall discontinue all transmissions, except those necessary for the immediate safety of life or property, until it can bring its station into full compliance with the authorization and rules.

(b) *Intermodulation interference.* Licensees should attempt to resolve such interference by technical means.

(c) *Situations in which no protection is afforded.* Except as provided elsewhere in this part, no protection from inter-

## 47 CFR Ch. I (10–1–06 Edition)

ference is afforded in the following situations:

(1) *Interference to base receivers from base or fixed transmitters.* Licensees should attempt to resolve such interference by technical means or operating arrangements.

(2) *Interference to mobile receivers from mobile transmitters.* No protection is provided against mobile-to-mobile interference.

(3) *Interference to base receivers from mobile transmitters.* No protection is provided against mobile-to-base interference.

(4) *Interference to fixed stations.* Licensees should attempt to resolve such interference by technical means or operating arrangements.

(5) *Anomalous or infrequent propagation modes.* No protection is provided against interference caused by tropospheric and ionospheric propagation of signals.

### § 27.66 Discontinuance, reduction, or impairment of service.

(a) *Involuntary act.* If the service provided by a fixed common carrier licensee, or a fixed common carrier operating on spectrum licensed to a Guard Band Manager, is involuntarily discontinued, reduced, or impaired for a period exceeding 48 hours, the licensee must promptly notify the Commission, in writing, as to the reasons for discontinuance, reduction, or impairment of service, including a statement when normal service is to be resumed. When normal service is resumed, the licensee must promptly notify the Commission.

(b) *Voluntary act by common carrier.* If a fixed common carrier licensee, or a fixed common carrier operating on spectrum licensed to a Guard Band Manager, voluntarily discontinues, reduces, or impairs service to a community or part of a community, it must obtain prior authorization as provided under § 63.71 of this chapter. An application will be granted within 31 days after filing if no objections have been received.

(c) *Voluntary act by non-common carrier.* If a fixed non-common carrier licensee, or a fixed non-common carrier operating on spectrum licensed to a Guard Band Manager, voluntarily discontinues, reduces, or impairs service

## Federal Communications Commission

## § 27.303

to a community or part of a community, it must give written notice to the Commission within seven days.

(d) *Notifications and requests.* Notifications and requests identified in paragraphs (a) through (c) of this section should be sent to: Federal Communications Commission, Common Carrier Radio Services, 1270 Fairfield Road, Gettysburg, Pennsylvania, 17325.

[65 FR 3149, Jan. 20, 2000; 65 FR 12483, Mar. 9, 2000, as amended at 65 FR 17605, Apr. 4, 2000; 65 FR 57267, Sept. 21, 2000]

### Subpart D—Competitive Bidding Procedures for the 2305–2320 MHz and 2345–2360 MHz Bands

#### § 27.201 WCS in the 2305–2320 MHz and 2345–2360 MHz bands subject to competitive bidding.

Mutually exclusive initial applications for WCS licenses in the 2305–2320 MHz and 2345–2360 MHz bands are subject to competitive bidding. The general competitive bidding procedures set forth in part 1, subpart Q of this chapter will apply unless otherwise provided in this subpart.

[67 FR 45373, July 9, 2002]

#### §§ 27.202–27.208 [Reserved]

#### § 27.209 Designated entities; bidding credits; unjust enrichment.

(a) Designated entities entitled to preferences in the WCS in the 2305–2320 and 2345–2360 MHz bands auction are small businesses and very small businesses as defined in § 27.110(b). Designated entities will be eligible for bidding credits, as defined in paragraphs (b) and (c) of this section.

(b) A winning bidder that qualifies as a *small business* may use a bidding credit of 25 percent to lower the cost of its winning bid.

(c) A winning bidder that qualifies as a *very small business* may use a bidding credit of 35 percent to lower the cost of its winning bid.

[62 FR 9658, Mar. 3, 1997, as amended at 63 FR 2349, Jan. 15, 1998; 65 FR 57268, Sept. 21, 2000; 67 FR 45373, July 9, 2002]

#### § 27.210 Definitions

(a) *Scope.* The definitions in this section apply to § 27.209, unless otherwise specified in those sections.

(b) *Small and very small business.* (1) A *small business* is an entity that, together with its affiliates and controlling interests, has average annual gross revenues that are not more than \$40 million for the preceding three years.

(2) A *very small business* is an entity that, together with its affiliates and controlling interests, has average annual gross revenues that are not more than \$15 million for the preceding three years.

[67 FR 45373, July 9, 2002, as amended at 68 FR 43000, July 21, 2003]

### Subpart E—Application, Licensing, and Processing Rules for WCS

#### § 27.301 [Reserved]

#### § 27.302 Eligibility.

(a) General. Authorizations will be granted upon proper application if:

(1) The applicant is qualified under the applicable laws and the regulations, policies and decisions issued under those laws, including § 27.12;

(2) There are frequencies available to provide satisfactory service; and

(3) The public interest, convenience or necessity would be served by a grant.

(b) Alien Ownership. A WCS authorization may not be granted to or held by an entity not meeting the requirements of section 310 of the Communications Act of 1934, as amended, 47 U.S.C. section 310 insofar as applicable to the particular service in question.

#### § 27.303 Upper 700 MHz commercial and public safety coordination zone.

(a) *General.* CMRS operators are required, prior to commencing operations on fixed or base station transmitters on the 777–792 MHz band that are located within 500 meters of existing or planned public safety base station receivers, to submit a description of their proposed facility to a Commission-approved public safety coordinator.

(1) The description must include, at a minimum;

(i) The frequency or frequencies on which the facility will operate;  
 (ii) Antenna location and height;  
 (iii) Type of emission;  
 (iv) Effective radiated power;  
 (v) A description of the area served and the operator's name.

(2) It is the CMRS operator's responsibility to determine whether referral is required for stations constructed in its area of license. Public safety base stations are considered "planned" when public safety operators have notified, or initiated coordination with, a Commission-approved public safety coordinator.

(b) CMRS operators must wait at least 10 business days after submission of the required description before commencing operations on the referenced facility, or implementing modifications to an existing facility.

(c) The potential for harmful interference between the CMRS and public safety facilities will be evaluated by the public safety coordinator.

(1) With regard to existing public safety facilities, the coordinator's determination to disapprove a proposed CMRS facility (or modification) to be located within 500 meters of the public safety facilities will be presumed correct, but the CMRS operator may seek Commission review of such determinations. Pending Commission review, the CMRS operator will not activate the facility or implement proposed modifications.

(2) With regard to proposed public safety facilities, the coordinator's determination to disapprove a proposed CMRS facility (or modification) to be located within 500 meters of the public safety facilities will be presumed correct, but the CMRS operator may seek Commission review and, pending completion of review, operate the facility during construction of the public safety facilities. If coordination or Commission review has not been completed when the public safety facilities are ready to operate, the CMRS operator must cease operations pending completion of coordination or Commission review. Such interim operation of the CMRS facility within the coordination zone (or implementation of modifications) will not be relied on by the Com-

mission in its subsequent review and determination of measures necessary to control interference, including relocation or modification of the CMRS facility.

(d) If, in the event of harmful interference between facilities located within 500 meters proximity, the parties are unable, with the involvement of the coordinator, to resolve the problem by mutually satisfactory arrangements, the Commission may impose restrictions on the operations of any of the parties involved.

[67 FR 49245, July 30, 2002]

**§§ 27.304–27.307 [Reserved]**

**§ 27.308 Technical content of applications.**

All applications required by this part shall contain all technical information required by the application forms or associated public notice(s). Applications other than initial applications for a WCS license must also comply with all technical requirements of the rules governing the applicable frequency band (see subparts C, D, F, and G of this part, as appropriate).

[65 FR 57268, Sept. 21, 2000]

**§§ 27.310–27.320 [Reserved]**

**§ 27.321 Mutually exclusive applications.**

(a) Two or more pending applications are mutually exclusive if the grant of one application would effectively preclude the grant of one or more of the others under the Commission's rules governing the Wireless Communications Services involved. The Commission uses the general procedures in this section for processing mutually exclusive applications in the Wireless Communications Services.

(b) An application will be entitled to comparative consideration with one or more conflicting applications only if the Commission determines that such comparative consideration will serve the public interest.

## Federal Communications Commission

## § 27.601

§§ 27.322–27.325 [Reserved]

### Subpart F—Competitive Bidding Procedures for the 746–764 MHz and 776–794 MHz Bands

SOURCE: 65 FR 3149, Jan. 20, 2000, unless otherwise noted.

#### § 27.501 746–764 MHz and 776–794 MHz bands subject to competitive bidding.

Mutually exclusive initial applications for licenses in the 746–764 MHz and 776–794 MHz bands are subject to competitive bidding. The general competitive bidding procedures set forth in part 1, subpart Q of this chapter will apply unless otherwise provided in this subpart.

[68 FR 43000, July 21, 2003]

#### § 27.502 Designated entities.

Eligibility for small business provisions.

(a) A *small business* is an entity that, together with its controlling interests and affiliates, has average gross revenues not exceeding \$40 million for the preceding three years.

(b) A *very small business* is an entity that, together with its controlling interests and affiliates, has average gross revenues not exceeding \$15 million for the preceding three years.

[67 FR 45374, July 9, 2002, as amended at 68 FR 43000, July 21, 2003]

### Subpart G—Guard Band Managers

SOURCE: 65 FR 17605, Apr. 4, 2000, unless otherwise noted.

#### § 27.601 Guard Band Manager authority and coordination requirements.

(a) Subject to the provisions of § 27.2(b) and paragraphs (c) and (d) of this section, a Guard Band Manager may allow a spectrum user, pursuant to a written agreement, to construct and operate stations at any available site within the licensed area and on any channel for which the Guard Band Manager is licensed, provided such stations comply with Commission Rules and coordination requirements.

(b) Subject to the provisions of § 27.2(b) and paragraphs (c) and (d) of this section, a Guard Band Manager may allow a spectrum user, pursuant to a written agreement, to delete, move or change the operating parameters of any of the user's stations that are covered under the Guard Band Manager's license without prior Commission approval, provided such stations comply with Commission Rules and coordination requirements.

(c)(1) A Guard Band Manager must file a separate station application and obtain all appropriate Commission approvals or authorizations prior to construction of stations that—

(i) Require submission of an Environmental Assessment under § 1.1307 of this chapter;

(ii) Require international coordination; or

(iii) Would affect areas described in § 1.924 of this chapter.

(2) Prior to construction of a station, a Guard Band Manager must register with the Commission any station antenna structure for which notification to the Federal Aviation Administration is required by part 17 of this chapter.

(3) It is the Guard Band Manager's responsibility to determine whether a referral to the Commission is needed for any individual station constructed in the Guard Band Manager's license area.

(d)(1) A Guard Band Manager must notify Commission-recognized public safety frequency coordinators for the 700 MHz public safety band and adjacent-area Guard Band Managers within one business day after the Guard Band Manager has:

(i) Coordinated a new station or modification of an existing station; or

(ii) Filed an application for an individual station license with the Commission.

(2) The notification required in paragraph (d)(1) of this section must include, at a minimum—

(i) The frequency or frequencies coordinated;

(ii) Antenna location and height;

(iii) Type of emission;

(iv) Effective radiated power;

(v) A description of the service area, date of coordination, and user name or,



in the alternative, a description of the type of operation.

(3) In the event a Guard Band Manager partitions its service area or disaggregates its spectrum, it is required to submit the notification required in paragraph (d)(1) of this section to other Guard Band Managers in the same geographic area.

(4) Entities coordinated by a Guard Band Manager must wait at least 10 business days after the notification required in paragraph (d)(1) of this section before operating under the Guard Band Manager's license;

(5) If, in the event of harmful interference, the Guard Band Manager is unable to resolve the problem by mutually satisfactory arrangements, the Commission may impose restrictions on the operations of any of the parties involved.

(e) Where a deletion, move or change authorized under paragraph (b) of this section constitutes a discontinuance, reduction, or impairment of service under § 27.66 or where discontinuance, reduction or impairment of service results from an involuntary act subject to § 27.66(a), the Guard Band Manager must comply with the notification and authorization requirements set forth in that section.

[65 FR 17605, Apr. 4, 2000, as amended at 69 FR 17958, Apr. 6, 2004]

**§ 27.602 Guard Band Manager agreements.**

Guard Band Managers are required to enter into written agreements regarding the use of their licensed spectrum by others, subject to the following conditions:

(a) The duration of spectrum user agreements may not extend beyond the term of the Guard Band Manager's FCC license.

(b) The spectrum user agreement must specify in detail the operating parameters of the spectrum user's system, including power, maximum antenna heights, frequencies of operation, base station location(s), area(s) of operation, and other parameters specified in Commission rules for the use of spectrum identified in § 27.5(b)(1) and (b)(2).

(c) The spectrum user agreement must require the spectrum user to use

Commission-approved equipment where appropriate and to complete post-construction proofs of system performance prior to system activation.

(d) The spectrum user must agree to operate its system in compliance with all technical specifications for the system contained in the agreement and agree to cooperate fully with any investigation or inquiry conducted by either the Commission or the Guard Band Manager.

(e) The spectrum user must agree to comply with all applicable Commission rules, and the spectrum user must accept Commission oversight and enforcement.

(f) The spectrum user agreement must stipulate that if the Guard Band Manager determines that there is an ongoing violation of the Commission's rules or that the spectrum user's system is causing harmful interference, the Guard Band Manager shall have the right to suspend or terminate operation of the spectrum user's system. The spectrum user agreement must stipulate that if the spectrum user refuses to comply with a suspension or termination order, the Guard Band Manager will be free to use all legal means necessary to enforce the order.

(g) The spectrum user agreement may not impose unduly restrictive requirements on use of the licensed frequencies, including any requirement that is not reasonably related to the efficient management of the spectrum licensed to the Guard Band Manager.

(h) Guard Band Managers shall maintain their written agreements with spectrum users at their principal place of business, and retain such records for at least two years after the date such agreements expire. Such records shall be kept current and be made available upon request for inspection by the Commission or its representatives.

**§ 27.603 Access to the Guard Band Manager's spectrum.**

(a) A Guard Band Manager may not engage in unjust or unreasonable discrimination among spectrum users and may not unreasonably deny prospective spectrum users access to the Guard Band Manager's licensed spectrum.

## Federal Communications Commission

## § 27.607

(b) A Guard Band Manager may not impose unduly restrictive requirements on use of its licensed frequencies, including any requirement that is not reasonably related to the efficient management of the spectrum licensed to the Guard Band Manager.

(c) A Guard Band Manager may lease a reasonable amount of its spectrum to an affiliate for the affiliate's own internal use or for the affiliate's provision of commercial or private radio services. However, a Guard Band Manager must lease the predominant amount of its spectrum to non-affiliates.

### § 27.604 Limitation on licenses won at auction.

(a) For the first auction of licenses in Blocks A and B, as defined in § 27.5, no applicant may be deemed the winning bidder of both a Block A and a Block B license in a single geographic service area.

(b) For purposes of paragraph (a) of this section, licenses will be deemed to be won by the same bidder if an entity that wins one license at the auction is an affiliate of any other entity that wins a license at the auction.

### § 27.605 Geographic partitioning and spectrum disaggregation.

An entity that acquires a portion of a Guard Band Manager's geographic area or spectrum subject to a geographic partitioning or spectrum disaggregation agreement under § 27.15 must function as a Guard Band Manager and is subject to the obligations and restrictions on Guard Band Manager licenses set forth in this subpart.

### § 27.606 Complaints against Guard Band Managers.

Guard Band Managers are expected to resolve disputes with their customers or disputes between multiple customers of the Guard Band Manager in the same manner that the parties would resolve other commercial disputes arising out of the spectrum user agreement. The Commission will also consider complaints filed against a Guard Band Manager for violating the Communications Act or the Commission's regulations or policies. When there is a dispute between a Guard

Band Manager, or its spectrum user, and a non-contracting party, and the Guard Band Manager is unable or unwilling to resolve such dispute in a timely fashion, the non-contracting party may file a complaint with the Commission pursuant to § 1.41 of this chapter.

### § 27.607 Performance requirements and annual reporting requirement.

(a) Guard Band Managers are subject to the performance requirements specified in § 27.14(a).

(b) Guard Band Managers are required to file an annual report providing the Commission with information about the manner in which their spectrum is being utilized. Such reports shall be filed with the Commission on a calendar year basis, no later than the March 1 following the close of each calendar year, unless another filing date is specified by Public Notice.

(c) Guard Band Managers must, at a minimum, include the following information in their annual reports:

(1) The total number of spectrum users and the number of those users that are affiliates of the Guard Band Manager;

(2) The amount of the Guard Band Manager's spectrum being used by the Guard Band Manager's affiliates in any part of the licensed service area;

(3) The amount of Guard Band Manager's spectrum being used pursuant to agreements with unaffiliated third parties;

(4) The nature of the spectrum use of the Guard Band Manager's customers; and

(5) The length of the term of each spectrum user agreement.

(d) The specific information that Guard Band Managers will provide and the procedures that they will follow in submitting their annual reports will be announced in a Public Notice issued by the Wireless Telecommunications Bureau.

## Subpart H—Competitive Bidding Procedures for the 698–746 MHz Band

SOURCE: 67 FR 5512, Feb. 6, 2002, unless otherwise noted.

## § 27.701

### § 27.701 698–746 MHz bands subject to competitive bidding.

Mutually exclusive initial applications for licenses in the 698–746 MHz band are subject to competitive bidding. The general competitive bidding procedures set forth in part 1, subpart Q of this chapter will apply unless otherwise provided in this subpart.

[67 FR 45374, July 9, 2002]

### § 27.702 Designated entities.

(a) *Eligibility for small business provisions.* (1) An entrepreneur is an entity that, together with its controlling interests and affiliates, has average gross revenues not exceeding \$3 million for the preceding three years. This definition applies only with respect to licenses in Block C (710–716 MHz and 740–746 MHz) as specified in § 27.5(c)(1).

(2) A very small business is an entity that, together with its controlling interests and affiliates, has average gross revenues not exceeding \$15 million for the preceding three years.

(3) A small business is an entity that, together with its controlling interests and affiliates, has average gross revenues not exceeding \$40 million for the preceding three years.

(b) *Bidding credits.* A winning bidder that qualifies as an entrepreneur, as defined in this section, or a consortium of entrepreneurs may use the bidding credit specified in § 1.2110(f)(2)(i) of this chapter. A winning bidder that qualifies as a very small business, as defined in this section, or a consortium of very small businesses may use the bidding credit specified in § 1.2110(f)(2)(ii) of this chapter. A winning bidder that qualifies as a small business, as defined in this section, or a consortium of small businesses may use the bidding credit specified in § 1.2110(f)(2)(iii) of this chapter.

[67 FR 5512, Feb. 6, 2002, as amended at 68 FR 43000, July 21, 2003]

## Subpart I—1.4 GHz Band

SOURCE: 67 FR 41855, June 20, 2002, unless otherwise noted.

### § 27.801 Scope.

This subpart sets out the regulations governing service in the paired 1392–

## 47 CFR Ch. I (10–1–06 Edition)

1395 MHz and 1432–1435 MHz bands as well as the unpaired 1390–1392 MHz band (1.4 GHz band).

### § 27.802 Permissible communications.

Licensees in the paired 1392–1395 MHz and 1432–1435 MHz bands and unpaired 1390–1392 MHz band are authorized to provide fixed or mobile service, except aeronautical mobile service, subject to the technical requirements of this subpart.

### § 27.803 Coordination requirements.

(a) Licensees in the 1.4 GHz band will be issued geographic area licenses in accordance with the service areas listed in § 27.6(d) and (e).

(b) Licensees in the 1.4 GHz Service must file a separate station application with the Commission and obtain an individual station license, prior to construction or operation, of any station:

(1) That requires submission of an Environmental Assessment under part 1, § 1.1307 of this chapter;

(2) That requires international coordination;

(3) That operates in areas listed in part 1, § 1.924 of this chapter; or

(4) That requires approval of the Frequency Advisory Subcommittee (FAS) of the Interdepartment Radio Advisory Committee (IRAC). Stations that require FAS approval are as follows:

(i) Licensees in the 1390–1392 MHz and 1392–1395 MHz band must receive FAS approval prior to operation of fixed sites or mobile units within the NTIA recommended protection radii of the Government sites listed in footnote US351 of § 2.106 of this chapter.

(ii) Licensees in the 1432–1435 MHz band must receive FAS approval, prior to operation of fixed sites or mobile units within the NTIA recommended protection radii of the Government sites listed in footnote US361 of § 2.106 of this chapter.

(c) Prior to construction of a station, a licensee in the 1.4 GHz Band must register with the Commission any station antenna structure for which notification to the Federal Aviation Administration is required by part 17 of this chapter.

(d) It is the licensee's responsibility to determine whether an individual

## Federal Communications Commission

## § 27.903

station needs referral to the Commission.

(e) The application required in paragraph (b) of this chapter must be filed on the Universal Licensing System.

[67 FR 41855, June 20, 2002, as amended at 69 FR 17958, Apr. 6, 2004]

### § 27.804 Field strength limits at WMTS facility.

For any operation in the 1392–1395 MHz band, the predicted or measured field strength—into the WMTS band at 1395–1400 MHz—shall not exceed 150 uV/m at the location of any registered WMTS healthcare facility. When performing measurements to determine compliance with this provision, measurement instrumentation employing an average detector and a resolution bandwidth of 1 MHz may be used, provided it accurately represents the true interference potential of the equipment.

### § 27.805 Geographic partitioning and spectrum disaggregation.

An entity that acquires a portion of a 1.4 GHz band licensee's geographic area or spectrum subject to a geographic partitioning or spectrum disaggregation agreement under § 27.15 must function as a 1.4 GHz band licensee and is subject to the obligations and restrictions on the 1.4 GHz band license as set forth in this subpart.

### § 27.806 1.4 GHz service licenses subject to competitive bidding.

Mutually exclusive initial applications for 1.4 GHz Band licenses in the paired 1392–1395 MHz and 1432–1435 MHz bands as well as the unpaired 1390–1392 MHz band are subject to competitive bidding. The general competitive bidding procedures set forth in part 1, subpart Q of this chapter will apply unless otherwise provided in this subpart.

### § 27.807 Designated entities.

(a) Eligibility for small business provisions for 1.4 GHz band licenses in the paired 1392–1395 MHz and 1432–1435 MHz bands and the unpaired 1390–1392 MHz band.

(1) A very small business is an entity that, together with its controlling interests and affiliates, has average an-

nual gross revenues not exceeding \$15 million for the preceding three years.

(2) A small business is an entity that, together with its controlling interests and affiliates, has average annual gross revenues not exceeding \$40 million for the preceding three years.

(b) *Bidding credits.* A winning bidder that qualifies as a very small business, as defined in this section, or a consortium of very small businesses may use the bidding credit specified in § 1.2110(f)(2)(ii) of this chapter. A winning bidder that qualifies as a small business, as defined in this section, or a consortium of small businesses may use the bidding credit specified in § 1.2110(f)(2)(iii) of this chapter.

[67 FR 41855, June 20, 2002, as amended at 68 FR 43000, July 21, 2003]

## Subpart J—1670–1675 MHz Band

SOURCE: 67 FR 41856, June 20, 2002, unless otherwise noted.

### § 27.901 Scope.

This subpart sets out the regulations governing service in the 1670–1675 MHz band (1670–1675 MHz band).

### § 27.902 Permissible communications.

Licensees in the 1670–1675 MHz band are authorized to provide fixed or mobile service, except aeronautical mobile service, subject to the technical requirements of this subpart.

### § 27.903 Coordination requirements.

(a) The licensee in the 1670–1675 MHz band will be issued a geographic area license on a nationwide basis in accordance with § 27.6(f).

(b) Licensees in the 1670–1675 MHz band must file a separate station application with the Commission and obtain an individual station license, prior to construction or operation, of any station:

(1) That requires submission of an Environmental Assessment under part 1, § 1.1307 of this chapter;

(2) That requires international coordination;

(3) That operates in areas listed under part 1, § 1.924 of this chapter.

## § 27.904

(c) The application required in paragraph (b) of this section must be filed on the Universal Licensing System.

(d) Prior to construction of a station, a licensee must register with the Commission any station antenna structure for which notification to the Federal Aviation Administration is required by part 17 of this chapter.

(e) It is the licensee's responsibility to determine whether an individual station requires referral to the Commission.

[67 FR 41856, June 20, 2002, as amended at 69 FR 17958, Apr. 6, 2004]

### § 27.904 Geographic partitioning and spectrum disaggregation.

An entity that acquires a portion of a 1670–1675 MHz band licensee's geographic area or spectrum subject to a geographic partitioning or spectrum disaggregation agreement under § 27.15 must function as a 1670–1675 MHz licensee and is subject to the obligations and restrictions on the 1670–1675 MHz license as set forth in this subpart.

### § 27.905 1670–1675 MHz service licenses subject to competitive bidding.

Mutually exclusive initial applications for the 1670–1675 MHz Band license are subject to competitive bidding. The general competitive bidding procedures set forth in part 1, subpart Q of this chapter will apply unless otherwise provided in this subpart.

### § 27.906 Designated entities.

(a) *Eligibility for small business provisions.* (1) A very small business is an entity that, together with its controlling interests and affiliates, has average annual gross revenues not exceeding \$15 million for the preceding three years.

(2) A small business is an entity that, together with its controlling interests and affiliates, has average annual gross revenues not exceeding \$40 million for the preceding three years.

(b) *Bidding credits.* A winning bidder that qualifies as a very small business, as defined in this section, or a consortium of very small businesses may use the bidding credit specified in § 1.2110(f)(2)(ii) of this chapter. A winning bidder that qualifies as a small

## 47 CFR Ch. I (10–1–06 Edition)

business, as defined in this section, or a consortium of small businesses may use the bidding credit specified in § 1.2110(f)(2)(iii) of this chapter.

[67 FR 41856, June 20, 2002, as amended at 68 FR 43000, July 21, 2003]

## Subpart K [Reserved]

## Subpart L—1710–1755 MHz, 2110–2155 MHz, 2160–2180 MHz Bands

SOURCE: 69 FR 5716, Feb. 6, 2004, unless otherwise noted.

### LICENSING AND COMPETITIVE BIDDING PROVISIONS

#### § 27.1101 1710–1755 MHz and 2110–2155 MHz bands subject to competitive bidding.

Mutually exclusive initial applications for 1710–1755 MHz and 2110–2155 MHz band licenses are subject to competitive bidding. The general competitive bidding procedures set forth in 47 CFR part 1, subpart Q will apply unless otherwise provided in this subpart.

#### § 27.1102 Designated Entities in the 1710–1755 MHz and 2110–2155 MHz bands.

(a) *Eligibility for small business provisions.* (1) A small business is an entity that, together with its affiliates, its controlling interests and the affiliates of its controlling interests, has average gross revenues that are not more than \$40 million for the preceding three years.

(2) A very small business is an entity that, together with its affiliates, its controlling interests and the affiliates of its controlling interests, has average gross revenues that are not more than \$15 million for the preceding three years.

(b) *Bidding credits.* (1) A winning bidder that qualifies as a small business, as defined in this section, or a consortium of small businesses may use a bidding credit of 15 percent, as specified in § 1.2110(f)(2)(iii) of this chapter, to lower the cost of its winning bid on any of the licenses in this part.

(2) A winning bidder that qualifies as a very small business, as defined in this section, or a consortium of very small businesses may use a bidding credit of

## Federal Communications Commission

## § 27.1134

25 percent, as specified in § 1.2110(f)(2)(ii) of this chapter, to lower the cost of its winning bid on any of the licenses in this part.

### RELOCATION OF INCUMBENTS

#### § 27.1111 Relocation of fixed microwave service licensees in the 2110–2150 MHz band.

Part 22, subpart E and part 101, subpart B of this chapter contain provisions governing the relocation of incumbent fixed microwave service licensees in the 2110–2150 MHz band.

[71 FR 29835, May 24, 2006]

### PROTECTION OF INCUMBENT OPERATIONS

#### § 27.1131 Protection of Part 101 operations.

All AWS licensees, prior to initiating operations from any base or fixed station, must coordinate their frequency usage with co-channel and adjacent channel incumbent, Part 101 fixed-point-to-point microwave licensees operating in the 2110–2155 MHz band. Coordination shall be conducted in accordance with the provisions of § 24.237 of this chapter.

#### § 27.1132 Protection of incumbent operations in the 2150–2160/62 MHz band.

All AWS licensees, prior to initiating operations from any base or fixed station, shall follow the provisions of § 27.1255 of this part.

[71 FR 29835, May 24, 2006]

#### § 27.1133 Protection of Part 74 and Part 78 operations.

AWS operators must protect previously licensed Broadcast Auxiliary Service (BAS) or Cable Television Radio Service (CARS) operations in the adjacent 2025–2110 MHz band. In satisfying this requirement AWS licensees must, before constructing and operating any base or fixed station, determine the location and licensee of all BAS or CARS stations authorized in their area of operation, and coordinate their planned stations with those licensees. In the event that mutually satisfactory coordination agreements cannot be reached, licensees may seek the assistance of the Commission, and

the Commission may, at its discretion, impose requirements on one or both parties.

#### § 27.1134 Protection of Federal Government operations.

(a) *Protection of Department of Defense operations in the 1710–1755 MHz band.* The Department of Defense (DoD) operates communications systems in the 1710–1755 MHz band at 16 protected facilities, nationwide. AWS licensees must accept any interference received from these facilities and must protect the facilities from interference. AWS licensees shall protect the facilities from interference by restricting the operation of their base and fixed stations from any locations that could potentially permit AWS mobile, fixed, and portable stations transmitting in the 1710–1755 MHz band to cause interference to government operations within the radii of operation of the 16 facilities (the radii of operation of each facility is indicated in the third column of Table 1 immediately following paragraph (a)(3) of this section). In addition, AWS licensees shall be required to coordinate any operations that could permit mobile, fixed, and portable stations to operate in the specified areas of the 16 facilities, as defined in paragraph (a)(3) of this section. Protection of these facilities in this manner shall take place under the following conditions:

(1) At the Yuma, Arizona and Cherry Point, North Carolina facilities, all operations shall be protected indefinitely.

(2) At the remaining 14 facilities, airborne and military test range operations shall be protected until such time as these systems are relocated to other spectrum, and precision guided munitions (PGM) operations shall be protected until such time as these systems are relocated to other spectrum or until PGM inventory at each facility is exhausted, whichever occurs first.

(3) AWS licensees whose transmit operations in the 1710–1755 MHz band consist of fixed or mobile operations with nominal transmit EIRP values of 100 mW or less and antenna heights of 1.6 meters above ground or less shall coordinate their services around the 16 sites at the distance specified in row a.

of Table 2. AWS licensees whose transmit operations in the 1710–1755 MHz band consist of fixed or mobile operations with nominal transmit EIRP values of 1 W or less and antenna heights of 10 meters above ground or less shall coordinate their services around the 16 sites at the distance

specified in row b. of Table 2. These coordination distances shall be measured from the edge of the operational distances indicated in the third column of Table 1, and coordination with each affected DoD facility shall be accomplished through the Commander of the facility.

TABLE 1—PROTECTED DEPARTMENT OF DEFENSE FACILITIES

Location	Coordinates	Radius of operation
Cherry Point, NC .....	34°58' N 076°56' W	100
Yuma, AZ .....	32°32' N 113°58' W	120
China Lake, CA .....	35°41' N 117°41' W	120
Eglin AFB, FL .....	30°29' N 086°31' W	120
Pacific Missile Test Range/Point Mugu, CA .....	34°07' N 119°30' W	80
Nellis AFB, NV .....	36°14' N 115°02' W	160
Hill AFB, UT .....	41°07' N 111°58' W	160
Patuxent River, MD .....	38°17' N 076°25' W	80
White Sands Missile Range, NM .....	33°00' N 106°30' W	80
Fort Irwin, CA .....	35°16' N 116°41' W	50
Fort Rucker, AL .....	31°13' N 085°49' W	50
Fort Bragg, NC .....	35°09' N 079°01' W	50
Fort Campbell, KY .....	36°41' N 087°28' W	50
Fort Lewis, WA .....	47°05' N 122°36' W	50
Fort Benning, GA .....	32°22' N 084°56' W	50
Fort Stewart, GA .....	31°52' N 081°37' W	50

TABLE 2—COORDINATION DISTANCES FOR THE PROTECTED DEPARTMENT OF DEFENSE FACILITIES

1710–1755 MHz transmit operations	Coordination distance (km)
a. EIRP ≤100 mW, antenna height ≤1.6 m AG .....	35
b. EIRP ≤1 W, antenna height ≤10 m AG .....	55

(b) *Protection of non-DoD operations in the 1710–1755 MHz and 1755–1761 MHz bands.* Until such time as non-DoD systems operating in the 1710–1755 MHz and 1755–1761 MHz bands are relocated to other spectrum, AWS licensees shall protect such systems by satisfying the appropriate provisions of TIA Telecommunications Systems Bulletin 10–F, “Interference Criteria for Microwave Systems,” May, 1994 (TSB 10–F).

(c) *Protection of Federal Government operations below 1710 MHz.* AWS licensees operating fixed stations in the 1710–1755 MHz band, if notified that such stations are causing interference to radiosonde receivers operating in the Meteorological Aids Service in the 1675–1700 MHz band or a meteorological-satellite earth receiver operating in the Meteorological-Satellite Service in the 1675–1710 MHz band, shall be required to

modify the stations’ location and/or technical parameters as necessary to eliminate the interference.

(d) *Recognition of NASA Goldstone facility operations in the 2110–2120 MHz band.* The National Aeronautics and Space Administration (NASA) operates the Deep Space Network (DSN) in the 2110–2120 MHz band at Goldstone, California (see Table 3). NASA will continue its operations of high power transmitters (nominal EIRP of 105.5 dBW with EIRP up to 119.5 dBW used under emergency conditions) in this band at this location. AWS licensees must accept any interference received from the Goldstone DSN facility in this band.

TABLE 3—LOCATION OF THE NASA GOLDSTONE DEEP SPACE FACILITY

Location	Coordinates	Maximum transmitter output power
Goldstone, California .....	35°18' N 116°54' W	500 kW

**§ 27.1135 Protection of non-Federal Government Meteorological-Satellite operations.**

AWS licensees operating fixed stations in the 1710–1755 MHz band, if notified that such stations are causing interference to meteorological-satellite earth receivers operating in the Meteorological-Satellite Service in the 1675–1710 MHz band, shall be required to modify the stations' location and/or technical parameters as necessary to eliminate the interference.

**COST-SHARING POLICIES GOVERNING MICROWAVE RELOCATION FROM THE 2110–2150 MHz AND 2160–2200 MHz BANDS**

SOURCE: Sections 27.1160 through 27.1174 appear at 71 FR 29835, May 24, 2006, unless otherwise noted.

**§ 27.1160 Cost-sharing requirements for AWS.**

Frequencies in the 2110–2150 MHz and 2160–2180 MHz bands listed in § 101.147 of this chapter have been reallocated from Fixed Microwave Services (FMS) to use by AWS (as reflected in § 2.106) of this chapter. In accordance with procedures specified in § 22.602 and §§ 101.69 through 101.82 of this chapter, AWS entities are required to relocate the existing microwave licensees in these bands if interference to the existing microwave licensee would occur. All AWS entities that benefit from the clearance of this spectrum by other AWS entities or by a voluntarily relocating microwave incumbent must contribute to such relocation costs. AWS entities may satisfy their reimbursement requirement by entering into private cost-sharing agreements or agreeing to terms other than those specified in § 27.1164. However, AWS entities are required to reimburse other AWS entities or voluntarily relocating microwave incumbents that incur relocation costs and are not parties to the alternative agreement. In addition, parties

to a private cost-sharing agreement may seek reimbursement through the clearinghouse (as discussed in § 27.1162) from AWS entities or other Emerging Technologies (ET) entities, including Mobile Satellite Service (MSS) operators (for Ancillary Terrestrial Component (ATC) base stations), that are not parties to the agreement. The cost-sharing plan is in effect during all phases of microwave relocation specified in § 22.602 and 101.69 of this chapter. If an AWS licensee enters into a spectrum leasing arrangement (as set forth in part 1, subpart X of this chapter) and the spectrum lessee triggers a cost-sharing obligation, the licensee is the AWS entity responsible for satisfying the cost-sharing obligations under §§ 27.1160–27.1174.

**§ 27.1162 Administration of the Cost-Sharing Plan.**

The Wireless Telecommunications Bureau, under delegated authority, will select one or more entities to operate as a neutral, not-for-profit clearinghouse(s). This clearinghouse(s) will administer the cost-sharing plan by, *inter alia*, determining the cost-sharing obligation of AWS and other ET entities for the relocation of FMS incumbents from the 2110–2150 MHz and 2160–2200 MHz bands. The clearinghouse filing requirements (see §§ 27.1166(a), 27.1170) will not take effect until an administrator is selected.

**§ 27.1164 The cost-sharing formula.**

An AWS relocater who relocates an interfering microwave link, *i.e.*, one that is in all or part of its market area and in all or part of its frequency band or a voluntarily relocating microwave incumbent, is entitled to *pro rata* reimbursement based on the following formula:



$$R_N = \frac{C}{N} \times \frac{[120 - (T_m)]}{120}$$

(a)  $R_N$  equals the amount of reimbursement.

(b)  $C$  equals the actual cost of relocating the link(s). Actual relocation costs include, but are not limited to, such items as: Radio terminal equipment (TX and/or RX—antenna, necessary feed lines, MUX/Modems); towers and/or modifications; back-up power equipment; monitoring or control equipment; engineering costs (design/path survey); installation; systems testing; FCC filing costs; site acquisition and civil works; zoning costs; training; disposal of old equipment; test equipment (vendor required); spare equipment; project management; prior coordination notification under § 101.103(d) of this chapter; site lease renegotiation; required antenna upgrades for interference control; power plant upgrade (if required); electrical grounding systems; Heating Ventilation and Air Conditioning (HVAC) (if required); alternate transport equipment; and leased facilities. Increased recurring costs represent part of the actual cost of relocation and, even if the compensation to the incumbent is in the form of a commitment to pay five years of charges, the AWS or MSS/ATC relocater is entitled to seek immediate reimbursement of the lump sum amount based on present value using current interest rates, provided it has entered into a legally binding agreement to pay the charges.  $C$  also includes voluntarily relocating microwave incumbent's independent third party appraisal of its compensable relocation costs and incumbent transaction expenses that are directly attributable to the relocation, subject to a cap of two percent of the "hard" costs involved. Hard costs are defined

as the actual costs associated with providing a replacement system, such as equipment and engineering expenses.  $C$  may not exceed \$250,000 per paired link, with an additional \$150,000 permitted if a new or modified tower is required.

(c)  $N$  equals the number of AWS and MSS/ATC entities that have triggered a cost-sharing obligation. For the AWS relocater,  $N=1$ . For the next AWS entity triggering a cost-sharing obligation,  $N=2$ , and so on. In the case of a voluntarily relocating microwave incumbent,  $N=1$  for the first AWS entity triggering a cost-sharing obligation. For the next AWS or MSS/ATC entity triggering a cost-sharing obligation,  $N=2$ , and so on.

(d)  $T_m$  equals the number of months that have elapsed between the month the AWS or MSS/ATC relocater or voluntarily relocating microwave incumbent obtains reimbursement rights for the link and the month in which an AWS entity triggers a cost-sharing obligation. An AWS or MSS/ATC relocater obtains reimbursement rights for the link on the date that it signs a relocation agreement with a microwave incumbent. A voluntarily relocating microwave incumbent obtains reimbursement rights for the link on the date that the incumbent notifies the Commission that it intends to discontinue, or has discontinued, the use of the link, pursuant to § 101.305 of the Commission's rules.

#### § 27.1166 Reimbursement under the Cost-Sharing Plan.

(a) *Registration of reimbursement rights.* Claims for reimbursement under the cost-sharing plan are limited to relocation expenses incurred on or after the date when the first AWS license is

issued in the relevant AWS band (start date). If a clearinghouse is not selected by that date (see §27.1162) claims for reimbursement (see §27.1166) and notices of operation (see §27.1170) for activities that occurred after the start date but prior to the clearinghouse selection must be submitted to the clearinghouse within 30 calendar days of the selection date.

(1) To obtain reimbursement, an AWS relocater or MSS/ATC relocater must submit documentation of the relocation agreement to the clearinghouse within 30 calendar days of the date a relocation agreement is signed with an incumbent. In the case of involuntary relocation, an AWS relocater or MSS/ATC relocater must submit documentation of the relocated system within 30 calendar days after the end of the relocation.

(2) To obtain reimbursement, a voluntarily relocating microwave incumbent must submit documentation of the relocation of the link to the clearinghouse within 30 calendar days of the date that the incumbent notifies the Commission that it intends to discontinue, or has discontinued, the use of the link, pursuant to §101.305 of the Commission's rules.

(b) *Documentation of expenses.* Once relocation occurs, the AWS relocater, MSS/ATC relocater, or the voluntarily relocating microwave incumbent, must submit documentation itemizing the amount spent for items specifically listed in §27.1164(b), as well as any reimbursable items not specifically listed in §27.1164(b) that are directly attributable to actual relocation costs. Specifically, the AWS relocater, MSS/ATC relocater, or the voluntarily relocating microwave incumbent must submit, in the first instance, only the uniform cost data requested by the clearinghouse along with a copy, without redaction, of either the relocation agreement, if any, or the third party appraisal described in (b)(1), if relocation was undertaken by the microwave incumbent. AWS relocaters, MSS/ATC relocaters and voluntarily relocating microwave incumbents must maintain documentation of cost-related issues until the applicable sunset date and provide such documentation upon request, to the clearinghouse, the Com-

mission, or entrants that trigger a cost-sharing obligation. If an AWS relocater pays a microwave incumbent a monetary sum to relocate its own facilities, the AWS relocater must estimate the costs associated with relocating the incumbent by itemizing the anticipated cost for items listed in §27.1164(b). If the sum paid to the incumbent cannot be accounted for, the remaining amount is not eligible for reimbursement.

(1) *Third party appraisal.* The voluntarily relocating microwave incumbent, must also submit an independent third party appraisal of its compensable relocation costs. The appraisal should be based on the actual cost of replacing the incumbent's system with comparable facilities and should exclude the cost of any equipment upgrades or items outside the scope of §27.1164(b).

(2) *Identification of links.* The AWS relocater, MSS/ATC relocater, or the voluntarily relocating microwave incumbent, must identify the particular link associated with appropriate expenses (*i.e.*, costs may not be averaged over numerous links). Where the AWS relocater, MSS/ATC relocater, or voluntarily relocating microwave incumbent relocates both paths of a paired channel microwave link (*e.g.*, 2110–2130 MHz with 2160–2180 MHz and 2130–2150 MHz with 2180–2200 MHz), the AWS relocater, MSS/ATC relocater, or voluntarily relocating microwave incumbent must identify the expenses associated with each paired microwave link.

(c) *Full Reimbursement.* An AWS relocater who relocates a microwave link that is either fully outside its market area or its licensed frequency band may seek full reimbursement through the clearinghouse of compensable costs, up to the reimbursement cap as defined in §27.1164(b). Such reimbursement will not be subject to depreciation under the cost-sharing formula.

(d) *Good Faith Requirement.* New entrants and incumbent licensees are expected to act in good faith in satisfying the cost-sharing obligations under §§27.1160 through 27.1174. The requirement to act in good faith extends to, but is not limited to, the preparation and submission of the documentation

## § 27.1168

## 47 CFR Ch. I (10–1–06 Edition)

required in paragraph (b) of this section.

(e) *MSS Participation in the Clearinghouse.* MSS operators are not required to submit reimbursements to the clearinghouse for links relocated due to interference from MSS space-to-Earth downlink operations, but may elect to do so, in which case the MSS operator must identify the reimbursement claim as such and follow the applicable procedures governing reimbursement in part 27. MSS reimbursement rights and cost-sharing obligations for space-to-Earth downlink operations are governed by § 101.82 of this chapter.

(f) *Reimbursement for Self-relocating FMS links in the 2130–2150 MHz and 2180–2200 MHz bands.* Where a voluntarily relocating microwave incumbent relocates a paired microwave link with paths in the 2130–2150 MHz and 2180–2200 MHz bands, it may not seek reimbursement from MSS operators (including MSS/ATC operators), but is entitled to partial reimbursement from the first AWS beneficiary, equal to fifty percent of its actual costs for relocating the paired link, or half of the reimbursement cap in § 27.1164(b), whichever is less. This amount is subject to depreciation as specified § 27.1164(b). An AWS licensee who is obligated to reimburse relocation costs under this rule is entitled to obtain reimbursement from other AWS beneficiaries in accordance with §§ 27.1164 and 27.1168. For purposes of applying the cost-sharing formula relative to other AWS licensees that benefit from the self-relocation, the fifty percent attributable to the AWS entrant shall be treated as the entire cost of the link relocation, and depreciation shall run from the date on which the clearinghouse issues the notice of an obligation to reimburse the voluntarily relocating microwave incumbent. The cost-sharing obligations for MSS operators in the 2180–2200 MHz

band are governed by § 101.82 of this chapter.

EFFECTIVE DATE NOTE: At 71 FR 29835, May 24, 2006, § 27.1166 was added. Paragraphs (a), (b), and (e) contain information collection and recordkeeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

### § 27.1168 Triggering a Reimbursement Obligation.


(a) The clearinghouse will apply the following test to determine when an AWS entity or MSS/ATC entity has triggered a cost-sharing obligation and therefore must pay an AWS relocater, MSS relocater (including MSS/ATC), or a voluntarily relocating microwave incumbent in accordance with the formula detailed in § 27.1164:

(1) All or part of the relocated microwave link was initially co-channel with the licensed AWS band(s) of the AWS entity or the selected assignment of the MSS operator that seeks and obtains ATC authority (see § 25.149(a)(2)(i) of this chapter);

(2) An AWS relocater, MSS relocater (including MSS/ATC) or a voluntarily relocating microwave incumbent has paid the relocation costs of the microwave incumbent; and

(3) The AWS or MSS entity is operating or preparing to turn on a fixed base station (including MSS/ATC) at commercial power and the fixed base station is located within a rectangle (Proximity Threshold) described as follows:

(i) The length of the rectangle shall be  $x$  where  $x$  is a line extending through both nodes of the microwave link to a distance of 48 kilometers (30 miles) beyond each node. The width of the rectangle shall be  $y$  where  $y$  is a line perpendicular to  $x$  and extending for a distance of 24 kilometers (15 miles) on both sides of  $x$ . Thus, the rectangle is represented as follows:



(ii) If the application of the Proximity Threshold Test indicates that a reimbursement obligation exists, the clearinghouse will calculate the reimbursement amount in accordance with the cost-sharing formula and notify the AWS or MSS/ATC entity of the total amount of its reimbursement obligation.

(b) Once a reimbursement obligation is triggered, the AWS or MSS/ATC entity may not avoid paying its cost-sharing obligation by deconstructing or modifying its facilities.

#### § 27.1170 Payment Issues.

Prior to initiating operations for a newly constructed site or modified existing site, an AWS entity or MSS/ATC entity is required to file a notice containing site-specific data with the clearinghouse. The notice regarding the new or modified site must provide a detailed description of the proposed site's spectral frequency use and geographic location, including but not limited to the applicant's name and address, the name of the transmitting base station, the geographic coordinates corresponding to that base station, the frequencies and polarizations to be added, changed or deleted, and the emission designator. If a prior coordination notice (PCN) under § 101.103(d) of this chapter is prepared,

AWS entities can satisfy the site-data filing requirement by submitting a copy of their PCN to the clearinghouse. AWS entities or MSS/ATC entities that file either a notice or a PCN have a continuing duty to maintain the accuracy of the site-specific data on file with the clearinghouse. Utilizing the site-specific data, the clearinghouse will determine if any reimbursement obligation exists and notify the AWS entity or MSS/ATC entity in writing of its repayment obligation, if any. When the AWS entity or MSS/ATC entity receives a written copy of such obligation, it must pay directly to the relocator the amount owed within 30 calendar days.

EFFECTIVE DATE NOTE: At 71 FR 29835, May 24, 2006, § 27.1170 was added. This text contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

#### § 27.1172 Dispute Resolution Under the Cost-Sharing Plan.

(a) Disputes arising out of the cost-sharing plan, such as disputes over the amount of reimbursement required, must be brought, in the first instance, to the clearinghouse for resolution. To the extent that disputes cannot be resolved by the clearinghouse, parties are

encouraged to use expedited Alternative Dispute Resolution (ADR) procedures, such as binding arbitration, mediation, or other ADR techniques.

(b) *Evidentiary requirement.* Parties of interest contesting the clearinghouse's determination of specific cost-sharing obligations must provide evidentiary support to demonstrate that their calculation is reasonable and made in good faith. Specifically, these parties are expected to exercise due diligence to obtain the information necessary to prepare an independent estimate of the relocation costs in question and to file the independent estimate and supporting documentation with the clearinghouse.

**§ 27.1174 Termination of Cost-Sharing Obligations.**

The cost-sharing plan will sunset for all AWS and MSS (including MSS/ATC) entities on the same date on which the relocation obligation for the subject AWS band (*i.e.*, 2110–2150 MHz, 2160–2175 MHz, or 2175–2180 MHz) in which the relocated FMS link was located terminates. AWS or MSS (including MSS/ATC) entrants that trigger a cost-sharing obligation prior to the sunset date must satisfy their payment obligation in full.

**COST-SHARING POLICIES GOVERNING  
BROADBAND RADIO SERVICE RELOCA-  
TION FROM THE 2150–2160/62 MHz  
BAND**

SOURCE: Sections 27.1176 through 27.1190 appear at 71 FR 29835, May 24, 2006, unless otherwise noted.

**§ 27.1176 Cost-sharing requirements for AWS in the 2150–2160/62 MHz band.**

(a) Frequencies in the 2150–2160/62 MHz band have been reallocated from the Broadband Radio Service (BRS) to AWS. All AWS entities who benefit from another AWS entity's clearance of BRS incumbents from this spectrum, including BRS incumbents occupying the 2150–2162 MHz band on a primary basis, must contribute to such relocation costs. Only AWS entrants that relocate BRS incumbents are entitled to such reimbursement.

(b) AWS entities may satisfy their reimbursement requirement by entering

into private cost-sharing agreements or agreeing to terms other than those specified in § 27.1180. However, AWS entities are required to reimburse other AWS entities that incur relocation costs and are not parties to the alternative agreement. In addition, parties to a private cost-sharing agreement may seek reimbursement through the clearinghouse (as discussed in § 27.1178) from AWS entities that are not parties to the agreement. The cost-sharing plan is in effect during all phases of BRS relocation until the end of the period specified in § 27.1190. If an AWS licensee enters into a spectrum leasing arrangement and the spectrum lessee triggers a cost-sharing obligation, the licensee is the AWS entity responsible for satisfying cost-sharing obligations under these rules.

**§ 27.1178 Administration of the Cost-Sharing Plan.**

The Wireless Telecommunications Bureau, under delegated authority, will select one or more entities to operate as a neutral, not-for-profit clearinghouse(s). This clearinghouse(s) will administer the cost-sharing plan by, *inter alia*, determining the cost-sharing obligations of AWS entities for the relocation of BRS incumbents from the 2150–2162 MHz band. The clearinghouse filing requirements (*see* §§ 27.1182(a), 27.1186) will not take effect until an administrator is selected.

**§ 27.1180 The cost-sharing formula.**

(a) An AWS licensee that relocates a BRS system with which it interferes is entitled to *pro rata* reimbursement based on the cost-sharing formula specified in § 27.1164, except that the depreciation factor shall be  $[180 - T_m]/180$ , and the variable *C* shall be applied as set forth in paragraph (b) of this section.

(b) *C* is the actual cost of relocating the system, and includes, but is not limited to, such items as: Radio terminal equipment (TX and/or RX—antenna, necessary feed lines, MUX/Modems); towers and/or modifications; back-up power equipment; monitoring or control equipment; engineering costs (design/path survey); installation; systems testing; FCC filing costs; site acquisition and civil works; zoning

costs; training; disposal of old equipment; test equipment (vendor required); spare equipment; project management; site lease renegotiation; required antenna upgrades for interference control; power plant upgrade (if required); electrical grounding systems; Heating Ventilation and Air Conditioning (HVAC) (if required); alternate transport equipment; leased facilities; and end user units served by the base station that is being relocated. In addition to actual costs, *C* may include the cost of an independent third party appraisal conducted pursuant to § 27.1182(a)(3) and incumbent transaction expenses that are directly attributable to the relocation, subject to a cap of two percent of the “hard” costs involved. Hard costs are defined as the actual costs associated with providing a replacement system, such as equipment and engineering expenses. There is no cap on the actual costs of relocation.

(c) An AWS system shall be considered an interfering system for purposes of this rule if the AWS system is in all or part of the BRS frequency band and operates within line of sight to BRS operations under the applicable test specified in § 27.1184. An AWS relocater that relocates a BRS system with which it does not interfere is entitled to full reimbursement, as specified in § 27.1182(c).

#### **§ 27.1182 Reimbursement under the Cost-Sharing Plan.**

(a) *Registration of reimbursement rights.* (1) To obtain reimbursement, an AWS relocater must submit documentation of the relocation agreement to the clearinghouse within 30 calendar days of the date a relocation agreement is signed with an incumbent. In the case of involuntary relocation, an AWS relocater must submit documentation of the relocated system within 30 calendar days after the end of the one-year trial period.

(2) Registration of any BRS system shall include:

(i) A description of the system’s frequency use;

(ii) If the system exclusively provides one-way transmissions to subscribers, the Geographic Service Area of the system; and

(iii) If the system does not exclusively provide one-way transmission to subscribers, the system hub antenna’s geographic location and the above ground level height of the system’s receiving antenna centerline.

(3) The AWS relocater must also include with its system registration an independent third party appraisal of the compensable relocation costs. The appraisal should be based on the actual cost of replacing the incumbent’s system with comparable facilities and should exclude the cost of any equipment upgrades that are not necessary to the provision of comparable facilities. An AWS relocater may submit registration without a third party appraisal if it consents to binding resolution by the clearinghouse of any good faith cost disputes regarding the reimbursement claim, under the following standard: The relocater shall bear the burden of proof, and be required to demonstrate by clear and convincing evidence that its request does not exceed the actual cost of relocating the relevant BRS system or systems to comparable facilities. Failure to satisfy this burden of proof will result in loss of rights to subsequent reimbursement of the disputed costs from any AWS licensee.

(b) *Documentation of expenses.* Once relocation occurs, the AWS relocater must submit documentation itemizing the amount spent for items specifically listed in § 27.1180(b), as well as any reimbursable items not specifically listed in § 27.1180(b) that are directly attributable to actual relocation costs. Specifically, the AWS relocater must submit, in the first instance, only the uniform cost data requested by the clearinghouse along with copies, without redaction, of the relocation agreement, if any, and the third party appraisal described in (a)(3), of this section, if prepared. The AWS relocater must identify the particular system associated with appropriate expenses (*i.e.*, costs may not be averaged over numerous systems). If an AWS relocater pays a BRS incumbent a monetary sum to relocate its own facilities in whole or in part, the AWS relocater must itemize the actual costs to the extent determinable, and otherwise must estimate

the actual costs associated with relocating the incumbent and itemize these costs. If the sum paid to the incumbent cannot be accounted for, the remaining amount is not eligible for reimbursement. All AWS relocators seeking reimbursement through the clearinghouse have an ongoing duty to maintain all relevant records of BRS relocation-related expenses until the sunset of cost-sharing obligations, and to provide, upon request, such documentation, including a copy of the independent appraisal if one was conducted, to the clearinghouse, the Commission, or AWS entrants that trigger a cost-sharing obligation.

(c) *Full reimbursement.* An AWS relocater who relocates a BRS system that is either:

(1) Wholly outside its frequency band; or

(2) Not within line of sight of the relocater's transmitting base station may seek full reimbursement through the clearinghouse of compensable costs. Such reimbursement will not be subject to depreciation under the cost-sharing formula.

(d) *Good Faith Requirement.* New entrants and incumbent licensees are expected to act in good faith in satisfying the cost-sharing obligations under §§ 27.1176 through 27.1190. The requirement to act in good faith extends to, but is not limited to, the preparation and submission of the documentation required in paragraph (b) of this section.

EFFECTIVE DATE NOTE: At 71 FR 29835, May 24, 2006, § 27.1182 was added. Paragraphs (a) and (b) contain information collection and recordkeeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

**§ 27.1184 Triggering a reimbursement obligation.**

(a) The clearinghouse will apply the following test to determine when an AWS entity has triggered a cost-sharing obligation and therefore must pay an AWS relocater of a BRS system in accordance with the formula detailed in § 27.1180:

(1) All or part of the relocated BRS system was initially co-channel with the licensed AWS band(s) of the AWS entity;

(2) An AWS relocater has paid the relocation costs of the BRS incumbent; and

(3) The other AWS entity has turned on or is preparing to turn on a fixed base station at commercial power and the incumbent BRS system would have been within the line of sight of the AWS entity's fixed base station, defined as follows.

(i) For a BRS system using the 2150–2160/62 MHz band exclusively to provide one-way transmissions to subscribers, the clearinghouse will determine whether there is an unobstructed signal path (line of sight) to the incumbent licensee's geographic service area (GSA), based on the following criteria: use of 9.1 meters (30 feet) for the receiving antenna height, use of the actual transmitting antenna height and terrain elevation, and assumption of 4/3 Earth radius propagation conditions. Terrain elevation data must be obtained from the U.S. Geological Survey (USGS) 3-second database. All coordinates used in carrying out the required analysis shall be based upon use of NAD–83.

(ii) For all other BRS systems using the 2150–2160/62 MHz band, the clearinghouse will determine whether there is an unobstructed signal path (line of sight) to the incumbent licensee's receive station hub using the method prescribed in “Methods for Predicting Interference from Response Station Transmitters and to Response Station Hubs and for Supplying Data on Response Station Systems. MM Docket 97–217,” in Amendment of 47 CFR parts 1, 21 and 74 to Enable Multipoint Distribution Service and Instructional Television Fixed Service Licensees to Engage in Fixed Two-Way Transmissions, MM Docket No. 97–217, *Report and Order on Further Reconsideration and Further Notice of Proposed Rule-making*, 15 FCC Rcd 14566 at 14610, Appendix D.

(b) If the application of the trigger test described in paragraphs (a)(3)(i) and (ii) of this section, indicates that a reimbursement obligation exists, the clearinghouse will calculate the reimbursement amount in accordance with the cost-sharing formula and notify the subsequent AWS entity of the total

## Federal Communications Commission

## § 27.1201

amount of its reimbursement obligation.

(c) Once a reimbursement obligation is triggered, the AWS entity may not avoid paying its cost-sharing obligation by deconstructing or modifying its facilities.

### § 27.1186 Payment issues.

Payment of cost-sharing obligations for the relocation of BRS systems in the 2150–60/62 MHz band is subject to the rules set forth in § 27.1170. If an AWS licensee is initiating operations for a newly constructed site or modified existing site in licensed bands overlapping the 2150–2160/62 MHz band, the AWS licensee must file with the clearinghouse, in addition to the site-specific data required by § 27.1170, the above ground level height of the transmitting antenna centerline. AWS entities have a continuing duty to maintain the accuracy of the site-specific data on file with the clearinghouse.

EFFECTIVE DATE NOTE: At 71 FR 29835, May 24, 2006, § 27.1186 was added. This text contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

### § 27.1188 Dispute resolution under the Cost-Sharing Plan.

(a) Disputes arising out of the cost-sharing plan, such as disputes over the amount of reimbursement required, must be brought, in the first instance, to the clearinghouse for resolution. To the extent that disputes cannot be resolved by the clearinghouse, parties are encouraged to use expedited Alternative Dispute Resolution (ADR) procedures, such as binding arbitration, mediation, or other ADR techniques.

(b) *Evidentiary requirement.* Parties of interest contesting the clearinghouse's determination of specific cost-sharing obligations must provide evidentiary support to demonstrate that their calculation is reasonable and made in good faith. Specifically, these parties are expected to exercise due diligence to obtain the information necessary to prepare an independent estimate of the relocation costs in question and to file the independent estimate and supporting documentation with the clearinghouse.

### § 27.1190 Termination of cost-sharing obligations.

The plan for cost-sharing in connection with BRS relocation will sunset for all AWS entities fifteen years after the relocation sunset period for BRS relocation commences, *i.e.*, fifteen years after the first AWS licenses are issued in any part of the 2150–2162 MHz band. AWS entrants that trigger a cost-sharing obligation prior to the sunset date must satisfy their payment obligation in full.

## Subpart M—Broadband Radio Service and Educational Broadband Service

SOURCE: 69 FR 72034, Dec. 10, 2004, unless otherwise noted.

### § 27.1200 Change to BRS and EBS.

(a) As of January 10, 2005, licensees assigned to the Multipoint Distribution Service (MDS) and the Multichannel Multipoint Distribution Service (MMDS) shall be reassigned to the Broadband Radio Service (BRS) and licensees in the Instructional Television Fixed Service (ITFS) shall be reassigned to the Educational Broadband Service (EBS).

### § 27.1201 EBS eligibility.

(a) A license for an Educational Broadband Service station will be issued only to an accredited institution or to a governmental organization engaged in the formal education of enrolled students or to a nonprofit organization whose purposes are educational and include providing educational and instructional television material to such accredited institutions and governmental organizations, and which is otherwise qualified under the statutory provisions of the Communications Act of 1934, as amended.

(1) A publicly supported educational institution must be accredited by the appropriate State department of education.

(2) A privately controlled educational institution must be accredited by the appropriate State department of education or the recognized regional and national accrediting organizations.



(3) Those applicant organizations whose eligibility is established by service to accredited institutional or governmental organizations must submit documentation from proposed receive sites demonstrating that they will receive and use the applicant's educational usage. In place of this documentation, a state educational television (ETV) commission may demonstrate that the public schools it proposes to serve are required to use its proposed educational usage. Documentation from proposed receive sites which are to establish the eligibility of an entity not serving its own enrolled students for credit should be in letter form, written and signed by an administrator or authority who is responsible for the receive site's curriculum planning. No receive site more than 35 miles from the transmitter site shall be used to establish basic eligibility. The administrator must indicate that the applicant's program offerings have been viewed and that such programming will be incorporated in the site's curriculum. The letter should discuss the types of programming and hours per week of formal and informal programming expected to be used and the site's involvement in the planning, scheduling and production of programming. If other levels of authority must be obtained before a firm commitment to utilize the service can be made, the nature and extent of such additional authorization(s) must be provided.

(4) Nonlocal applicants, in addition to submitting letters from proposed receive sites, must demonstrate the establishment of a local program committee in each community where they apply. Letters submitted on behalf of a nonlocal entity must confirm that a member of the receive site's staff will serve on the local program committee and demonstrate a recognition of the composition and power of the committee. The letter should show that the staff member will aid in the selection, scheduling and production of the programming received over the system.

(b) No numerical limit is placed on the number of stations which may be licensed to a single licensee. A single license may be issued for more than one transmitter if they are to be located at a common site and operated

by the same licensee. Applicants are expected to accomplish the proposed operation by the use of the smallest number of channels required to provide the needed service.

(c) [Reserved]

(d) This paragraph applies to EBS licensees and applications licensed or filed pursuant to the provisions of § 27.1201(c) contained in the edition of 47 CFR parts 20 to 39, revised as of October 1, 2005, or §§ 74.990 through 74.992 contained in the edition of 47 CFR parts 70 to 79, revised as of October 1, 2004, of this chapter, and that do not meet the eligibility requirements of paragraph (a) of this section. Such licensees may continue to operate pursuant to the terms of their existing licenses, and their licenses may be renewed, assigned, or transferred, so long as the licensee is otherwise in compliance with this chapter. Applications filed pursuant to the provisions of former § 27.1201(c) or §§ 74.990 through 74.992 of this chapter may be processed and granted, so long as such applications were filed prior to July 19, 2006.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35190, June 19, 2006]

**§ 27.1202 Cable/BRS cross-ownership.**

(a) Initial or modified authorizations for BRS stations may not be granted to a cable operator if a portion of the BRS station's protected services area is within the portion of the franchise area actually served by the cable operator's cable system and the cable operator will be using the BRS station as a multichannel video programming distributor (as defined in § 76.64(d) of this chapter). No cable operator may acquire such authorization either directly, or indirectly through an affiliate owned, operated, or controlled by or under common control with a cable operator if the cable operator will use the BRS station as a multichannel video programming distributor.

(b) No licensee of a station in this service may lease transmission time or capacity to a cable operator either directly, or indirectly through an affiliate owned, operated, controlled by, or under common control with a cable operator, if a portion of the BRS station's protected services area is within the portion of the franchise area actually

served by the cable operator's cable system the cable operator will use the BRS station as a multichannel video programming distributor.

(c) Applications for new stations, station modifications, assignments or transfers of control by cable operators of BRS stations shall include a showing that no portion of the GSA of the BRS station is within the portion of the franchise area actually served by the cable operator's cable system, or of any entity indirectly affiliated, owned, operated, controlled by, or under common control with the cable operator. Alternatively, the cable operator may certify that it will not use the BRS station to distribute multichannel video programming.

(d) In applying the provisions of this section, ownership and other interests in BRS licensees or cable television systems will be attributed to their holders and deemed cognizable pursuant to the following criteria:

(1) Except as otherwise provided herein, partnership and direct ownership interests and any voting stock interest amounting to 5% or more of the outstanding voting stock of a corporate BRS licensee or cable television system will be cognizable;

(2) Investment companies, as defined in 15 U.S.C. 80a-3, insurance companies and banks holding stock through their trust departments in trust accounts will be considered to have a cognizable interest only if they hold 20% or more of the outstanding voting stock of a corporate BRS licensee or cable television system, or if any of the officers or directors of the BRS licensee or cable television system are representatives of the investment company, insurance company or bank concerned. Holdings by a bank or insurance company will be aggregated if the bank or insurance company has any right to determine how the stock will be voted. Holdings by investment companies will be aggregated if under common management.

(3) Attribution of ownership interests in a BRS licensee or cable television system that are held indirectly by any party through one or more intervening corporations will be determined by successive multiplication of the ownership percentages for each link in the

vertical ownership chain and application of the relevant attribution benchmark to the resulting product, except that wherever the ownership percentage for any link in the chain exceeds 50%, it shall not be included for purposes of this multiplication. For purposes of paragraph (d)(9) of this section, attribution of ownership interests in a BRS licensee or cable television system that are held indirectly by any party through one or more intervening organizations will be determined by successive multiplication of the ownership percentages for each link in the vertical ownership chain and application of the relevant attribution benchmark to the resulting product, and the ownership percentage for any link in the chain that exceeds 50% shall be included for purposes of this multiplication. For example, except for purposes of paragraph (d)(9) of this section, if A owns 10% of company X, which owns 60% of company Y, which owns 25% of "Licensee," then X's interest in "Licensee" would be 25% (the same as Y's interest because X's interest in Y exceeds 50%), and A's interest in "Licensee" would be 2.5% ( $0.1 \times 0.25$ ). Under the 5% attribution benchmark, X's interest in "Licensee" would be cognizable, while A's interest would not be cognizable. For purposes of paragraph (d)(9) of this section, X's interest in "Licensee" would be 15% ( $0.6 \times 0.25$ ) and A's interest in "Licensee" would be 1.5% ( $0.1 \times 0.6 \times 0.25$ ). Neither interest would be attributed under paragraph (d)(9) of this section.

(4) Voting stock interests held in trust shall be attributed to any person who holds or shares the power to vote such stock, to any person who has the sole power to sell such stock, and to any person who has the right to revoke the trust at will or to replace the trustee at will. If the trustee has a familial, personal or extra-trust business relationship to the grantor or the beneficiary, the grantor or beneficiary, as appropriate, will be attributed with the stock interests held in trust. An otherwise qualified trust will be ineffective to insulate the grantor or beneficiary from attribution with the trust's assets unless all voting stock interests held by the grantor or beneficiary in the

relevant BRS licensee or cable television system are subject to said trust.

(5) Subject to paragraph (d)(9) of this section, holders of non-voting stock shall not be attributed an interest in the issuing entity. Subject to paragraph (d)(9) of this section, holders of debt and instruments such as warrants, convertible debentures, options or other non-voting interests with rights of conversion to voting interests shall not be attributed unless and until conversion is effected.

(6)(i) A limited partnership interest shall be attributed to a limited partner unless that partner is not materially involved, directly or indirectly, in the management or operation of the BRS or cable television activities of the partnership and the licensee or system so certifies. An interest in a Limited Liability Company (“LLC”) or Registered Limited Liability Partnership (“RLLP”) shall be attributed to the interest holder unless that interest holder is not materially involved, directly or indirectly, in the management or operation of the BRS or cable television activities of the partnership and the licensee or system so certifies.

(ii) For a licensee or system that is a limited partnership to make the certification set forth in paragraph (d)(6)(i) of this section, it must verify that the partnership agreement or certificate of limited partnership, with respect to the particular limited partner exempt from attribution, establishes that the exempt limited partner has no material involvement, directly or indirectly, in the management or operation of the BRS or cable television activities of the partnership. For a licensee or system that is an LLC or RLLP to make the certification set forth in paragraph (d)(6)(i) of this section, it must verify that the organizational document, with respect to the particular interest holder exempt from attribution, establishes that the exempt interest holder has no material involvement, directly or indirectly, in the management or operation of the BRS or cable television activities of the LLC or RLLP. Irrespective of the terms of the certificate of limited partnership or partnership agreement, or other organizational document in the case of an LLC or RLLP, however, no

such certification shall be made if the individual or entity making the certification has actual knowledge of any material involvement of the limited partners, or other interest holders in the case of an LLC or RLLP, in the management or operation of the BRS or cable television businesses of the partnership or LLC or RLLP.

(iii) In the case of an LLC or RLLP, the licensee or system seeking installation shall certify, in addition, that the relevant state statute authorizing LLCs permits an LLC member to insulate itself as required by our criteria.

(7) Officers and directors of a BRS licensee or cable television system are considered to have a cognizable interest in the entity with which they are so associated. If any such entity engages in businesses in addition to its primary business of BRS or cable television service, it may request the Commission to waive attribution for any officer or director whose duties and responsibilities are wholly unrelated to its primary business. The officers and directors of a parent company of a BRS licensee or cable television system, with an attributable interest in any such subsidiary entity, shall be deemed to have a cognizable interest in the subsidiary unless the duties and responsibilities of the officer or director involved are wholly unrelated to the BRS licensee or cable television system subsidiary, and a statement properly documenting this fact is submitted to the Commission. The officers and directors of a sister corporation of a BRS licensee or cable television system shall not be attributed with ownership of these entities by virtue of such status.

(8) Discrete ownership interests will be aggregated in determining whether or not an interest is cognizable under this section. An individual or entity will be deemed to have a cognizable investment if:

(i) The sum of the interests held by or through “passive investors” is equal to or exceeds 20 percent; or

(ii) The sum of the interests other than those held by or through “passive investors” is equal to or exceeds 5 percent; or

(iii) The sum of the interests computed under paragraph (d)(8)(i) of this section plus the sum of the interests

computed under paragraph (d)(8)(ii) of this section equal to or exceeds 20 percent.

(9) Notwithstanding paragraphs (d)(5) and (d)(6) of this section, the holder of an equity or debt interest or interests in a BRS licensee or cable television system subject to the BRS/cable cross-ownership rule ("interest holder") shall have that interest attributed if:

(i) The equity (including all stockholdings, whether voting or nonvoting, common or preferred) and debt interest or interests, in the aggregate, exceed 33 percent of the total asset value (all equity plus all debt) of that BRS licensee or cable television system; and

(ii) The interest holder also holds an interest in a BRS licensee or cable television system that is attributable under this section (other than this paragraph) and which operates in any portion of the franchise area served by that cable operator's cable system.

(10) The term "area served by a cable system" means any area actually passed by the cable operator's cable system and which can be connected for a standard connection fee.

(11) As used in this section "cable operator" shall have the same definition as in § 76.5 of this chapter.

(e) The Commission will entertain requests to waive the restrictions in paragraph (a) of this section where necessary to ensure that all significant portions of the franchise area are able to obtain multichannel video service.

(f) The provisions of paragraphs (a) through (e) of this section will not apply to one BRS channel used to provide locally-produced programming to cable headends. Locally-produced programming is programming produced in or near the cable operator's franchise area and not broadcast on a television station available within that franchise area. A cable operator will be permitted one BRS channel for this purpose, and no more than one BRS channel may be used by a cable television company or its affiliate or lessor pursuant to this paragraph. The licensee for a cable operator providing local programming pursuant to a lease must include in a notice filed with the Wireless Telecommunications Bureau a cover letter explicitly identifying itself or its lessees as a local cable operator

and stating that the lease was executed to facilitate the provision of local programming. The first application or the first lease notification in an area filed with the Commission will be entitled to the exemption. The limitations on one BRS channel per party and per area include any cable/BRS operations or cable/EBS operations. The cable operator must demonstrate in its BRS application that the proposed local programming will be provided within one year from the date its application is granted. Local programming service pursuant to a lease must be provided within one year of the date of the lease or one year of grant of the licensee's application for the leased channel, whichever is later. If a BRS license for these purposes is granted and the programming is subsequently discontinued, the license will be automatically forfeited the day after local programming service is discontinued.

(g) Applications filed by cable television companies, or affiliates, for BRS channels prior to February 8, 1990, will not be subject to the prohibitions of this section. Applications filed on February 8, 1990, or thereafter will be returned. Lease arrangements between cable and BRS entities for which a lease or a firm agreement was signed prior to February 8, 1990, will also not be subject to the prohibitions of this section. Leases between cable television companies, or affiliates, and BRS station licensees, conditional licensees, or applicants executed on February 8, 1990, or thereafter, are invalid.

(1) Applications filed by cable operators, or affiliates, for BRS channels prior to February 8, 1990, will not be subject to the prohibitions of this section. Except as provided in paragraph (g)(2) of this section, applications filed on February 8, 1990, or thereafter will be returned. Lease arrangements between cable and BRS entities for which a lease or a firm agreement was signed prior to February 8, 1990, will also not be subject to the prohibitions of this section. Except as provided in paragraph (g)(2) of this section, leases between cable operators, or affiliates, and BRS/EBS station licensees, conditional licensees, or applicants executed on or before February 8, 1990, or thereafter are invalid.

(2) Applications filed by cable operators, or affiliates for BRS channels after February 8, 1990, and prior to October 5, 1992, will not be subject to the prohibition of this section, if, pursuant to the then existing overbuild or rural exceptions, the applications were allowed under the then existing cable/BRS cross-ownership prohibitions. Lease arrangements between cable operators and BRS entities for which a lease or firm agreement was signed after February 8, 1990, and prior to October 5, 1992, will not be subject to the prohibitions of this section, if, pursuant to the then existing rural and overbuild exceptions, the lease arrangements were allowed.

(3) The limitations on cable television ownership in this section do not apply to any cable operator in any franchise area in which a cable operator is subject to effective competition as determined under section 623(l) of the Communications Act.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35190, June 19, 2006]

**§ 27.1203 EBS programming requirements.**

(a) Except as provided in paragraphs (b), (c), and (d) of this section, BRS and EBS licensees are authorized to provide fixed or mobile service, except aeronautical mobile service, subject to the technical requirements of subparts C and M of this part.

(b) Educational Broadband Service stations are intended primarily through video, data, or voice transmissions to further the educational mission of accredited public and private schools, colleges and universities providing a formal educational and cultural development to enrolled students. Authorized educational broadband channels must be used to further the educational mission of accredited schools offering formal educational courses to enrolled students.

(c) In furtherance of the educational mission of accredited schools, Educational Broadband Service stations may be used for:

(1) In-service training and instruction in special skills and safety programs, extension of professional training, informing persons and groups engaged in professional and technical ac-

tivities of current developments in their particular fields, and other similar endeavors;

(2) Transmission of material directly related to the administrative activities of the licensee, such as the holding of conferences with personnel, distribution of reports and assignments, exchange of data and statistics, and other similar uses.

(d) Stations, including high-power EBS signal booster stations, may be licensed in the EBS as originating or relay stations to interconnect educational broadband fixed stations in adjacent areas, to deliver instructional and cultural material to, and obtain such material from, commercial and noncommercial educational television broadcast stations for use on the educational broadband system, and to deliver instructional and cultural material to, and obtain such material from, nearby terminals or connection points of closed circuit educational television systems employing wired distribution systems or radio facilities authorized under other parts of this chapter, or to deliver instructional and cultural material to any cable television system serving a receiving site or sites which would be eligible for direct reception of EBS signals under the provisions of § 27.1201.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35190, June 19, 2006]

**§ 27.1206 Geographic Service Area.**

(a) The Geographic Service Area (GSA) is either:

(1) The area for incumbent site-based licensees that is bounded by a circle having a 35 mile radius and centered at the station's reference coordinates, which was the previous PSA entitled to incumbent licensees prior to January 10, 2005, and is bounded by the chord(s) drawn between intersection points of the licensee's previous 35 mile PSA and those of respective adjacent market, co-channel licensees; or:

(2) The BTA that is licensed to the respective BRS BTA authorization holder subject to the exclusion of overlapping, co-channel incumbent GSAs as described in paragraph (a)(1) of this section.

(b) If the license for an incumbent BRS station cancels or is forfeited, the

## Federal Communications Commission

## § 27.1211

GSA area of the incumbent station shall dissolve and the right to operate in that area automatically reverts to the GSA licensee that held the corresponding BTA.

### § 27.1207 BTA license authorization.

(a) Winning bidders must file an application (FCC Form 601) for an initial authorization in each market and frequency block.

(b) Blanket licenses are granted for each market and frequency block. Blanket licenses cover all mobile and response stations. Blanket licenses also cover all fixed stations anywhere within the authorized service area, except as follows:

(1) A station would be required to be individually licensed if

(i) International agreements require coordination;

(ii) Submission of an Environmental Assessment is required under § 1.1307 of this chapter;

(iii) The station would affect the radio quiet zones under § 1.924 of this chapter.

(2) Any antenna structure that requires notification to the Federal Aviation Administration (FAA) must be registered with the Commission prior to construction under § 17.4 of this chapter.

### § 27.1208 Service areas.

Most BRS/EBS service areas are Basic Trading Areas (BTAs). BTAs are based on the Rand McNally 1992 Commercial Atlas & Marketing Guide, 123rd Edition, at pages 38-39. The following are additional BRS or EBS service areas in places where Rand McNally has not defined BTAs: American Samoa; Guam; Northern Mariana Islands; Mayaguez/Aguadilla-Ponce, Puerto Rico; San Juan, Puerto Rico; and the United States Virgin Islands. The Mayaguez/Aguadilla-Ponce, PR, service area consists of the following municipios: Adjuntas, Aguada, Aguadilla, Anasco, Arroyo, Cabo Rojo, Coamo, Guanica, Guayama, Guayanilla, Hormigueros, Isabela, Jayuya, Juana Díaz, Lajas, Las Marias, Maricao, Maunabo, Mayaguez, Moca, Patillas, Penuelas, Ponce, Quebradillas, Rincón, Sabana Grande, Salinas, San German, Santa Isabel,

Villalba and Yauco. The San Juan service area consists of all other municipios in Puerto Rico.

### § 27.1209 Conversion of incumbent EBS and BRS stations to geographic area licensing.

(a) Any EBS or BRS station licensed by the Commission, other than BTA authorizations and facilities authorized pursuant to BTA authorizations, shall be considered an incumbent station.

(b) As of January 10, 2005, all incumbent EBS and BRS licenses shall be converted to a geographic area license. Pursuant to that geographic area license, such incumbent licensees may modify their systems provided the modified system complies with the applicable rules. The blanket license covers all fixed stations anywhere within the authorized service area, except as follows:

(1) A station would be required to be individually licensed if

(i) International agreements require coordination;

(ii) Submission of an Environmental Assessment is required under § 1.1307 of this chapter;

(iii) The station would affect the radio quiet zones under § 1.924 of this chapter.

(2) Any antenna structure that requires notification to the Federal Aviation Administration (FAA) must be registered with the Commission prior to construction under § 17.4 of this chapter.

(c) The frequencies associated with incumbent authorizations that have been cancelled automatically or otherwise been recovered by the Commission will automatically revert to the applicable BTA licensee.

### § 27.1210 Remote control operation.

Licensed BRS/EBS stations may be operated by remote control without further authority.

### § 27.1211 Unattended operation.

Unattended operation of licensed BRS/EBS stations is permitted without further authority. An unattended relay station may be employed to receive and retransmit signals of another station provided that the transmitter is equipped with circuits which permit it

## § 27.1212

to radiate only when the signal intended to be retransmitted is present at the receiver input terminals.

### § 27.1212 License term.

(a) BRS/EBS licenses shall be issued for a period of 10 years beginning with the date of grant.

(b) An initial BTA authorization shall be issued for a period of ten years from the date the Commission declared bidding closed in the MDS auction.

### § 27.1213 Designated entity provisions for BRS in Commission auctions commencing prior to January 1, 2004.

(a) *Eligibility for small business provisions.* For purposes of Commission auctions commencing prior to January 1, 2004 for BRS licenses, a small business is an entity that together with its affiliates has average annual gross revenues that are not more than \$40 million for the preceding three calendar years.

(b) *Designated entities.* As specified in this section, designated entities that are winning bidders in Commission auctions commencing prior to January 1, 2004 for BTA service areas are eligible for special incentives in the auction process. See 47 CFR 1.2110.

(c) *Installment payments.* Small businesses and small business consortia may elect to pay the full amount of their winning bids in Commission auctions commencing prior to January 1, 2004 for BTA service areas in installments over a ten (10) year period running from the date that their BTA authorizations are issued.

(1) Upon issuance of a BTA authorization to a winning bidder in a Commission auction commencing prior to January 1, 2004 that is eligible for installment payments, the Commission will notify such eligible BTA authorization holder of the terms of its installment payment plan. For BRS, such installment payment plans will:

(i) Impose interest based on the rate of ten (10) year U.S. Treasury obligations at the time of issuance of the BTA authorization, plus two and one half (2.5) percent;

(ii) Allow installment payments for a ten (10) year period running from the date that the BTA authorization is issued;

(iii) Begin with interest-only payments for the first two (2) years; and

(iv) Amortize principal and interest over the remaining years of the ten (10) year period running from the date that the BTA authorization is issued.

(2) *Conditions and obligations.* See § 1.2110(g)(4) of this chapter.

(3) *Unjust enrichment.* If an eligible BTA authorization holder that utilizes installment financing under this subsection seeks to partition, pursuant to applicable rules, a portion of its BTA containing one-third or more of the population of the area within its control in the licensed BTA to an entity not meeting the eligibility standards for installment payments, the holder must make full payment of the remaining unpaid principal and any unpaid interest accrued through the date of partition as a condition of approval.

(d) *Reduced upfront payments.* For purposes of Commission auctions commencing prior to January 1, 2004 for BRS licenses, a prospective bidder that qualifies as a small business, or as a small business consortia, is eligible for a twenty-five (25) percent reduction in the amount of the upfront payment otherwise required. To be eligible to bid on a particular BTA, a small business will be required to submit an upfront payment equal to seventy-five (75) percent of the upfront payment amount specified for that BTA in the public notice listing the upfront payment amounts corresponding to each BTA service area being auctioned.

(e) *Bidding credits.* For purposes of Commission auctions commencing prior to January 1, 2004 for BRS licenses, a winning bidder that qualifies as a small business, or as a small business consortia, may use a bidding credit of fifteen (15) percent to lower the cost of its winning bid on any of the BTA authorizations awarded in the Commission BRS auctions commencing prior to January 1, 2004.

(f) Short-form application certification; Long-form application or statement of intention disclosure. A BRS applicant in a Commission auction commencing prior to January 1, 2004 claiming designated entity status shall certify on its short-form application that it is eligible for the incentives claimed. A designated entity that is a

winning bidder for a BTA service area(s) shall, in addition to information otherwise required, file an exhibit to either its initial long-form application for a BRS station license, or to its statement of intention with regard to the BTA, which discloses the gross revenues for each of the past three years of the winning bidder and its affiliates. This exhibit shall describe how the winning bidder claiming status as a designated entity satisfies the designated entity eligibility requirements, and must list and summarize all agreements that affect designated entity status, such as partnership agreements, shareholder agreements, management agreements and other agreements, including oral agreements, which establish that the designated entity will have both de facto and de jure control of the entity. See 47 CFR 1.2110(i).

(g) *Records maintenance.* All holders of BTA authorizations acquired in a Commission auction commencing prior to January 1, 2004 that claim designated entity status shall maintain, at their principal place of business or with their designated agent, an updated documentary file of ownership and revenue information necessary to establish their status. Holders of BTA authorizations or their successors in interest shall maintain such files for a ten (10) year period running from the date that their BTA authorizations are issued. The files must be made available to the Commission upon request.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35190, June 19, 2006]

**§ 27.1214 EBS spectrum leasing arrangements and grandfathered leases.**

(a) A licensee in the EBS that is solely utilizing analog transmissions may enter into a spectrum leasing arrangement to transmit material other than the educational programming defined in § 27.1203(b) and (c) subject to the following conditions:

(1) Before entering into a spectrum leasing arrangement involving material other than educational programming on any one channel, the licensee must provide at least 20 hours per week of EBS educational programming (as defined in § 27.1203(b) and (c)) on that

channel, except as provided in paragraphs (a)(2) and (a)(3) of this section. An additional 20 hours per week per channel must be strictly reserved for EBS use and not used for non-EBS purposes, or reserved for recapture by the EBS licensee for its EBS educational usage, subject to one year's advance, written notification by the EBS licensee to its lessee and accounting for all recapture already exercised, with no economic or operational detriment to the licensee. These hours of recapture are not restricted as to time of day or day of the week, but may be established by negotiations between the EBS licensee and the lessee. The 20 hours per channel per week EBS educational usage requirement and the recapture and/or reservation requirement of an additional 20 hours per channel per week shall apply spectrally over the licensee's whole actual service area.

(2) For the first two years of operation, an EBS entity may enter into a spectrum leasing arrangement involving material other than educational programming if it provides EBS educational usage for at least 12 hours per channel per week, provided that the entity does not employ channel loading technology.

(3) The licensee may shift its requisite EBS educational usage onto fewer than its authorized number of channels, via channel mapping or channel loading technology, so that it can enter into a spectrum leasing arrangement involving full-time channel capacity on its EBS station and/or associated EBS booster stations, subject to the condition that it provide a total average of at least 20 hours per channel per week of EBS educational usage on its authorized channels. The use of channel mapping or channel loading consistent with the Rules shall not be considered adversely to the EBS licensee in seeking a license renewal. The licensee also retains the unbridgeable right to recapture, subject to six months' advance written notification by the EBS licensee to the spectrum lessee, an average of an additional 20 hours per channel per week, accounting for all recapture already exercised. Regardless of whether the licensee has educational receive sites



within its GSA, the licensee may lease booster stations in the entire GSA, provided that the licensee maintains the unbridgeable right to ready recapture at least 40 hours per channel per week for EBS educational usage. The licensee may agree to the transmission of this recapture time on channels not authorized to it, but which are included in the wireless system of which it is a part. A licensee under this paragraph which enters into a spectrum leasing arrangement on any one of its channels to an operator may “channel shift” pursuant to and under the conditions of paragraph (d)(2) of this section.

(b) A licensee utilizing digital transmissions on any of its licensed channels may enter into a spectrum leasing arrangement to transmit material other than the educational programming defined in § 27.1203(b) and (c), subject to the following conditions:

(1) The licensee must reserve a minimum of 5% of the capacity of its channels for educational uses consistent with § 27.1203 paragraphs (b) and (c), and may not enter into a spectrum leasing arrangement involving this reserved capacity. In addition, before leasing excess capacity, the licensee must provide at least 20 hours per licensed channel per week of EBS educational usage. This 5% reservation and this 20 hours per licensed channel per week EBS educational usage requirement shall apply spectrally over the licensee’s whole actual service area. However, regardless of whether the licensee has an educational receive site within its GSA served by a booster, the licensee may lease excess capacity without making at least 20 hours per licensed channel per week of EBS educational usage, provided that the licensee maintains the unbridgeable right to recapture on one month’s advance notice such capacity as it requires over and above the 5% reservation to make at least 20 hours per channel per week of EBS educational usage.

(2) The licensee may shift its requisite EBS educational usage onto fewer than its authorized number of channels, via channel mapping or channel loading technology, and may shift its requisite EBS educational usage onto channels not authorized to it, but

which are included in the wireless system of which it is a part (“channel shifting”), so that it can enter into a spectrum leasing arrangement involving full-time channel capacity on its EBS station, associated EBS booster stations, and/or EBS response stations and associated response station hubs, subject to the condition that it provide a total average of at least 20 hours per licensed channel per week of EBS educational usage. The use of channel mapping, channel loading, and/or channel shifting consistent with the Rules shall not be considered adversely to the EBS licensee in seeking a license renewal. In addition, an EBS entity receiving interference protection will continue to receive such protection if it elects to swap channels with another EBS or BRS station.

(c) All spectrum leasing arrangements involving EBS spectrum must afford the EBS licensee an opportunity to purchase or to lease dedicated or common EBS equipment used for educational purposes in the event that the spectrum leasing arrangement is terminated.

(d) All leases of current EBS spectrum entered into prior to January 10, 2005 and in compliance with leasing rules formerly contained in part 74 of this chapter may continue in force and effect, notwithstanding any inconsistency between such leases and the rules applicable to spectrum leasing arrangements set forth in this chapter. Such leases entered into pursuant to the former part 74 rules of this chapter may be renewed and assigned in accordance with the terms of such lease. All spectrum leasing arrangements leases entered into after January 10, 2005, pursuant to the rules set forth in part 1 and part 27 of this chapter, must comply with the rules in those parts.

(e) The maximum permissible term of an EBS spectrum leasing arrangement entered into on or after July 19, 2006 (including the initial term and all renewal terms that commence automatically or at the sole option of the lessee) shall be 30 years. In furtherance of the educational purposes for which EBS spectrum is primarily allocated, any spectrum leasing arrangement in excess of 15 years that is entered into on or after July 19, 2006 must include

## Federal Communications Commission

## § 27.1221

terms which provide the EBS licensee on the 15th year and every 5 years thereafter, with an opportunity to review its educational use requirements in light of changes in educational needs, technology, and other relevant factors and to obtain access to such additional services, capacity, support, and/or equipment as the parties shall agree upon in the spectrum leasing arrangement to advance the EBS licensee's educational mission.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35190, June 19, 2006]

### § 27.1215 BRS grandfathered leases.

(a) All leases of current BRS spectrum entered into prior to January 10, 2005 and in compliance with rules formerly contained in part 21 of this chapter may continue in force and effect, notwithstanding any inconsistency between such leases and the rules applicable to spectrum leasing arrangements set forth in this chapter. Such leases entered into pursuant to the former part 21 of this chapter may be renewed and assigned in accordance with the terms of such lease. All spectrum leasing arrangements leases entered into after January 10, 2005, pursuant to the rules set forth in part 1 and part 27 of this chapter must comply with the rules in those parts.

### § 27.1216 Grandfathered E and F group EBS licenses.

(a) Except as noted in paragraph (b) of this section, grandfathered EBS licensees authorized to operate E and F group co-channel licenses are granted a geographic service area (GSA) on July 19, 2006. The GSA is the area bounded by a circle having a 35 mile radius and centered at the station's reference coordinates, and is bounded by the chord(s) drawn between intersection points of that circle and those of respective adjacent market, co-channel licensees.

(b) If there is more than 50 percent overlap between the calculated GSA of a grandfathered EBS license and the protected service area of a co-channel BRS license, the licensees shall not be immediately granted a geographic service area. Instead, the grandfathered EBS license and the co-channel BRS licensee must negotiate in

good faith to reach a solution that accommodates the communication needs of both licensees. If the co-channel licensees reach a mutually agreeable solution on or before October 17, 2006, then the GSA of each co-channel license shall be as determined pursuant to the agreement of the parties. If a mutually agreeable solution between co-channel licensees is not reached on or before October 17, 2006, then each co-channel licensee shall receive a GSA determined pursuant to paragraph (a) of this section and § 27.1206(a).

[71 FR 35191, June 16, 2006]

## TECHNICAL STANDARDS

### § 27.1220 Transmission standards.

The width of a channel in the LBS and UBS is 5.5 MHz, with the exception of BRS channels 1 and 2 which are 6.0 MHz. The width of all channels in the MBS is 6 MHz. However, the licensee may subchannelize its authorized bandwidth, provided that digital modulation is employed and the aggregate power does not exceed the authorized power for the channel. The licensee may also, jointly with other licensees, transmit utilizing bandwidth in excess of its authorized bandwidth, provided that digital modulation is employed, all power spectral density requirements set forth in this part are met and the out-of-band emissions restrictions set forth in § 27.53 are met at the edges of the channels employed.

### § 27.1221 Interference protection.

(a) Interference protection will be afforded to BRS and EBS on a station-by-station basis based on the heights of the stations in the LBS and UBS and also on height benchmarking, although the heights of antennas utilized are not restricted.

(b) *Height Benchmarking.* Height benchmarking is defined for pairs of base stations, one in each of two neighboring service areas. The height benchmark for a particular station in a service area relative to a base station in an adjacent service area is the distance'squared between the station and the GSA service area boundary measured along the radial between the respective stations, divided by 17. That is, the height benchmark is  $h_b = D^2/17$ .

## § 27.1222

Interference protection will be afforded on a station by station basis based on the actual antenna height above the radial average terrain (calculated along the straight line between the two base stations in accordance with § 24.53(b) and (c) of this chapter) and this height benchmark.

(c) *Protection for a Receiving-Antenna not Exceeding the Height Benchmark.* A base station receive-antenna with an HAAT less than or equal to the height benchmark relative to a neighbor's transmitting base station will be protected if that station's HAAT exceeds its height benchmark. That station is required to take such measures to limit the undesired signal at the receiving base station to -109dBm or less.

(d) *No Protection from a Transmitting-Antenna not Exceeding the Height Benchmark.* A base station transmitting-antenna with an HAAT less than or equal to the height benchmark relative to a neighbor's receiving antenna is not required to protect that receiving station, regardless of the HAAT of that station.

(e) *No Protection for a Receiving-Antenna Exceeding the Height Benchmark.* A base station transmitting-antenna with an HAAT greater than the height benchmark relative to a neighbor's receiving antenna is not required to protect that receiving antenna if its HAAT is greater than its height benchmark.

[69 FR 72034, Dec. 10, 2004, as amended at 70 FR 1190, Jan. 6, 2005; 71 FR 35191, June 19, 2006]

## § 27.1222 Operations in the 2568–2572 and 2614–2618 bands.

All operations in the 2568–2572 and 2614–2618 MHz bands shall be secondary to adjacent-channel operations. Stations operating in the 2568–2572 and 2614–2618 MHz must not cause interference to licensees in operation in the LBS, MBS, and UBS and must accept any interference from any station operating in the LBS, MBS, and UBS in compliance with the rules established in this subpart. Stations operating in the 2568–2572 and 2614–2618 bands may cause interference to stations in operation in the LBS, MBS, and UBS if the

## 47 CFR Ch. I (10–1–06 Edition)

affected licensees consent to such interference.

## POLICIES GOVERNING THE TRANSITION OF THE 2500–2690 MHz BAND FOR BRS AND EBS

### § 27.1230 Conversion of the 2500–2690 MHz band.

BRS and EBS licensees in the 2500–2690 MHz band on the pre-transition A-I Channels will be transitioned from the frequencies assigned to them under § 27.5(i)(1) to the frequencies assigned to them under § 27.5(i)(2). The transition, which will be undertaken by one or more proponent(s), will occur in the following five phases: initiating the transition process (see § 27.1231), planning the transition (see § 27.1232), reimbursing transition costs (see §§ 27.1233 and 27.1237–1239), terminating existing operations in transitioned markets that do not comport with § 27.5(i)(2) (see § 27.1234), and filing the post-transition notification (see § 27.1235). Licensees may also self-transition (see § 27.1236).

[71 FR 35191, June 19, 2006]

### § 27.1231 Initiating the transition.

(a) *Transition areas.* Unless paragraph (b) of this section applies, the transition will occur by Basic Trading Area (BTA). BTAs are based on the Rand McNally 1992 Commercial Atlas & Marketing Guide, 123rd Edition, at pages 38–39, that identifies 487 BTAs based on the 50 States; it also includes the following additional BTA-like areas: American Samoa; Guam; Northern Mariana Islands; Mayaguez/Aguadilla-Ponce, Puerto Rico; San Juan, Puerto Rico; and the United States Virgin Islands, for a total of 493 BTAs. The Mayaguez/Aguadilla-Ponce BTA-like area consists of the following municipios: Adjuntas, Aguada, Aguadilla, Anasco, Arroyo, Cabo Rojo, Coamo, Guanica, Guayama, Guayanilla, Hormigueros, Isabela, Jayuya, Juana Diaz, Lajas, Las Marias, Maricao, Maunabo, Mayaguez, Moca, Patillas, Penuelas, Ponce, Quebradillas, Rincon, Sabana Grande, Salinas, San German, Santa Isabel, Villalba, and Yauco. The San Juan BTA-like area consists of all other municipios in Puerto Rico. The BTA

associated with the Gulf of Mexico will not be transitioned.

(b) *Overlapping GSAs.* When a Geographic Service Area (GSA) overlaps two or more BTAs:

(1) The proponents of the adjacent BTAs may agree on how to transition a GSA that overlaps their respective BTAs.

(2) If an agreement has not been reached between or among the proponents of the adjacent BTAs:

(i) Each proponent must transition all of the facilities associated with the GSA that are inside the GSA and inside the proponent's BTA if all of the adjacent BTAs are transitioning; or

(ii) The proponent of the BTA that is transitioning must transition all of the facilities associated with the GSA that are within the GSA but outside the BTA, if the adjacent BTA is not transitioning.

(c)(1) *Proponent(s).* The proponent or co-proponent must:

(i) Be a BRS or EBS licensee or BRS or EBS lessee;

(ii) Send a Pre-Transition Data Request (see paragraph (d) of this section) and a Transition Notice (see paragraph (e) of this section) to every BRS and EBS licensee in the BTA, using the contact information in the Commission's Universal Licensing System; and

(iii) Be first to file an Initiation Plan (see paragraph (f) of this section) with the Secretary of the Commission.

(2) Before filing an Initiation Plan, BRS or EBS licensees or BRS or EBS lessees may agree to be co-proponents. After the Initiation Plan is filed the proponent may accept a co-proponent at its sole discretion.

(d) *Pre-Transition Data Request.* The Pre-Transition Data Request must include the potential proponent's full name, postal mailing address, contact person, e-mail address, and phone and fax numbers.

(1) BRS and EBS licensees that receive a Pre-Transition Data Request must provide the following information to the potential proponent within 45 days of receiving the Pre-Transition Data Request:

(i) The BRS or EBS licensee's full name, postal mailing address, contact person, e-mail address, and phone and fax number.

(ii) The location (by street address and by geographic coordinates) of every constructed EBS receive site that, as of the date of receipt of the Pre-Transition Data Request, is entitled to a replacement downconverter (see § 27.1233(a)). The response must:

(A) Specify whether the downconverting antenna is mounted on a structure attached to the building or on a free-standing structure;

(B) Specify the approximate height above ground level of the downconverting antenna; and

(C) Specify, if known, the adjacent channel D/U ratio that can be tolerated by any receiver(s) at the receive site.

(iii) The location (street address and geographic coordinates) of the main station or booster serving each EBS receive site entitled to protection, including:

(A) The make and model of the antenna for that main station or booster, along with the radiation pattern if it is not included within the Commission's database;

(B) The ground elevation, above mean sea level (AMSL), of the building or antenna supporting structure on which the main station or booster transmission antenna is installed;

(C) The height above ground level (AGL) of the center of radiation of the transmission antenna;

(D) The orientation of the main lobe of the transmission antenna;

(E) Any mechanical beamtilt or electrical beamtilt not reflected in the radiation pattern provided or included within the Commission's database;

(F) The bandwidth of each channel or subchannel, the emission type for each channel or subchannel, and the EIRP measured in the main lobe for each channel or subchannel; and

(G) The make and model of the receive antenna installed at that site, along with the radiation pattern if it is not included within the Commission's database.

(iv) The number and identification of EBS video programming or data transmission tracks the EBS licensee is entitled to receive in the MBS and whether the EBS licensee will accept fewer tracks in the MBS (see § 27.1233(b)).

(v) Whether it will seek or has sought a waiver from the Commission as a

Multichannel Video Programming Distributor (MVPD).

(2) BRS and EBS licensees that do not respond to the Pre-Transition Data Request within 45 days of its receipt may not object to the Transition Plan.

(e) *The Transition Notice.* The potential proponent(s) must send a Transition Notice to all BRS and EBS licensees in the BTA(s) being transitioned. The potential proponent(s) must include the following information in the Transition Notice:

(1) The potential proponent(s)'s full name; postal mailing address, contact person, e-mail address, and phone and fax numbers;

(2) The identification of the BRS and EBS licensees that will be transitioned;

(3) Copies of the most recent response to the Pre-Transition Data Request for each participant in the process; and

(4) A certification that the potential proponent(s) has the funds available to pay the reasonably expected costs of the transition based on the information in the Pre-Transition Data Request.

(f) *Initiation Plan.* To initiate a transition, a potential proponent(s) must submit an Initiation Plan to the Commission at the Office of the Secretary in Washington, DC within 30 months of July 19, 2006.

(1) An Initiation Plan must contain the following information:

(i) A list of the BTA(s) that the proponent(s) is transitioning;

(ii) A list by call sign of all of the BRS and EBS licensees in the BTA(s) that are being transitioned;

(iii) A "best estimate" of when the transition will be completed;

(iv) A statement indicating that an agreement has been concluded with the proponent(s) of the adjoining or adjacent BTA(s) when a licensee or licensees in an adjacent or adjoining BTA must be transitioned to avoid interference to licensees in the BTA being transitioned, or in lieu of an agreement, the proponent(s) may provide an alternative means of transitioning the licensees in an adjacent or adjoining BTA;

(v) A statement indicating that an agreement has been concluded with another proponent(s) on how a BTA will be transitioned when there are two or

more proponents seeking to transition the same BTA and they agree to be co-proponents before the Initiation Plan is filed, and a statement that identifies the specific portion of the BTA each proponent will be responsible for transitioning; and

(vi) A certification that the proponent or joint proponents have the funds available to pay the reasonable expected costs of the transition based on the information contained in the Pre-Transition Data Request (see paragraph (d) of this section).

(2) A proponent, at its own discretion, may withdraw from transitioning a BTA by notifying the Commission and all affected BRS and EBS licensees in the BTA that it is withdrawing the Initiation Plan.

(3) A proponent may amend an Initiation Plan after it has been filed with the Commission to correct minor or inadvertent errors.

(g) *MVPD waiver requests.* MVPD licensees that seek to opt-out of the transition must seek a waiver within 60 days after the proponent files the Initiation Plan or on or before April 30, 2007, whichever occurs first.

[71 FR 35191, June 19, 2006]

EFFECTIVE DATE NOTE: At 71 FR 35191, June 19, 2006, § 27.1231 was revised. Paragraphs (d), (f), and (g) contain information collection and recordkeeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

#### § 27.1232 Planning the transition.

(a) *The Transition Planning Period.* The Transition Planning Period is a 90-day period that commences on the day after the proponent(s) files the Initiation Plan with the Commission.

(b) *The Transition plan.* The proponent(s) must provide to each BRS and EBS licensee within a BTA, a Transition Plan no later than 30 days prior to the conclusion of the Transition Planning Period.

(1) The Transition Plan must:

(i) Identify the call signs of the stations that are transitioning;

(ii) Identify the specific channels that each licensee will receive following the transition;

(iii) Identify the receive sites at which replacement downconverters will be installed (see § 27.1233(a));

(iv) Identify the video programming and data transmission tracks that will be migrated to the MBS and provide for the MBS channels to be authorized to operate with transmission parameters that are substantially similar to those of the licensee's operation prior to transition (see § 27.1233(b));

(v) Identify the technical configuration of the MBS facilities;

(vi) Identify the approximate time line for effectuating the transition, which, unless dispute resolution procedures are used, may not exceed 18 months from the conclusion of the Transition Planning Period;

(vii) Provide for the establishment of an escrow or other appropriate mechanism for ensuring completion of the transition in accordance with the Transition Plan.

(2) The Transition Plan may provide for interruptions of EBS transmissions, so long as those interruptions are limited to a period of less than seven days at any reception site. The proponent(s) must coordinate with each EBS licensee to minimize the extent of any disruption.

(3) The Transition Plan may provide for the shifting of an EBS licensee's program to alternative channels. Such shifting may not be considered an interruption, if the EBS licensee's receive sites are equipped to receive and internally distribute the channel to which the programming is shifted.

(4) The Transition Plan may provide for the installation of an appropriate filter on an MBS transmitter if the proponent(s) determines that the installation of a filter will mitigate interference from transmissions in the MBS to operations outside the MBS.

(c) *Counterproposals.* No later than 10 days before the conclusion of the Transition Planning Period, affected BRS and EBS licensees may submit a counterproposal to the proponent(s) if they believe that the Transition Plan is unreasonable. The proponent(s) may:

(1) Accept the counterproposal, modify the Transition Plan accordingly, and send the modified Transition Plan to all EBS and BRS licensees in the BTA;

(2) Invoke dispute resolution procedures for a determination of whether the Transition Plan is reasonable and take no action until a determination of reasonableness is made; or

(3) Invoke dispute resolution procedures for a determination of whether the Transition Plan is reasonable, but may implement the transition immediately.

(d) *Safe harbors.* An offer by a proponent(s) shall be reasonable if it meets one of the following safe harbors:

(1) *Safe harbor No. 1.* This safe harbor applies when the default high-power channel assigned to each channel group is authorized to operate after the transition with the same transmission parameters (coordinates, antenna pattern, height of center radiation, EIRP) as the downstream facilities before the transition. If the proponent(s) does not propose a change in the geographic coordinates of the facilities (other than as necessary to conform the actual location with the Commission's Antenna Survey Branch database), the proponent may also propose the following to the extent consistent with this subpart:

(i) An increase in the height of the center of radiation of the transmission antenna or a decrease in such height of no more than 8 meters (provided that such change does not result in an increase in antenna support structure lease costs to the EBS licensee and the consent of the owner of the antenna support structure is obtained).

(ii) A change in the EIRP of the transmission system of up to 1.5 dB in any direction.

(iii) Digitization, precision frequency offset, or other upgrades to the EBS transmission or reception systems that allow the proponent(s) to invoke more advantageous interference protection requirements applicable to upgraded systems.

(2) *Safe harbor No. 2.* This safe harbor applies when an EBS licensee has channel-shifted its single video programming or data transmission track to spectrum licensed to another licensee. Under § 27.5(i)(2), that track must be on the high-power channel licensed to the EBS licensee upon completion of the transition. For example, before the

transition, an A Group licensee might have shifted its EBS video programming to channel C1. If one of the pre-transition A Group channels is licensed with technical parameters substantially similar to those of pre-transition channel C1, the Transition Plan may provide for high-power channel A4 to be licensed with the same technical parameters as the pre-transition channel C1. However, if the pre-transition A Group channels are licensed to operate with technical parameters materially different from those of pre-transition channel C1, the proponent(s) may:

(i) Arrange a channel swap with the licensee of the C Group so that the A Group licensee will receive high-power channel C4 (which will automatically be licensed with the same transmission parameters as the pre-transition channel C1) in exchange for channel A4.

(ii) Arrange for high-power channel A4 to operate with transmission parameters substantially similar to those of the pre-transition channel C1 (*see* paragraph (d)(1) of this section).

(3) *Safe harbor No. 3.* This safe harbor applies when a four-channel group is shared among multiple licensees in a given geographic area. Absent an agreement otherwise, a proponent may:

(i) Secure a 6 MHz MBS channel for each licensee in exchange for the non-MBS channels assigned to the group. Following the channel swap(s) necessary to secure those additional MBS channels, the Transition Plan can provide for the licensing of the remaining channels in the LBS, UBS, and Guard Bands on a pro rata basis (with channel(s) in each segment being disaggregated when and if necessary to provide each with its pro rata share of the spectrum in each segment);

(ii) Provide for pro rata segmentation of the default MBS channel for the group, provided that the proponent commits to provide each of the licensees with the technology necessary for its EBS video programming or data transmissions to be digitized, transmitted and received utilizing the provided bandwidth. The non-MBS channels would be divided among the sharing licensees on a pro rata basis (with channel(s) in each segment being disaggregated when and if necessary to

provide each with its pro rata share of the spectrum in each segment); or

(iii) Assign the default MBS channel assigned to the channel group to one of the licensees, if that licensee is the only one that elects to migrate video programming or data transmission tracks to the MBS. The remaining spectrum assigned to the group may be allocated among the licensees on a pro rata basis, with the 6 MHz in the MBS counting against that licensee's portion. To the extent necessary, the non-MBS spectrum can be disaggregated when and if necessary to provide each with its pro rata share of the spectrum in each segment. If the proponent chooses to effectuate a channel swap to provide more than one channel in the MBS, the remaining channels assigned to the group (after considering that one or more LBS/UBS channels and associated Transition Band channels will have been swapped away to provide the additional MBS channel) can be allocated among the licensees on a pro rata basis (with channel(s) in each segment being disaggregated when and if necessary to provide each with its pro rata share of the spectrum in each segment).

(4) *Safe harbor No. 4.* This safe harbor applies when an EBS licensee uses one or more of its channels for studio-to-transmitter links. The proponent may provide for one of the following options:

(i) The use of the LBS and/or UBS band for the point-to-point transmission of the EBS video or data (through superchannelization of the licensee's contiguous LBS or UBS channels), provided the proponent commits to retune the existing point-to-point equipment to operate on those channels or to replace the existing equipment with new equipment tuned to operate on those channels and the proposal complies with the LBS/UBS technical and interference protection rules;

(ii) The migration of the EBS programming to the MBS by retuning the existing point-to-point equipment to operate in the MBS or replacing it with equipment tuned to operate in the MBS; or

(iii) The replacement of the point-to-point link with point-to-point equipment licensed to the EBS licensee in

alternative spectrum, so long as the replacement facilities meet the definition of “comparable facilities” set out in § 101.75(b) of this chapter.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35192, June 19, 2006]

**§ 27.1233 Reimbursement costs of transitioning.**

(a) *Replacement downconverters.* The proponent(s) must install at every eligible EBS receive site a downconverter designed to minimize the reception of signals from outside the MBS.

(1) An EBS receive site is eligible to be replaced if:

(i) A reception system was installed at that site on or before the date the EBS licensee receives its Pre-Transition Data Request (see § 27.1231(d));

(ii) The reception system was installed by or at the direction of the EBS licensee;

(iii) The reception system receives EBS programming under § 27.1203(b) and (c) or is located at a cable television system headend and the cable system relays educational or instructional programming for an EBS licensee; and

(iv) It is within the licensee’s 35-mile radius GSA.

(2) Replacement downconverters must meet the following minimum technical requirements:

(i) The downconverter’s input frequency range (the “in-band frequencies”) must be 2572 MHz to 2614 MHz and output frequency range must be 294 MHz to 336 MHz;

(ii) The downconversion process must not invert frequencies;

(iii) The nominal gain of the downconverter must be 32 dB, or greater;

(iv) The downconverter must include filtering prior to the first amplifier that attenuates frequencies below 2500 MHz and above 2705 MHz by at least 25 dB;

(v) The downconverter must have an out-of-band input 3rd order intercept point (input IP3) of at least +9 dBm, where out-of-band is defined as all frequencies below 2566 MHz and all frequencies above 2620 MHz;

(vi) The downconverter must have a typical noise figure of no greater than 3.5 dB and a worst case noise figure of

no greater than 4.5 dB across all in-band frequencies and across its entire intended operating temperature range;

(vii) The downconverter must not introduce a delta group delay of more than 20 nanoseconds for digital operations or 100 nanoseconds for analog operations over any individual six megahertz MBS channel.

(b) *Migration of Video Programming and Data Transmission Track.* (1) The proponent(s) must provide, at its cost, to each EBS licensee that intends to continue downstream high-power, high-site educational video programming or data transmission services, with one programming track on the MBS channels for each EBS video or data transmission track the licensee is transmitting on a simultaneous basis before the transition.

(i) To be eligible for migration, a program track must contain EBS programming that complies with § 27.1203 (b) and (c).

(ii) The proponent(s) must pay only the costs of migrating programming tracks being transmitted on December 31, 2002 or within six months prior thereto.

(2) The proponent(s) must migrate each eligible programming track to spectrum in the MBS that will be licensed to the affected licensee at the conclusion of the transition.

(3) After the transition, the desired-to-undesired signal level ratio at each of the receive sites securing a replacement downconverter must satisfy the following criteria:

(i) *Cochannel D/U Ratio.* (A) When the post-transition desired signal is transmitted using analog modulation, the actual cochannel D/U ratio measured at the output of the reception antenna must be at least the lesser of 45 dB or the actual pre-transmission D/U ratio less 1.5 dB.

(B) When the post-transition desired signal will be transmitted using digital modulation, the actual cochannel D/U ratio measured at the output of the reception antenna must be at least the lesser of 32 dB or the pre-transition D/U ratio less 1.5 dB.

(C) Where in implementing the Transition Plan, the proponent(s) deploys precise frequency offset in an analog system, the minimum cochannel D/U



## § 27.1234

ratio is reduced to 38 dB, provided that the transmitters have or are upgraded pursuant to the Transition Plan to have the appropriate “plus,” “zero,” or “minus” 10,010 Hertz precision frequency offset with a  $\pm 3$  Hertz (or better) stability.

(ii) *Adjacent Channel D/U Ratio.* The actual adjacent channel D/U must equal or exceed the lesser of 0 dB or the actual pre-transmission D/U ratio. However, in the event that the receive site uses receivers or is upgraded by the proponent(s) as part of the Transition Plan to use receivers that can tolerate negative adjacent channel D/U ratios, the actual adjacent channel D/U ratio at such receive site must equal or exceed -10 dB. Provided that the receive site receiver is not upgraded and cannot tolerate -10 dB, the adjacent channel D/U ratio would be 0dB.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35193, June 19, 2006]

## § 27.1234 Terminating existing operations in transitioned markets.

Licensees may discontinue operations during the transition.

## § 27.1235 Post-transition notification.

The proponent(s) must certify to the Commission at the Office of the Secretary, Washington, DC, that the Transition Plan has been fully implemented.

(a) The notification must provide the identification of the licensees that have transitioned to the band plan in § 27.5(i)(2) and the specific frequencies on which each licensee is operating.

(b) For each station in the MBS, the notification must provide the following information:

- (1) The station coordinates,
- (2) The make and model of each antenna,
- (3) The horizontal and vertical pattern of the antenna;
- (4) EIRP of the main lobe;
- (5) Orientation;
- (6) Height of antenna center of radiation;
- (7) Transmitter output power;
- (8) All line and combiner losses.

(c) The proponent(s) must provide copies of the post-transition notice to all parties of the transition.

## 47 CFR Ch. I (10–1–06 Edition)

(d) A BRS or EBS licensee must file any objection to the post-transition notification within 30 days from the date the post-transition notification is placed on Public Notice.

[69 FR 72034, Dec. 10, 2004, as amended at 71 FR 35193, June 19, 2006]

EFFECTIVE DATE NOTE: At 69 FR 72034, Dec. 10, 2004, § 27.1235 was added. At 71 FR 35193, June 19, 2006, § 27.1235 was amended. This section contains information collection and recordkeeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

## § 27.1236 Self-transitions.

(a) If an Initiation Plan is not filed within 30 months of July 19, 2006 for a BTA, BRS and EBS licensees in that BTA may self-transition by relocating to their default channel locations specified in § 27.5(i)(2) and complying with §§ 27.50(h), 27.53, 27.55 and 27.1221.

(b) To self-transition, a BRS or EBS licensee must:

(1) Notify the Secretary of the Commission on or before 90 days after the Initiation Plan must be filed with the Commission that it will self-transition (see paragraph (a) of this section);

(2) Send a Self-Transition Notification (see paragraph (c) of this section) to other BRS and EBS licensees in the BTA where the self-transitioning licensee's GSA geographic center point is located that it is self-transitioning;

(3) Notify other licensees whose GSAs overlap with the self-transitioning licensee that it is self-transitioning.

(4) Address interference concerns with other BRS and EBS licensees in the BTA that are also self-transitioning;

(5) File a modification application with the Commission, and

(6) Complete the self-transition within 57 months of July 19, 2006.

(c) *Self-Transition Notification.* The Self-Transition Notification must include the EBS licensee's full name, postal mailing address, contact person, e-mail address, and phone and fax numbers. A self-transitioning EBS licensee must provide the following information to all BRS and EBS licensees located in the BTA where the self-transitioning licensees GSA geographic center point is located:

## Federal Communications Commission

## § 27.1237

(1) The location (by street address and by geographic coordinates) of every constructed EBS receive site that, as of the date the Self-Transition Notification is sent, is entitled to a replacement downconverter (see § 27.1233(a)). The response must:

- (i) Specify whether the downconverting antenna is mounted on a structure attached to the building or on a free-standing structure;
- (ii) Specify the approximate height above ground level of the downconverting antenna; and
- (iii) Specify, if known, the adjacent channel D/U ratio that can be tolerated by any receiver(s) at the receive site.

(2) The location (street address and geographic coordinates) of the main station or booster serving each EBS receive site entitled to protection, including:

- (i) The make and model of the antenna for that main station or booster, along with the radiation pattern if it is not included within the Commission's database;
- (ii) The ground elevation, above mean sea level (AMSL), of the building or antenna supporting structure on which the main station or booster transmission antenna is installed;
- (iii) The height above ground level (AGL) of the center of radiation of the transmission antenna;
- (iv) The orientation of the main lobe of the transmission antenna;
- (v) Any mechanical beamtilt or electrical beamtilt not reflected in the radiation pattern provided or included within the Commission's database;
- (vi) The bandwidth of each channel or subchannel, the emission type for each channel or subchannel, and the EIRP measured in the main lobe for each channel or subchannel; and
- (vii) The make and model of the receive antenna installed at that site, along with the radiation pattern if it is not included within the Commission's database.

(3) The number and identification of EBS video programming or data transmission tracks the EBS licensee is entitled to receive in the MBS (see § 27.1233(b)).

[71 FR 35193, June 19, 2006]

EFFECTIVE DATE NOTE: At 71 FR 35193, June 19, 2006, § 27.1236 was added. This section con-

tains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

### § 27.1237 Pro rata allocation of transition costs.

(a) *Self-transitions.* EBS licensees that self-transition may seek reimbursement for their costs to replace eligible downconverters (see § 27.1233(a)) and to migrate video programming and data transmission tracks (see § 27.1233(b)) from BRS licensees and lessees, EBS lessees, and commercial EBS licensees in the BTA where the center point of the EBS licensee's GSA is located. In addition, BRS licensees and lessees, EBS lessees, and commercial EBS licensees in the LBS or UBS must reimburse the self-transitioning EBS licensee a pro rata share of the eligible costs of transitioning EBS licensees, based on the formula in paragraph (c) of this section. Eligible costs are listed in § 27.1238.

(b) *Proponent-driven transitions.* BRS licensees and lessees, entities that lease EBS spectrum for a commercial purpose, and commercial EBS licensees must pay their own transition costs. In addition, except for MVPD operators that opt-out of the transition, BRS licensees and lessees, EBS lessees, and commercial EBS licensees in the LBS or UBS must reimburse the proponent a pro rata share of the eligible costs of transitioning EBS licensees, based on the formula in paragraph (c) of this section. Eligible costs are listed in § 27.1238.

(c) *Formula.* The pro rata share shall be based on the following formula:

$$R = \frac{L \times LP}{T \times TP}$$

(1) R equals the pro rata share;

(2) L equals the amount of spectrum used by a BRS licensee or lessee or commercial EBS licensee or lessee to provide a commercial service, either directly or through a lease agreement with an EBS or BRS licensee;

(3) T equals the total amount of spectrum licensed or leased for commercial purposes in the BTA;

## § 27.1238

## 47 CFR Ch. I (10–1–06 Edition)

(4) LP equals the population of the geographic service area or BTA served by the BRS licensee or lessee or commercial EBS licensee or lessee based on the data in the 2000 United States Census; and

(5) TP equals the population of the BTA based on the data in the 2000 United States Census.

[71 FR 35193, June 19, 2006]

EFFECTIVE DATE NOTE: At 71 FR 35193, June 19, 2006, § 27.1237 was added. This section contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

### § 27.1238 Eligible costs.

(a) The costs listed in paragraphs (b) through (f) of this section are eligible costs.

(b) *Pre-transition costs:*

- (1) Engineering/Consulting
- (i) Evaluation of equipment;
- (ii) RX site identification;
- (iii) EBS Programming plan covering the BTA;
- (iv) Market Analysis (MHz per POP Study);
- (v) RF study (interference analysis); and
- (vi) Transition Plan creation and support;

(2) Project management (may be sourced external);

(3) Filing fees;

(4) Legal fees;

(5) Site acquisition fees-contractor; and

(6) Arbitrator fee;

(c) *Transmission facility—analogue conversion costs:*

(1) Transmitter upgrading or re-tuning;

(2) Combiner re-tuning or new;

(3) Power divider/circulator adjacent channel combiner hardware;

(4) STL/fiber relocation;

(5) Miscellaneous material costs (including cabling and connectors);

(6) Contract labor:

(i) Tower;

(ii) Building modifications;

(iii) Electrical/HVAC; and

(iv) Mechanical

(7) Engineering:

(i) Structural; and

(ii) Pathway Interference Analysis.

(8) Equipment disposal/shipping

(9) Program Management (third party or internal costs to manage the BTA conversion); and

(10) Travel and Per Diem Cost.

(d) *Transmission facility-digital conversion costs:*

(1) New transmitter or retuning;

(2) Digital compression equipment-TX site (including encoders, controller, and software);

(3) Combiners-new or retune;

(4) Power divider/circulator adjacent channel combiner hardware;

(5) Cabinets, cabling, feedline and connectors;

(6) STL—fiber digital upgrade;

(7) Installation cost due to adding additional broadcast antenna (4 or more digital channels required);

(8) Contract labor:

(i) Tower;

(ii) Building modifications;

(iii) Electrical/HVAC; and

(iv) Mechanical.

(9) Proof of performance testing (may be contracted);

(10) Engineering:

(i) Structural; and

(ii) Path engineering analysis.

(11) Equipment disposal/shipping;

(12) Training;

(13) Program management (third party or internal costs to manage BTA conversion);

(14) Travel and per diem costs.

(e) *Qualified receive-sites only-modifications (analog and digital):*

(1) Digital set top boxes;

(2) Downconverters (with filtering)/antennas (replacement downconverters);

(3) Contract labor:

(i) Antenna change/DC install (antenna change may be necessary); and

(ii) Electrical; and mechanical

(4) Project management (third party or internal costs to manage the BTA conversion);

(5) Proof of performance testing (may be contracted);

(6) Mini headend (cost effective distribution method):

(i) Modulators, combiners;

(ii) Equipment racks; and

(iii) Amplifiers

(7) Cable, connectors; and

(8) Training.

(f) *Miscellaneous transition fees.* (1) Filing fees;

## Federal Communications Commission

## § 27.1251

- (2) Arbitrator fee; and
- (3) Legal fees.

[71 FR 35193, June 19, 2006]

EFFECTIVE DATE NOTE: At 71 FR 35193, June 19, 2006, § 27.1238 was added. This section contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

### § 27.1239 Reimbursement obligation.

(a) A proponent may request reimbursement from BRS licensees and lessees, EBS lessees, and commercial EBS licensees in a BTA after the Transition Notification has been filed with the Secretary of the Commission and the proponent has accumulated the documentation to substantiate the full and accurate cost of the transition. A self-transitioning licensee may request reimbursement from BRS licensees and lessees, EBS lessees, and commercial EBS licensees in a BTA where its GSA geographic center point is located after it has completed the self-transition and has filed a modification application with the Commission and has accumulated the documentation to substantiate the full and accurate cost of the transition.

(b) If a license is assigned, transferred, partitioned, or disaggregated, all parties to the assignment, transfer, disaggregation, or partition are jointly and severally liable for paying the reimbursement obligation until that obligation is paid.

[71 FR 35193, June 19, 2006]

EFFECTIVE DATE NOTE: At 71 FR 35193, June 19, 2006, § 27.1239 was added. This section contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

### RELOCATION PROCEDURES FOR THE 2150–2160/62 MHz BAND

SOURCE: Sections 27.1250 through 27.1255 appear at 71 FR 29840, May 24, 2006, unless otherwise noted.

### § 27.1250 Transition of the 2150–2160/62 MHz band from the Broadband Radio Service to the Advanced Wireless Service.

The 2150–2160/62 MHz band has been allocated for use by the Advanced

Wireless Service (AWS). The rules in this section provide for a transition period during which AWS licensees may relocate existing Broadband Radio Service (BRS) licensees using these frequencies to their assigned frequencies in the 2496–2690 MHz band or other media.

(a) AWS licensees and BRS licensees shall engage in mandatory negotiations for the purpose of agreeing to terms under which the BRS licensees would:

(1) Relocate their operations to other frequency bands or other media; or alternatively

(2) Accept a sharing arrangement with the AWS licensee that may result in an otherwise impermissible level of interference to the BRS operations.

(b) If no agreement is reached during the mandatory negotiation period, an AWS licensee may initiate involuntary relocation procedures. Under involuntary relocation, the incumbent is required to relocate, provided that the AWS licensee meets the conditions of § 27.1252.

(c) Relocation of BRS licensees by AWS licensees will be subject to a three-year mandatory negotiation period. BRS licensees may suspend the running of the three-year negotiation period for up to one year if the BRS licensee cannot be relocated to comparable facilities at the time the AWS licensee seeks entry into the band.

### § 27.1251 Mandatory Negotiations.

(a) Once mandatory negotiations have begun, a BRS licensee may not refuse to negotiate and all parties are required to negotiate in good faith. Good faith requires each party to provide information to the other that is reasonably necessary to facilitate the relocation process. The BRS licensee is required to cooperate with an AWS licensee's request to provide access to the facilities to be relocated, other than the BRS customer location, so that an independent third party can examine the BRS system and prepare an appraisal of the costs to relocate the incumbent. In evaluating claims that a party has not negotiated in good faith, the FCC will consider, *inter alia*, the following factors:

(1) Whether the AWS licensee has made a bona fide offer to relocate the BRS licensee to comparable facilities in accordance with § 27.1252(b);

(2) If the BRS licensee has demanded a premium, the type of premium requested (*e.g.*, whether the premium is directly related to relocation, such as analog-to-digital conversions, versus other types of premiums), and whether the value of the premium as compared to the cost of providing comparable facilities is disproportionate (*i.e.*, whether there is a lack of proportion or relation between the two);

(3) What steps the parties have taken to determine the actual cost of relocation to comparable facilities;

(4) Whether either party has withheld information requested by the other party that is necessary to estimate relocation costs or to facilitate the relocation process.

(b) Any party alleging a violation of our good faith requirement must attach an independent estimate of the relocation costs in question to any documentation filed with the Commission in support of its claim. An independent cost estimate must include a specification for the comparable facility and a statement of the costs associated with providing that facility to the incumbent licensee.

(c) Mandatory negotiations will commence for each BRS licensee when the AWS licensee informs the BRS licensee in writing of its desire to negotiate. Mandatory negotiations will be conducted with the goal of providing the BRS licensee with comparable facilities, defined as facilities possessing the following characteristics:

(1) *Throughput*. Communications throughput is the amount of information transferred within a system in a given amount of time. System is defined as a base station and all end user units served by that base station. If analog facilities are being replaced with analog, comparable facilities may provide a comparable number of channels. If digital facilities are being replaced with digital, comparable facilities provide equivalent data loading bits per second (bps).

(2) *Reliability*. System reliability is the degree to which information is transferred accurately within a sys-

tem. Comparable facilities provide reliability equal to the overall reliability of the BRS system. For digital systems, reliability is measured by the percent of time the bit error rate (BER) exceeds a desired value, and for analog or digital video transmission, it is measured by whether the end-to-end transmission delay is within the required delay bound. If an analog system is replaced with a digital system, only the resulting frequency response, harmonic distortion, signal-to-noise ratio and its reliability will be considered in determining comparable reliability.

(3) *Operating Costs*. Operating costs are the cost to operate and maintain the BRS system. AWS licensees would compensate BRS licensees for any increased recurring costs associated with the replacement facilities (*e.g.*, additional rental payments, and increased utility fees) for five years after relocation. AWS licensees could satisfy this obligation by making a lump-sum payment based on present value using current interest rates. Additionally, the maintenance costs to the BRS licensee would be equivalent to the replaced system in order for the replacement system to be comparable.

(d) AWS licensees are responsible for the relocation costs of end user units served by the BRS base station that is being relocated. If a lessee is operating under a BRS license, the BRS licensee may rely on the throughput, reliability, and operating costs of facilities in use by a lessee in negotiating comparable facilities and may include the lessee in negotiations.

#### § 27.1252 Involuntary Relocation Procedures.

(a) If no agreement is reached during the mandatory negotiation period, an AWS licensee may initiate involuntary relocation procedures under the Commission's rules. AWS licensees are obligated to pay to relocate BRS systems to which the AWS system poses an interference problem. Under involuntary relocation, the BRS licensee is required to relocate, provided that the AWS licensee:

(1) Guarantees payment of relocation costs, including all engineering, equipment, site and FCC fees, as well as any

legitimate and prudent transaction expenses incurred by the BRS licensee that are directly attributable to an involuntary relocation, subject to a cap of two percent of the “hard” costs involved. Hard costs are defined as the actual costs associated with providing a replacement system, such as equipment and engineering expenses. There is no cap on the actual costs of relocation. AWS licensees are not required to pay BRS licensees for internal resources devoted to the relocation process. AWS licensees are not required to pay for transaction costs incurred by BRS licensees during the mandatory period once the involuntary period is initiated, or for fees that cannot be legitimately tied to the provision of comparable facilities; and

(2) Completes all activities necessary for implementing the replacement facilities, including engineering and cost analysis of the relocation procedure and, if radio facilities are used, identifying and obtaining, on the incumbents’ behalf, new microwave frequencies and frequency coordination.

(b) *Comparable facilities.* The replacement system provided to an incumbent during an involuntary relocation must be at least equivalent to the existing BRS system with respect to the following three factors:

(1) *Throughput.* Communications throughput is the amount of information transferred within a system in a given amount of time. System is defined as a base station and all end user units served by that base station. If analog facilities are being replaced with analog, the AWS licensee is required to provide the BRS licensee with a comparable number of channels. If digital facilities are being replaced with digital, the AWS licensee must provide the BRS licensee with equivalent data loading bits per second (bps). AWS licensees must provide BRS licensees with enough throughput to satisfy the BRS licensee’s system use at the time of relocation, not match the total capacity of the BRS system.

(2) *Reliability.* System reliability is the degree to which information is transferred accurately within a system. AWS licensees must provide BRS licensees with reliability equal to the overall reliability of their system. For

digital data systems, reliability is measured by the percent of time the bit error rate (BER) exceeds a desired value, and for analog or digital video transmissions, it is measured by whether the end-to-end transmission delay is within the required delay bound.

(3) *Operating costs.* Operating costs are the cost to operate and maintain the BRS system. AWS licensees must compensate BRS licensees for any increased recurring costs associated with the replacement facilities (e.g., additional rental payments, increased utility fees) for five years after relocation. AWS licensees may satisfy this obligation by making a lump-sum payment based on present value using current interest rates. Additionally, the maintenance costs to the BRS licensee must be equivalent to the replaced system in order for the replacement system to be considered comparable.

(c) AWS licensees are responsible for the relocation costs of end user units served by the BRS base station that is being relocated. If a lessee is operating under a BRS license, the AWS licensee shall on the throughput, reliability, and operating costs of facilities in use by a lessee at the time of relocation in determining comparable facilities for involuntary relocation purposes.

(d) *Twelve-month trial period.* If, within one year after the relocation to new facilities, the BRS licensee demonstrates that the new facilities are not comparable to the former facilities, the AWS licensee must remedy the defects or pay to relocate the BRS licensee to one of the following: Its former or equivalent 2 GHz channels, another comparable frequency band, a land-line system, or any other facility that satisfies the requirements specified in paragraph (b) of this section. This trial period commences on the date that the BRS licensee begins full operation of the replacement system. If the BRS licensee has retained its 2 GHz authorization during the trial period, it must return the license to the Commission at the end of the twelve months.

#### § 27.1253 Sunset Provisions.

(a) BRS licensees will maintain primary status in the 2150–2160/62 MHz

band unless and until an AWS licensee requires use of the spectrum. AWS licensees are not required to pay relocation costs after the relocation rules sunset (*i.e.* fifteen years from the date the first AWS license is issued in the band). Once the relocation rules sunset, an AWS licensee may require the incumbent to cease operations, provided that the AWS licensee intends to turn on a system within interference range of the incumbent, as determined by § 27.1255. AWS licensee notification to the affected BRS licensee must be in writing and must provide the incumbent with no less than six months to vacate the spectrum. After the six-month notice period has expired, the BRS licensee must turn its license back into the Commission, unless the parties have entered into an agreement which allows the BRS licensee to continue to operate on a mutually agreed upon basis.

(b) If the parties cannot agree on a schedule or an alternative arrangement, requests for extension will be accepted and reviewed on a case-by-case basis. The Commission will grant such extensions only if the incumbent can demonstrate that:

(1) It cannot relocate within the six-month period (*e.g.*, because no alternative spectrum or other reasonable option is available); and

(2) The public interest would be harmed if the incumbent is forced to terminate operations.

**§ 27.1254 Eligibility.**

(a) BRS licensees with primary status in the 2150–2162 MHz band as of June 23, 2006, will be eligible for relocation insofar as they have facilities that are constructed and in use as of this date.

(b) *Future Licensing and Modifications.* After June 23, 2006, all major modifications to existing BRS systems in use in the 2150–2160/62 MHz band will be authorized on a secondary basis to AWS systems, unless the incumbent affirmatively justifies primary status and the incumbent BRS licensee establishes that the modification would not add to the relocation costs of AWS licensees. Major modifications include the following:

(1) Additions of new transmit sites or base stations made after June 23, 2006;

(2) Changes to existing facilities made after June 23, 2006, that would increase the size or coverage of the service area, or interference potential, and that would also increase the throughput of an existing system (*e.g.*, sector splits in the antenna system). Modifications to fully utilize the existing throughput of existing facilities (*e.g.*, to add customers) will not be considered major modifications even if such changes increase the size or coverage of the service area, or interference potential.

**§ 27.1255 Relocation Criteria for Broadband Radio Service Licensees in the 2150–2160/62 MHz band.**

(a) An AWS licensee in the 2150–2160/62 MHz band, prior to initiating operations from any base or fixed station that is co-channel to the 2150–2160/62 MHz band, must relocate any incumbent BRS system that is within the line of sight of the AWS licensee's base or fixed station. For purposes of this section, a determination of whether an AWS facility is within the line of sight of a BRS system will be made as follows:

(1) For a BRS system using the 2150–2160/62 MHz band exclusively to provide one-way transmissions to subscribers, the AWS licensee will determine whether there is an unobstructed signal path (line of sight) to the incumbent licensee's geographic service area (GSA), based on the following criteria: use of 9.1 meters (30 feet) for the receiving antenna height, use of the actual transmitting antenna height and terrain elevation, and assumption of 4/3 Earth radius propagation conditions. Terrain elevation data must be obtained from the U.S. Geological Survey (USGS) 3-second database. All coordinates used in carrying out the required analysis shall be based upon use of NAD–83.

(2) For all other BRS systems using the 2150–2160/62 MHz band, the AWS licensee will determine whether there is an unobstructed signal path (line of sight) to the incumbent licensee's receive station hub using the method prescribed in “Methods for Predicting Interference from Response Station

Transmitters and to Response Station Hubs and for Supplying Data on Response Station Systems. MM Docket 97-217," in Amendment of Parts 1, 21 and 74 to Enable Multipoint Distribution Service and Instructional Television Fixed Service Licensees to Engage in Fixed Two-Way Transmissions, MM Docket No. 97-217, *Report and Order on Further Reconsideration and Further Notice of Proposed Rulemaking*, 15 FCC Rcd 14566 at 14610, Appendix D.

(b) Any AWS licensee in the 2110-2180 MHz band that causes actual and demonstrable interference to a BRS licensee in the 2150-2160/62 MHz band must take steps to eliminate the harmful interference, up to and including relocation of the BRS licensee, regardless of whether it would be required to do so under paragraph (a), of this section.

## PART 32—UNIFORM SYSTEM OF ACCOUNTS FOR TELECOMMUNICATIONS COMPANIES

### Subpart A—Preface

- Sec.
- 32.1 Background.
- 32.2 Basis of the accounts.
- 32.3 Authority.
- 32.4 Communications Act.

### Subpart B—General Instructions

- 32.11 Classification of companies.
- 32.12 Records.
- 32.13 Accounts—general.
- 32.14 Regulated accounts.
- 32.15 [Reserved]
- 32.16 Changes in accounting standards.
- 32.17 Interpretation of accounts.
- 32.18 Waivers.
- 32.19 Address for reports and correspondence.
- 32.20 Numbering convention.
- 32.21 Sequence of accounts.
- 32.22 Comprehensive interperiod tax allocation.
- 32.23 Nonregulated activities.
- 32.24 Compensated absences.
- 32.25 Unusual items and contingent liabilities.
- 32.26 Materiality.
- 32.27 Transactions with affiliates.

### Subpart C—Instructions for Balance Sheet Accounts

- 32.101 Structure of the balance sheet accounts.

- 32.102 Nonregulated investments.
- 32.103 Balance sheet accounts for other than regulated-fixed assets to be maintained.
- 32.1120 Cash and equivalents.
- 32.1170 Receivables.
- 32.1171 Allowance for doubtful accounts.
- 32.1191 Accounts receivable allowance—other.
- 32.1220 Inventories.
- 32.1280 Prepayments.
- 32.1350 Other current assets.
- 32.1406 Nonregulated investments.
- 32.1410 Other noncurrent assets.
- 32.1438 Deferred maintenance and retirements.
- 32.1500 Other jurisdictional assets—net.
- 32.2000 Instructions for telecommunications plant accounts.
- 32.2001 Telecommunications plant in service.
- 32.2002 Property held for future telecommunications use.
- 32.2003 Telecommunications plant under construction.
- 32.2005 Telecommunications plant adjustment.
- 32.2006 Nonoperating plant.
- 32.2007 Goodwill.
- 32.2110 Land and support assets.
- 32.2111 Land.
- 32.2112 Motor vehicles.
- 32.2113 Aircraft.
- 32.2114 Tools and other work equipment.
- 32.2121 Buildings.
- 32.2122 Furniture.
- 32.2123 Office equipment.
- 32.2124 General purpose computers.
- 32.2210 Central office—switching.
- 32.2211 Non-digital switching.
- 32.2212 Digital electronic switching.
- 32.2220 Operator systems.
- 32.2230 Central office—transmission.
- 32.2231 Radio systems.
- 32.2232 Circuit equipment.
- 32.2310 Information origination/termination.
- 32.2311 Station apparatus.
- 32.2321 Customer premises wiring.
- 32.2341 Large private branch exchanges.
- 32.2351 Public telephone terminal equipment.
- 32.2362 Other terminal equipment.
- 32.2410 Cable and wire facilities.
- 32.2411 Poles.
- 32.2421 Aerial cable.
- 32.2422 Underground cable.
- 32.2423 Buried cable.
- 32.2424 Submarine & deep sea cable.
- 32.2426 Intrabuilding network cable.
- 32.2431 Aerial wire.
- 32.2441 Conduit systems.
- 32.2680 Amortizable tangible assets.
- 32.2681 Capital leases.
- 32.2682 Leasehold improvements.
- 32.2690 Intangibles.
- 32.3000 Instructions for balance sheet accounts—Depreciation and amortization.